

Bilaga 1 Sökdokumentation/Appendix 1 Search strategies

If all or a substantive part of the search strategies below are reused in another publication, please cite this report!

CINAHL via EBSCO 16 May 2023

Title: Sexual violence in children 7 years old or younger

Search terms	Items found
Population: Sexual violence	
1. MH "Rape" OR MH "Sexual Abuse" OR MH "Sexual Trauma"	13,498
2. TI (intercourse N3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* N3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex N3 (in-appropriate OR inappropriate)) OR (sex* N3 (victim* OR revictim* OR re-victim* OR survivor*))) OR AB ((intercourse N3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* N3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex N3 (in-appropriate OR inappropriate)) OR (sex* N3 (victim* OR revictim* OR re-victim* OR survivor*)))	29,281
3. S1 OR S2	32,901
4. MH "Dating Violence" OR MH "Domestic Violence" OR MH "Intimate Partner Violence"	21,989
5. TI ((dating N3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) N3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship N3 (aggression OR violence)) OR (spous* N3 abuse)) OR AB ((dating N3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) N3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship N3 (aggression OR violence)) OR (spous* N3 abuse))	32,874
6. S4 OR S5	39,440
7. MH "Human Trafficking" OR MH "Sex Work"	4,795
8. TI (brothel* OR "human traffick*" OR prostitut* OR (sex* N3 traffick*) OR "sex work*") OR AB (brothel* OR "human traffick*" OR prostitut* OR (sex* N3 traffick*) OR "sex work*")	5,675
9. S7 OR S8	7,138
10. MH "Child Abuse, Sexual" OR MH "Incest"	7,733
11. TI (((adolescen* OR child* OR early OR forced) N5 (marriage* OR married)) OR "child bride" OR "child porn*" OR grooming OR incest* OR paedophil* OR pedophil*) OR AB (((adolescen* OR child* OR early OR forced) N5 (marriage* OR married)) OR "child bride" OR "child porn*" OR grooming OR incest* OR paedophil* OR pedophil*)	4,123
12. S10 OR S11	11,330
13. MH "Female Genital Mutilation"	1,649
14. TI (clitoridectom* OR clitorectom* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR wom*n OR girl*) N3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* N3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal* N6 genital*) OR "pharaonic circumcision*" OR sunna) OR AB (clitoridectom* OR clitorectom* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR wom*n OR girl*) N3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* N3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR	1,747

	infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal* N6 genital*) OR "pharaonic circumcision**" OR sunna)	
15.	S13 OR S14	2,194
16.	S3 OR S6 OR S9 OR S12 OR S15	78,606
Population: Child, preschool		
17.	(MH "Child") OR (MH "Child, Abandoned") OR (MH "Child, Adopted") OR (MH "Children with Disabilities") OR (MH "Child, Foster") OR (MH "Child, Gifted") OR (MH "Child, Hospitalized") OR (MH "Child, Institutionalized") OR (MH "Child, Medically Fragile") OR (MH "Child, Preschool") OR (MH "Latchkey Children") OR (MH "Only Child") OR (MH "Infant")	656,023
18.	TI ("1 year* old**" OR "2 year* old**" OR "3 year* old**" OR "4 year* old**" OR "5 year* old**" OR "6 year* old**" OR "7 year* old**" OR baby OR babies OR boy OR boyhood* OR boys OR child* OR "five year* old**" OR "four year* old**" OR girl OR girlhood* OR girls OR kid OR kids OR kinder* OR nursery OR "one year* old**" OR paediatric* OR pediatric* OR prekindergarten OR preschool* OR pre-school* OR stepchild* OR step-child* OR "seven year* old**" OR "six year* old**" OR "three year* old**" OR toddler* OR "two year* old**" OR infant OR infants) OR AB ("1 year* old**" OR "2 year* old**" OR "3 year* old**" OR "4 year* old**" OR "5 year* old**" OR "6 year* old**" OR "7 year* old**" OR baby OR babies OR boy OR boyhood* OR boys OR child* OR "five year* old**" OR "four year* old**" OR girl OR girlhood* OR girls OR kid OR kids OR kinder* OR nursery OR "one year* old**" OR paediatric* OR pediatric* OR prekindergarten OR preschool* OR pre-school* OR stepchild* OR step-child* OR "seven year* old**" OR "six year* old**" OR "three year* old**" OR toddler* OR "two year* old**" OR infant OR infants)	810,095
19.	S17 OR S18	1,010,683
Intervention: Psychological and psychosocial treatments		
20.	(MH "Case Management") OR MH "Art Therapy" OR MH "Coping" OR MH "Color Therapy" OR MH "Combined Modality Therapy" OR MH "Community Support" OR MH "Computer Assisted Instruction" OR MH "Counseling" OR MH "Couples Counseling" OR MH "Internet-Based Intervention" OR MH "Meditation" OR MH "Motivational Interviewing" OR MH "Peer Counseling" OR (MH "Program Evaluation") OR MH "Psychological First Aid" OR MH "Psychotherapy+" OR MH "Rehabilitation, Psychosocial" OR MH "Relaxation Techniques" OR MH "Remote Consultation" OR MH "Self Care" OR MH "Self-Management" OR MH "Sexual Counseling" OR MH "Telehealth" OR MH "Telemedicine" OR (MH "Telepsychiatry") OR MH "Therapy, Computer Assisted" OR MH "Therapeutic Alliance" OR MH "Yoga"	449,886
21.	TI (((abreaction OR desensitization OR implosive) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "acceptance and commitment therapy" OR ((animal* OR art OR color# OR creative* OR dance OR dancing OR drama OR equine OR experiential OR music OR play* OR sensory OR singing) N3 (intervention* OR program* OR therap* OR treatment*)) OR "assertive community treatment**" OR (attention N3 modification) OR "attention training" OR ((behavior* OR cognitive) N3 (activation* OR approach* OR component# OR contracting OR defusion OR guidance OR intervention* OR management OR modif* OR program* OR rehab* OR restruktur* OR technique* OR therap* OR train* OR treatment*)) OR "bereavement therap*" OR ((biofeedback OR feedback OR imagery) N3 (intervention* OR program* OR technique* OR therap* OR train* OR treatment*)) OR ((brief OR time-limited) N3 (intervention* OR therap* OR treatment*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "cognitive behavior*" OR ((combination OR "compass* focus**" OR integrated OR integrative) N3 (intervention* OR therap* OR treatment*)) OR "combined modality therapy" OR ((coping OR resilience) N3 (intervention* OR therap* OR treatment*)) OR coun?eling OR coun?elling OR ((couple* OR family OR group) N3 (program* OR intervention* OR therap* OR treatment*)) OR (crisis W1 (care OR intervention* OR therap* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavior*" OR "early intervention*" OR "emotional freedom technique**" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ((exposure OR "exposure based") W2 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "eye	534,070

movement desensitization" OR EMDR OR "expressive writing" OR "grad* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery N3 (modification OR rehearsal OR trauma) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) N3 (intervention* OR therap* OR treatment*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal* OR multi-modal* OR multimodular OR multi-modular OR phase-based) N3 (approach* OR program* OR intervention* OR therap* OR treatment*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic*) N3 (program* OR intervention* OR therap* OR treatment*)) OR (narrative W3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR (network W1 (intervention OR therap* OR treatment*)) OR neurofeedback OR neuro-feedback OR ((non-direct* OR nondirect* OR "solution focus*") N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ("problem oriented" N3 (approach* OR intervention* OR therap* OR treatment*)) OR "prolonged exposure" OR psychoanaly* OR (psychiatr* W1 (program* OR intervention* OR therap* OR treatment*)) OR psycho-analy* OR psychoeducat* OR psycho-educat* OR ((psychodrama OR psycho-drama* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) N3 (intervention* OR program* OR rehab* OR technique* OR therap* OR train* OR treatment*)) OR psychotherap* OR "psycho therap*" OR "reconsolidation of traumatic memories" OR (relational N3 (intervention* OR therap* OR treatment*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) N3 (guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR treatment*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) N3 (administered OR guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR tool* OR treatment*)) OR self-management OR ("sex* abuse" N2 (intervention* OR therap* OR treatment*)) OR (short-term W2 (intervention* OR therap* OR treatment*)) OR "skill* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support N3 (community OR family OR group* OR psychosocial OR psycho-social OR social)) OR (supportive N3 (intervention* OR service* OR talk*)) OR "therapeutic allianc*" OR "therapeutic communit*" OR "therapeutic relationship*" OR "third wave" OR "thought field therapy" OR ("trauma focused" OR "trauma informed") N3 (care OR intervention* OR program* OR technique* OR therap* OR treatment*)) OR "trauma processing" OR "validation therapy" OR (written N3 (disclosure OR exposure)) OR yoga) OR AB (((abreaction OR desensitization OR implosive) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "acceptance and commitment therapy" OR ((animal* OR art OR colo#r OR creative* OR dance OR dancing OR drama OR equine OR experiential OR music OR play* OR sensory OR singing) N3 (intervention* OR program* OR therap* OR treatment*)) OR "assertive community treatment*" OR (attention N3 modification) OR "attention training" OR ((behavio* OR cognitive) N3 (activat* OR approach* OR component# OR contracting OR defusion OR guidance OR intervention* OR management OR modif* OR program* OR rehab* OR restructur* OR technique* OR therap* OR train* OR treatment*)) OR "bereavement therap*" OR ((biofeedback OR feedback OR imagery) N3 (intervention* OR program* OR technique* OR therap* OR train* OR treatment*)) OR ((brief OR time-limited) N3 (intervention* OR therap* OR treatment*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "cognitive behavio*" OR ((combination OR "compass* focus*" OR integrated OR integrative) N3 (intervention* OR therap* OR treatment*)) OR "combined modality therapy" OR ((coping OR resilience) N3 (intervention* OR therap* OR treatment*)) OR coun?eling OR coun?elling OR ((couple* OR family OR group) N3 (program* OR intervention* OR therap* OR treatment*)) OR (crisis W1 (care OR intervention* OR therap* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavio*" OR "early intervention*" OR "emotional freedom technique*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ((exposure OR "exposure based") W2 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "eye movement desensitization" OR EMDR OR "expressive writing" OR "grad* exposure" OR "hearing voices" OR hypnosis OR

	hypnotherapy OR (imagery N3 (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) N3 (intervention* OR therap* OR treatment*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal* OR multi-modal* OR multimodular OR multi-modular OR phase-based) N3 (approach* OR program* OR intervention* OR therap* OR treatment*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic*) N3 (program* OR intervention* OR therap* OR treatment*)) OR (narrative W3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR (network W1 (intervention OR therap* OR treatment*)) OR neurofeedback OR neuro-feedback OR ((non-direct* OR nondirect* OR "solution focus*") N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ("problem oriented" N3 (approach* OR intervention* OR therap* OR treatment*)) OR "prolonged exposure" OR psychoanaly* OR (psychiatr* W1 (program* OR intervention* OR therap* OR treatment*)) OR psycho-analy* OR psychoeducat* OR psycho-educat* OR ((psychodrama OR psycho-drama* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) N3 (intervention* OR program* OR rehab* OR technique* OR therap* OR train* OR treatment*)) OR psychotherap* OR "psycho therap*" OR "reconsolidation of traumatic memories" OR (relational N3 (intervention* OR therap* OR treatment*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) N3 (guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR treatment*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) N3 (administered OR guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR tool* OR treatment*)) OR self-management OR ("sex* abuse" N2 (intervention* OR therap* OR treatment*)) OR (short-term W2 (intervention* OR therap* OR treatment*)) OR "skill* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support N3 (community OR family OR group* OR psychosocial OR psycho-social OR social)) OR (supportive N3 (intervention* OR service* OR talk*)) OR "therapeutic allianc*" OR "therapeutic communit*" OR "therapeutic relationship*" OR "third wave" OR "thought field therapy" OR ("trauma focused" OR "trauma informed") N3 (care OR intervention* OR program* OR technique* OR therap* OR treatment*)) OR "trauma processing" OR "validation therapy" OR (written N3 (disclosure OR exposure)) OR yoga)	
22.	TI (cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR ecounselling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat*) OR AB (cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR ecounselling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat*)	12,613
23.	(MH "Home Visits" AND ((MH "Social Work" OR MH "Social Work, Psychiatric" OR MH "Social Work Service" OR MH "Medical Social Worker Service (Saba CCC)" OR MH "Child Welfare" OR MH "Social Workers" OR MH "Social Worker Attitudes") OR TI social*))	451
24.	TI (((visit* OR home OR house OR child* OR health*) N3 (visit* OR call* OR intervention*)) AND TI ("social care" OR (social W1 work*) OR (social W1 service*) OR "child protective" OR "family support" OR (family W1 counsel*) OR "child welfare" OR (community W1 service*)) OR AB (((visit* OR home OR house OR child* OR health*) N3 (visit* OR call* OR intervention*)) AND AB ("social care" OR (social W1 work*) OR (social W1 service*) OR "child protective" OR "family support" OR (family W1 counsel*) OR "child welfare" OR (community W1 service*)))	2,832
25.	TI ("active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) N5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo"	5,864

	OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated N3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt") OR AB ("active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) N5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated N3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt")	
26.	TI ("Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren") OR AB ("Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren")	797
27.	S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26	817,740
Combined sets		
28.	S16 OR S19 OR S27	6,349
29.	PT "doctoral dissertation" OR PT "Book"	32,316
30.	S28 NOT S29	6,264
Final result		
31.	S28 NOT S29	6,170

Narrow by Language: - english¹

The final search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract; **AU** = Author; **DE** = Term from the thesaurus; **KW** (Available in Academic Search Premiere / SocINDEX / PsycInfo) = Author keyword; **MH** = Exact Subject Heading from CINAHL Subject Headings; **MM** = Major Concept; **SU** = Searches for a part of or an entire subject heading; **TI** = Title; **TX** = All Text. Performs a keyword search of all the database's searchable fields; **ZC** = Methodology Index; * = Truncation; " " = Citation Marks; searches for an exact phrase; # = replaces one or no letters; ? = replaces one letter; **N** = Near Operator (N) finds the words if they are a maximum of x words apart from one another, regardless of the order in which they appear.; **W** = Within Operator (W) finds the words if they are within x words of one another, in the order in which you entered them

¹ No articles were available in Danish, Norwegian or Swedish

Cochrane Library via Wiley 15 May 2023 (CDSR, Cochrane Protocols & CENTRAL)

Title: Sexual violence in children 7 years old or younger

Search terms	Items found
Population: Sexual violence	
1. MeSH descriptor: [Rape] this term only	157
2. MeSH descriptor: [Sexual Harassment] this term only	31
3. MeSH descriptor: [Sex Offenses] this term only	294
4. MeSH descriptor: [Sexual Trauma] explode all trees	13
5. ((intercourse NEAR/3 (coer* or force* or unwanted)) or rape or raped or rapes or raping or (sex* NEAR/3 (abus* or aggressi* or assault or attack* or bully* or coerc* or crime* or exploit* or force* or harm or harass* or maltreat* or misconduct* or molest* or nonconsensual or non-consensual or offen* or predator* or slave* or solicitation or trauma* or victim* or violated or violation* or unlawful* or unwanted or violen*)) or (sex NEAR/3 (in-appropriate or inappropriate) or (sex* NEAR/3 (victim* or revictim* or re-victim* or survivor*)):ab,ti	2307
6. {OR #1-#5}	2352
7. MeSH descriptor: [Domestic Violence] this term only	207
8. MeSH descriptor: [Intimate Partner Violence] explode all trees	556
9. ((dating NEAR/3 (abuse or aggression or violence)) or dishonor* or dishonour* or ((domestic or family or intrafamilial or marital or partner) NEAR/3 (abuse or violence)) or honor* or honour* or "intimate partner violence" or (relationship NEAR/3 (aggression or violence)) or (spous* NEAR/3 abuse)):ab,ti	3597
10. {OR #7-#9}	3698
11. MeSH descriptor: [Human Trafficking] this term only	2
12. MeSH descriptor: [Sex Work] this term only	132
13. (brothel* or "human traffick*" or prostitut* or (sex* NEAR/3 traffick*) or "sex work*"):ab,ti	172
14. {OR #11-#13}	263
15. MeSH descriptor: [Child Abuse, Sexual] this term only	244
16. MeSH descriptor: [Incest] this term only	6
17. MeSH descriptor: [Pedophilia] this term only	20
18. (((adolescen* or child* or early or forced) NEAR/5 (marriage* or married)) or "child bride" or "child porn*" or grooming or incest* or paedophil* or pedophil*):ab,ti	397
19. {OR #15-#18}	637
20. MeSH descriptor: [Circumcision, Female] this term only	5
21. (clitoridectomy* or clitorectomy* or defibulat* or deinfibulat* or de-infibulat* or ((female* or woman or women or girl*)) NEAR/3 (circumcision or cutting* or mutilation* or infibulat*)) or (genital* NEAR/3 (alteration* or circumcision* or cutting* or excision* or "mutilation/cutting" or infibulat* or mutilation* or modification* or nicking or pricking)) or infibulat* or re-circumcision or reinfibulat* or re-infibulat* or (removal* NEAR/6 genital*) or "pharaonic circumcision*" or sunna):ab,ti	69
22. {OR #20-#21}	69
23. #6 or #10 or #14 or #19 or #22	6336
Population: Child, preschool	
24. MeSH descriptor: [Child] explode all trees	77718
25. MeSH descriptor: [Infant] this term only	28538
26. ("1 year* old*" or "2 year* old*" or "3 year* old*" or "4 year* old*" or "5 year* old*" or "6 year* old*" or "7 year* old*" or baby or babies or boy or boyhood* or boys or child* or "five year* old*" or "four year* old*" or girl or girlhood* or girls or kid or kids or kinder* or nursery or "one year* old*" or paediatric* or pediatric* or prekindergarten or preschool* or pre-school* or stepchild* or step-child* or "seven year* old*" or "six year* old*" or "three year* old*" or toddler* or "two year* old*" or infant or infants):ab,ti	205481
27. {OR #24-#26}	224476
Intervention: Psychological and psychosocial treatments	
28. MeSH descriptor: [Adaptation, Psychological] this term only	4952

29.	MeSH descriptor: [Case Management] this term only	895
30.	MeSH descriptor: [Combined Modality Therapy] this term only	17913
31.	MeSH descriptor: [Computer-Assisted Instruction] this term only	1370
32.	MeSH descriptor: [Counseling] explode all trees	7515
33.	MeSH descriptor: [Internet-Based Intervention] this term only	546
34.	MeSH descriptor: [Object Attachment] this term only	452
35.	MeSH descriptor: [Program Evaluation] this term only	7081
36.	MeSH descriptor: [Psychiatric Rehabilitation] this term only	68
37.	MeSH descriptor: [Psychological First Aid] this term only	7
38.	MeSH descriptor: [Psychosocial Support Systems] this term only	92
39.	MeSH descriptor: [Psychotherapy] explode all trees	33192
40.	MeSH descriptor: [Relaxation Therapy] explode all trees	2536
41.	MeSH descriptor: [Remote Consultation] explode all trees	440
42.	MeSH descriptor: [Self Care] this term only	5417
43.	MeSH descriptor: [Self-Help Groups] this term only	817
44.	MeSH descriptor: [Self-Management] this term only	992
45.	MeSH descriptor: [Social Support] explode all trees	4311
46.	MeSH descriptor: [Telemedicine] this term only	3522
47.	MeSH descriptor: [Therapy, Computer-Assisted] this term only	1476
48.	MeSH descriptor: [Yoga] this term only	1195
49.	((abreaction or desensitization or implosive) NEAR/3 (intervention* or program* or technique* or therap* or treatment*)) or "acceptance and commitment therapy" or ((animal* or art or color or colour or creative* or dance or dancing or drama or equine or experiential or music or play* or sensory or singing) NEAR/3 (intervention* or program* or therap* or treatment*)) or "assertive community treatment*" or (attention NEAR/3 modification) or "attention training" or ((behavio* or cognitive) NEAR/3 (activat* or approach* or component* or contracting or defusion or guidance or intervention* or management or modif* or program* or rehab* or restruktur* or technique* or therap* or train* or treatment*)) or "bereavement therap*" or ((biofeedback or feedback or imagery) NEAR/3 (intervention* or program* or technique* or therap* or train* or treatment*)) or ((brief or time-limited) NEAR/3 (intervention* or therap* or treatment*)) or "brain training" or "case management" or CBT or ((client-centred or client-centered or client-focus* or individual or individualised or individualized or person-centred or person-centered or present-centred or present-centered) NEAR/3 (intervention* or program* or technique* or therap* or treatment*)) or "cognitive behavio*" or ((combination or "compass* focus*" or integrated or integrative) NEAR/3 (intervention* or therap* or treatment*)) or "combined modality therapy" or ((coping or resilience) NEAR/3 (intervention* or therap* or treatment*)) or coun?eling or coun?elling or ((couple* or family or group) NEAR/3 (program* or intervention* or therap* or treatment*)) or (crisis NEXT/1 (care or intervention* or therap* or treatment)) or DBT or debriefing or "deep brain reorientation" or "dialectical behavio*" or "early intervention*" or "emotional freedom technique*" or ((existential or gestalt or humanistic or interpersonal or milieu or residential or socioenvironmental or socio-environmental) NEAR/3 (intervention* or program* or technique* or therap* or treatment*)) or ((exposure or "exposure based") NEXT/2 (intervention* or program* or technique* or therap* or treatment*)) or "eye movement desensiti?ation" or EMDR or "expressive writing" or "grad* exposure" or "hearing voices" or hypnosis or hypnotherapy or (imagery NEAR/3 (modification or rehearsal or trauma)) or "life span integration" or mandalas or MBT or meditation or "memory specificity training" or "mental training" or ((mentalization or mentalisation) NEAR/3 (intervention* or therap* or treatment*)) or "metacognitive therapy" or mindfulness or "mind training" or "minimal therapist support" or ((modular or multicomponent or multi-component or multimodal* or multi-modal* or multimodular or multi-modular or phase-based) NEAR/3 (approach* or program* or intervention* or therap* or treatment*)) or "motivational interviewing" or ((multisystemic or multi-systemic or systemic*) NEAR/3 (program* or intervention* or therap* or treatment*)) or (narrative NEXT/3 (intervention* or program* or technique* or therap* or treatment*)) or (network NEXT/1 (intervention or therap* or treatment*)) or neurofeedback or neuro-feedback or ((non-direct* or nondirect* or "solution focus*") NEAR/3 (intervention* or	387561

	program* or technique* or therap* or treatment*)) or ("problem oriented" NEAR/3 (approach* or intervention* or therap* or treatment*)) or "prolonged exposure" or psychoanaly* or (psychiatr* NEXT/1 (program* or intervention* or therap* or treatment*)) or psycho-analy* or psychoeducat* or psycho-educat* or ((psychodrama or psycho-drama* or psychodynamic or "psycho dynamic" or psychological or psychosocial or psycho-social) NEAR/3 (intervention* or program* or rehab* or technique* or therap* or train* or treatment*)) or psychotherap* or "psycho therap*" or "reconsolidation of traumatic memories" or (relational NEAR/3 (intervention* or therap* or treatment*)) or relaxation or "role play" or ((self-administered or selfadministered) NEAR/3 (guided or instruct* or intervention* or program* or strateg* or supervised or therap* or treatment*)) or ((self-care or selfcare or self-change or self-help or selfhelp) NEAR/3 (administered or guided or instruct* or intervention* or program* or strateg* or supervised or therap* or tool* or treatment*)) or self-management or ("sex* abuse" NEAR/2 (intervention* or therap* or treatment*)) or (short-term NEXT/2 (intervention* or therap* or treatment*)) or "skill* training" or "social acknowledgement" or "somatic experiencing" or "stress inoculation training" or "structured approach therapy" or (support NEAR/3 (community or family or group* or psychosocial or psycho-social or social)) or (supportive NEAR/3 (intervention* or service* or talk*)) or "therapeutic allianc*" or "therapeutic communit*" or "therapeutic relationship*" or "third wave" or "thought field therapy" or ("trauma focused" or "trauma informed") NEAR/3 (care or intervention* or program* or technique* or therap* or treatment*)) or "trauma processing" or "validation therapy" or (written NEAR/3 (disclosure or exposure)) or yoga):ab,ti	
50.	(cCBT or c-CBT or cyber-counseling or cyber-counselling or cybercounseling or cybercounselling or "digital health" or e-consultation or eCBT or e-CBT or econsultation or ecounseling or e-counselling or ecounseling or econsulting or e-health or ehealth or emedicine or e-medicine or "emental health*" or "e-mental health*" or e-portal or eportal or epsych* or e-psych* or e-therapy or etherapy or i-CBT or ICBT or m-health or mhealth or "mobile health" or telepsychiatry or tele-psychiatry or Deprexis or Interapy or WeChat*):ab,ti	7267
51.	MeSH descriptor: [House Calls] this term only	680
52.	MeSH descriptor: [Social Work] explode all trees	295
53.	MeSH descriptor: [Child Welfare] explode all trees	620
54.	MeSH descriptor: [Child Protective Services] this term only	44
55.	MeSH descriptor: [Community Integration] this term only	21
56.	MeSH descriptor: [Infant Welfare] this term only	91
57.	social:ti	9553
58.	#51 and (#52 or #53 or #54 or #55 or #56 or #57)	54
59.	((visit* or home or house or child or health*) NEAR/4 (visit* or call* or program* or skill* or educat* or train* or promotion*)) and ("social care*" or "social work*" or "social service*" or "child protectiv*" or "family support*" or "family counsel*" or "child welfare*" or "community service*"):ab,ti	863
60.	("active parenting" or "attachment and biobehavioral catch-up" or ((attachment or bond*) NEAR/5 (intervention* or therap* or treatment*)) or "cool kids" or "coping power program" or DBTSS or "family check-up" or "incredible years" or KIDNET or "kids club*" or "Kognitiv Integrerad Behandling vid Barnmisshandel" or KIBB or "marte meo" or "moms empowerment program" or "no kids in the middle" or "parent-child interaction therapy" or "parent education" or "parent management training" or (parent-mediated NEAR/3 (program* or intervention* or therap* or treatment*)) or "parent training" or "parenting intervention" or "parenting young children" or "project support" or "promoting first relationship*" or PCIT or safecare* or "safe place" or "safer kids" or "trappan-modellen" or "trappanmetoden" or trappan or "Traumafokuserad KBT" or "TF kbt*"):ab,ti	3558
61.	("Alternatives for Families" or "Caring Dads" or CPPC or "Community Partnerships for the Protection of Children" or "Communities that Care" or "Exchange Parent Aide" or "Iowa Parent Partner Approach" or MST-CAN or "Nurturing Parenting Program for Parents and their Infants Toddlers" or "Nurturing Parenting Program for Parents and their School-age Children" or "Parent Engagement and Self-Advocacy" or "Parent Support Outreach Program" or PSOP or "Project 12-ways" or "Strengthening Families" or "Strong	600

Communities for Children" or "Who Do You Tell" or "WebsterStratton parenting program"
or "Triple P" or "Incredible years" or "otroliga aren"):ab,ti

62. {OR #28-#50} or {OR #58-#61}	417289
----------------------------------	--------

Final result

63. #23 and #27 and #62	CDSR/27 Cochrane Protocols/2 CENTRAL/10 81
-------------------------	--

The final search result, usually found at the end of the documentation, forms the list of abstracts.

:au = Author; **MeSH** = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy; **this term only** = Does not include terms found below this term in the MeSH hierarchy; **:ti** = Title; **:ab** = Abstract; **:kw** = Keyword; * = Truncation; " " = Citation Marks; searches for an exact phrase; **CDSR** = Cochrane Database of Systematic Review; **Cochrane Protocols** = Protocols of systematic reviews registered in Cochrane Library; **CENTRAL** = Cochrane Central Register of Controlled Trials, "trials"; ? = replaces one letter; **NEAR/n** = Requests terms that are within 'n' words of each other in either direction; **NEXT/n** = Requests terms that are within 'n' words of each other in the order specified

Criminal Justice Abstracts with Full Text via EBSCO 19 May 2023

Title: Sexual violence in children 7 years old or younger

Search terms	Items found
Population: Sexual violence	
1. TI ((intercourse N3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* N3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex N3 (in-appropriate OR inappropriate)) OR (sex* N3 (victim* OR revictim* OR re-victim* OR survivor*))) OR AB ((intercourse N3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* N3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex N3 (in-appropriate OR inappropriate)) OR (sex* N3 (victim* OR revictim* OR re-victim* OR survivor*))) OR KW ((intercourse N3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* N3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex N3 (in-appropriate OR inappropriate)) OR (sex* N3 (victim* OR revictim* OR re-victim* OR survivor*)))	31,269
2. TI ((dating N3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) N3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship N3 (aggression OR violence)) OR (spous* N3 abuse)) OR AB ((dating N3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) N3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship N3 (aggression OR violence)) OR (spous* N3 abuse)) OR KW ((dating N3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) N3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship N3 (aggression OR violence)) OR (spous* N3 abuse))	20,542
3. TI (brothel* OR "human traffick*" OR prostitut* OR (sex* N3 traffick*) OR "sex work**") OR AB (brothel* OR "human traffick*" OR prostitut* OR (sex* N3 traffick*) OR "sex work**") OR KW (brothel* OR "human traffick*" OR prostitut* OR (sex* N3 traffick*) OR "sex work**")	4,346
4. TI (((adolescen* OR child* OR early OR forced) N5 (marriage* OR married)) OR "child bride" OR "child porn**" OR grooming OR incest* OR paedophil* OR pedophil*) OR AB (((adolescen* OR child* OR early OR forced) N5 (marriage* OR married)) OR "child bride" OR "child porn**" OR grooming OR incest* OR paedophil* OR pedophil*) OR KW (((adolescen* OR child* OR early OR forced) N5 (marriage* OR married)) OR "child bride" OR "child porn**" OR grooming OR incest* OR paedophil* OR pedophil*)	3,139
5. TI (clitoridectom* OR clitorectom* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR wom*n OR girl*) N3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* N3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal* N6 genital*) OR "pharaonic circumcision**" OR sunna) OR AB (clitoridectom* OR clitorectom* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR wom*n OR girl*) N3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* N3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal* N6 genital*) OR "pharaonic circumcision**" OR sunna) OR KW (clitoridectom* OR clitorectom* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR wom*n OR girl*) N3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* N3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal* N6 genital*) OR "pharaonic circumcision**" OR sunna)	193

	modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal* N6 genital*) OR "pharaonic circumcision*" OR sunna)	
6.	S1 OR S2 OR S3 OR S4 OR S5	52,693
Population: Child, preschool		
7.	TI ("1 year* old*" OR "2 year* old*" OR "3 year* old*" OR "4 year* old*" OR "5 year* old*" OR "6 year* old*" OR "7 year* old*" OR baby OR babies OR boy OR boyhood* OR boys OR child* OR "five year* old*" OR "four year* old*" OR girl OR girlhood* OR girls OR kid OR kids OR kinder* OR nursery OR "one year* old*" OR paediatric* OR pediatric* OR prekindergarten OR preschool* OR pre-school* OR stepchild* OR step-child* OR "seven year* old*" OR "six year* old*" OR "three year* old*" OR toddler* OR "two year* old*" OR infant OR infants) OR AB ("1 year* old*" OR "2 year* old*" OR "3 year* old*" OR "4 year* old*" OR "5 year* old*" OR "6 year* old*" OR "7 year* old*" OR baby OR babies OR boy OR boyhood* OR boys OR child* OR "five year* old*" OR "four year* old*" OR girl OR girlhood* OR girls OR kid OR kids OR kinder* OR nursery OR "one year* old*" OR paediatric* OR pediatric* OR prekindergarten OR preschool* OR pre-school* OR stepchild* OR step-child* OR "seven year* old*" OR "six year* old*" OR "three year* old*" OR toddler* OR "two year* old*" OR infant OR infants) OR KW ("1 year* old*" OR "2 year* old*" OR "3 year* old*" OR "4 year* old*" OR "5 year* old*" OR "6 year* old*" OR "7 year* old*" OR baby OR babies OR boy OR boyhood* OR boys OR child* OR "five year* old*" OR "four year* old*" OR girl OR girlhood* OR girls OR kid OR kids OR kinder* OR nursery OR "one year* old*" OR paediatric* OR pediatric* OR prekindergarten OR preschool* OR pre-school* OR stepchild* OR step-child* OR "seven year* old*" OR "six year* old*" OR "three year* old*" OR toddler* OR "two year* old*" OR infant OR infants)	81,518
Intervention: Psychological and psychosocial treatments		
8.	TI (((abreaction OR desensitization OR implosive) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "acceptance and commitment therapy" OR ((animal* OR art OR colo#r OR creative* OR dance OR dancing OR drama OR equine OR experiential OR music OR play* OR sensory OR singing) N3 (intervention* OR program* OR therap* OR treatment*)) OR "assertive community treatment*" OR (attention N3 modification) OR "attention training" OR ((behavio* OR cognitive) N3 (activat* OR approach* OR component# OR contracting OR defusion OR guidance OR intervention* OR management OR modif* OR program* OR rehab* OR restruktur* OR technique* OR therap* OR train* OR treatment*)) OR "bereavement therap*" OR ((biofeedback OR feedback OR imagery) N3 (intervention* OR program* OR technique* OR therap* OR train* OR treatment*)) OR ((brief OR time-limited) N3 (intervention* OR therap* OR treatment*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "cognitive behavio*" OR ((combination OR "compass* focus*" OR integrated OR integrative) N3 (intervention* OR therap* OR treatment*)) OR "combined modality therapy" OR ((coping OR resilience) N3 (intervention* OR therap* OR treatment*)) OR coun?eling OR coun?elling OR ((couple* OR family OR group) N3 (program* OR intervention* OR therap* OR treatment*)) OR (crisis W1 (care OR intervention* OR therap* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavio*" OR "early intervention*" OR "emotional freedom technique*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ((exposure OR "exposure based") W2 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "eye movement desensit#ation" OR EMDR OR "expressive writing" OR "grad* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery N3 (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) N3 (intervention* OR therap* OR treatment*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal* OR multi-modal* OR multimodular OR multi-modular OR phase-based) N3 (approach* OR program* OR intervention* OR therap* OR treatment*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic*) N3 (program* OR intervention* OR therap* OR treatment*)) OR (narrative W3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR (network W1 (intervention	49,716

OR therap* OR treatment*)) OR neurofeedback OR neuro-feedback OR ((non-direct* OR nondirect* OR "solution focus*") N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ("problem oriented" N3 (approach* OR intervention* OR therap* OR treatment*)) OR "prolonged exposure" OR psychoanaly* OR (psychiatr* W1 (program* OR intervention* OR therap* OR treatment*)) OR psycho-analy* OR psychoeducat* OR psycho-educat* OR ((psychodrama OR psycho-drama* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) N3 (intervention* OR program* OR rehab* OR technique* OR therap* OR train* OR treatment*)) OR psychotherap* OR "psycho therap*" OR "reconsolidation of traumatic memories" OR (relational N3 (intervention* OR therap* OR treatment*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) N3 (guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR treatment*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) N3 (administered OR guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR tool* OR treatment*)) OR self-management OR ("sex* abuse" N2 (intervention* OR therap* OR treatment*)) OR (short-term W2 (intervention* OR therap* OR treatment*)) OR "skill* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support N3 (community OR family OR group* OR psychosocial OR psycho-social OR social)) OR (supportive N3 (intervention* OR service* OR talk*)) OR "therapeutic allianc*" OR "therapeutic communit*" OR "therapeutic relationship*" OR "third wave" OR "thought field therapy" OR ("trauma focused" OR "trauma informed") N3 (care OR intervention* OR program* OR technique* OR therap* OR treatment*)) OR "trauma processing" OR "validation therapy" OR (written N3 (disclosure OR exposure)) OR yoga) OR AB (((abreaction OR desensitization OR implosive) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "acceptance and commitment therapy" OR ((animal* OR art OR colo#r OR creative* OR dance OR dancing OR drama OR equine OR experiential OR music OR play* OR sensory OR singing) N3 (intervention* OR program* OR therap* OR treatment*)) OR "assertive community treatment*" OR (attention N3 modification) OR "attention training" OR ((behavio* OR cognitive) N3 (activat* OR approach* OR component# OR contracting OR defusion OR guidance OR intervention* OR management OR modif* OR program* OR rehab* OR restruktur* OR technique* OR therap* OR train* OR treatment*)) OR "bereavement therap*" OR ((biofeedback OR feedback OR imagery) N3 (intervention* OR program* OR technique* OR therap* OR train* OR treatment*)) OR ((brief OR time-limited) N3 (intervention* OR therap* OR treatment*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "cognitive behavio*" OR ((combination OR "compass* focus*" OR integrated OR integrative) N3 (intervention* OR therap* OR treatment*)) OR "combined modality therapy" OR ((coping OR resilience) N3 (intervention* OR therap* OR treatment*)) OR coun?eling OR coun?elling OR ((couple* OR family OR group) N3 (program* OR intervention* OR therap* OR treatment*)) OR (crisis W1 (care OR intervention* OR therap* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavio*" OR "early intervention*" OR "emotional freedom technique*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ((exposure OR "exposure based") W2 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "eye movement desensiti#ation" OR EMDR OR "expressive writing" OR "grad* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery N3 (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) N3 (intervention* OR therap* OR treatment*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal* OR multi-modal* OR multimodular OR multi-modular OR phase-based) N3 (approach* OR program* OR intervention* OR therap* OR treatment*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic*) N3 (program* OR intervention* OR therap* OR treatment*)) OR (narrative W3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR (network W1 (intervention OR therap* OR treatment*)) OR neurofeedback OR neuro-feedback OR ((non-direct* OR nondirect* OR "solution focus*"))

N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ("problem oriented" N3 (approach* OR intervention* OR therap* OR treatment*)) OR "prolonged exposure" OR psychoanaly* OR (psychiatr* W1 (program* OR intervention* OR therap* OR treatment*)) OR psycho-analy* OR psychoeducat* OR psycho-educat* OR ((psychodrama OR psycho-drama* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) N3 (intervention* OR program* OR rehab* OR technique* OR therap* OR train* OR treatment*)) OR psychotherap* OR "psycho therap*" OR "reconsolidation of traumatic memories" OR (relational N3 (intervention* OR therap* OR treatment*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) N3 (guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR treatment*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) N3 (administered OR guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR tool* OR treatment*)) OR self-management OR ("sex* abuse" N2 (intervention* OR therap* OR treatment*)) OR (short-term W2 (intervention* OR therap* OR treatment*)) OR "skill* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support N3 (community OR family OR group* OR psychosocial OR psycho-social OR social)) OR (supportive N3 (intervention* OR service* OR talk*)) OR "therapeutic allianc*" OR "therapeutic communit*" OR "therapeutic relationship*" OR "third wave" OR "thought field therapy" OR ("trauma focused" OR "trauma informed") N3 (care OR intervention* OR program* OR technique* OR therap* OR treatment*)) OR "trauma processing" OR "validation therapy" OR (written N3 (disclosure OR exposure)) OR yoga) OR KW (((abreaction OR desensitization OR implosive) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "acceptance and commitment therapy" OR ((animal* OR art OR colo#r OR creative* OR dance OR dancing OR drama OR equine OR experiential OR music OR play* OR sensory OR singing) N3 (intervention* OR program* OR therap* OR treatment*)) OR "assertive community treatment*" OR (attention N3 modification) OR "attention training" OR ((behavio* OR cognitive) N3 (activat* OR approach* OR component# OR contracting OR defusion OR guidance OR intervention* OR management OR modif* OR program* OR rehab* OR restruktur* OR technique* OR therap* OR train* OR treatment*)) OR "bereavement therap*" OR ((biofeedback OR feedback OR imagery) N3 (intervention* OR program* OR technique* OR therap* OR train* OR treatment*)) OR ((brief OR time-limited) N3 (intervention* OR therap* OR treatment*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "cognitive behavio*" OR ((combination OR "compass* focus*" OR integrated OR integrative) N3 (intervention* OR therap* OR treatment*)) OR "combined modality therapy" OR ((coping OR resilience) N3 (intervention* OR therap* OR treatment*)) OR coun?eling OR coun?elling OR ((couple* OR family OR group) N3 (program* OR intervention* OR therap* OR treatment*)) OR (crisis W1 (care OR intervention* OR therap* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavio*" OR "early intervention*" OR "emotional freedom technique*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ((exposure OR "exposure based") W2 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "eye movement desensiti#ation" OR EMDR OR "expressive writing" OR "grad* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery N3 (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) N3 (intervention* OR therap* OR treatment*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal* OR multi-modal* OR multimodular OR multi-modular OR phase-based) N3 (approach* OR program* OR intervention* OR therap* OR treatment*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic*) N3 (program* OR intervention* OR therap* OR treatment*)) OR (narrative W3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR (network W1 (intervention OR therap* OR treatment*)) OR neurofeedback OR neuro-feedback OR ((non-direct* OR nondirect* OR "solution focus*") N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ("problem oriented" N3 (approach* OR intervention* OR

	therap* OR treatment*)) OR "prolonged exposure" OR psychoanaly* OR (psychiatr* W1 (program* OR intervention* OR therap* OR treatment*)) OR psycho-analy* OR psychoeducat* OR psycho-educat* OR ((psychodrama OR psycho-drama* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) N3 (intervention* OR program* OR rehab* OR technique* OR therap* OR train* OR treatment*)) OR psychotherap* OR "psycho therap*" OR "reconsolidation of traumatic memories" OR (relational N3 (intervention* OR therap* OR treatment*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) N3 (guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR treatment*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) N3 (administered OR guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR tool* OR treatment*)) OR self-management OR ("sex* abuse" N2 (intervention* OR therap* OR treatment*)) OR (short-term W2 (intervention* OR therap* OR treatment*)) OR "skill* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support N3 (community OR family OR group* OR psychosocial OR psycho-social OR social)) OR (supportive N3 (intervention* OR service* OR talk*)) OR "therapeutic allianc*" OR "therapeutic communit*" OR "therapeutic relationship*" OR "third wave" OR "thought field therapy" OR (("trauma focused" OR "trauma informed") N3 (care OR intervention* OR program* OR technique* OR therap* OR treatment*)) OR "trauma processing" OR "validation therapy" OR (written N3 (disclosure OR exposure)) OR yoga)	
9.	TI (cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat*) OR AB (cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat*) OR KW (cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat*)	411
10.	TI (((visit* OR home OR house OR child* OR health*) N3 (visit* OR call* OR intervention*)) AND TI ("social care" OR (social W1 work*) OR (social W1 service*) OR "child protective" OR "family support" OR (family W1 counsel*) OR "child welfare" OR (community W1 service*)) OR AB (((visit* OR home OR house OR child* OR health*) N3 (visit* OR call* OR intervention*)) AND TI ("social care" OR (social W1 work*) OR (social W1 service*) OR "child protective" OR "family support" OR (family W1 counsel*) OR "child welfare" OR (community W1 service*)) OR KW (((visit* OR home OR house OR child* OR health*) N3 (visit* OR call* OR intervention*)) AND TI ("social care" OR (social W1 work*) OR (social W1 service*) OR "child protective" OR "family support" OR (family W1 counsel*) OR "child welfare" OR (community W1 service*))	201
11.	TI ("active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) N5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated N3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR	1,241

	"trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt") OR AB ("active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) N5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated N3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt") OR KW ("active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) N5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated N3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt")	690
12.	TI ("Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren") OR AB ("Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren") OR KW ("Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren")	690
13.	S8 OR S9 OR S10 OR S11 OR S12	51,085
Combined sets		
14.	S6 AND S7 AND S13	2,770
15.	PT "Book"	11,349
16.	S14 NOT S15	2,660
17.	S14 NOT S15	2,522
Limiters - Scholarly (Peer Reviewed) Journals		
Final result		
18.	S14 NOT S15	2,507
Limiters - Scholarly (Peer Reviewed) Journals		
Limiters - Language: Danish, English, Norwegian, Swedish		

The final search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract; **AU** = Author; **DE** = Term from the thesaurus; **KW** (Available in Academic Search Premiere / SocINDEX / PsycInfo) = Author keyword; **MH** = Exact Subject Heading from CINAHL Subject Headings; **MM** = Major Concept; **SU** = Searches for a part of or an entire subject heading; **TI** = Title; **TX** = All Text. Performs a keyword search of all the database's searchable fields; **ZC** = Methodology Index; * = Truncation; " " = Citation Marks; searches for an exact phrase; # = replaces one or no letters; ? = replaces one letter; **N** = Near Operator (N) finds the words if they are a maximum of x words apart from one another, regardless of the order in which they appear.; **W** = Within Operator (W) finds the words if they are within x words of one another, in the order in which you entered them

Embase via Elsevier 15 May 2023

Title: Sexual violence in children 7 years old or younger

Search terms	Items found
Population: Sexual violence	
1. 'drug-facilitated sexual assault'/de	163
2. 'frotteurism'/de	25
3. 'rape'/exp	9,026
4. 'sexual abuse'/de	16,721
5. 'sexual assault'/de	3,586
6. 'sexual bullying'/de	61
7. 'sexual crime'/de	13,435
8. 'sexual harassment'/de	3,813
9. 'sexual trauma'/de	389
10. 'sexual violence'/de	4,136
11. ((intercourse NEAR/3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* NEAR/3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex NEAR/3 (in-appropriate OR inappropriate)) OR (sex* NEAR/3 (victim* OR revictim* OR re-victim* OR survivor*)):ti,ab,kw	61,701
12. #1 OR #2 OR #3 OR #4 OR #5 OR #6 OR #7 OR #8 OR #9 OR #10 OR #11	74,794
13. 'dating violence'/de	600
14. 'domestic violence'/de	11,353
15. 'family violence'/de	4,147
16. 'partner violence'/de	16,505
17. ((dating NEAR/3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) NEAR/3 (abuse OR violence)) OR honor* OR honour* OR 'intimate partner violence' OR (relationship NEAR/3 (aggression OR violence)) OR (spous* NEAR/3 abuse)):ti,ab,kw	54,391
18. #13 OR #14 OR #15 OR #16 OR #17	62,891
19. 'human trafficking'/de	865
20. 'prostitution'/de	9,739
21. 'sexual exploitation'/de	552
22. 'sex trafficking'/de	356
23. 'sex worker'/de	3,367
24. (brothel* OR 'human traffick*' OR prostitut* OR (sex* NEAR/3 traffick*) OR 'sex work*'):ti,ab,kw	13,664
25. #19 OR #20 OR #21 OR #22 #23 OR #24	17,740
26. 'child marriage'/de	67
27. 'child sexual abuse'/de	10,964
28. 'child sexual exploitation'/de	75
29. 'cybergrooming'/de	20
30. 'incest'/de	2,272
31. 'pedophilia'/de	1,416
32. 'pedophilia disorder'/de	71
33. (((adolescen* OR child* OR early OR forced) NEAR/5 (marriage* OR married)) OR 'child bride' OR 'child porn*' OR grooming OR incest* OR paedophil* OR pedophil*):ti,ab,kw	17,601
34. #26 OR #27 OR #28 OR #29 OR #30 OR #31 OR #32 OR #33	29,084
35. 'female genital mutilation'/exp	2,706
36. (clitoridectom* OR clitorectom* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR wom?n OR girl*) NEAR/3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* NEAR/3 (alteration* OR circumcision* OR cutting* OR excision* OR 'mutilation/cutting') OR infibulat* OR mutilation* OR modification* OR nicking OR	3,577

	pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal* NEAR/6 genital*) OR 'pharaonic circumcision*' OR sunna):ti,ab,kw	
37.	#35 OR #36	4,256
38.	#12 OR #18 OR #25 OR #34 OR #37	163,935
Population: Child, preschool		
39.	'child':exp	3,328,157
40.	('1 year* old*' OR '2 year* old*' OR '3 year* old*' OR '4 year* old*' OR '5 year* old*' OR '6 year* old*' OR '7 year* old*' OR baby OR babies OR boy OR boyhood* OR boys OR child* OR 'five year* old*' OR 'four year* old*' OR girl OR girlhood* OR girls OR kid OR kids OR kinder* OR nursery OR 'one year* old*' OR paediatric* OR pediatric* OR prekindergarten OR preschool* OR pre-school* OR stepchild* OR step-child* OR 'seven year* old*' OR 'six year* old*' OR 'three year* old*' OR toddler* OR 'two year* old*' OR infant OR infants):ti,ab,kw	3,097,445
41.	#39 OR #40	4,305,085
Intervention: Psychological and psychosocial treatments		
42.	'animal assisted therapy':exp	1,486
43.	'case management':de	13,422
44.	'cognitive therapy software':de	10
45.	'color therapy':de	156
46.	'computer assisted therapy':de	4,826
47.	'coping behavior':de	73,702
48.	'counseling':de	81,618
49.	'crisis intervention':de	7,049
50.	'directive counseling':de	888
51.	'e-counseling':de	439
52.	'family counseling':de	8,624
53.	'motivational interviewing':de	6,706
54.	'object relation':de	12,579
55.	'patient counseling':de	51,426
56.	'program effectiveness':de	5,455
57.	'program efficacy':de	1,249
58.	'program evaluation':de	18,595
59.	'psychological care':exp	26,363
60.	'psychological counseling':de	744
61.	'psychological first aid':de	90
62.	'psychosocial rehabilitation':de	1,975
63.	'psychotherapy':exp	312,381
64.	'self care':de	73,846
65.	'self-care software':de	25
66.	'self help':de	15,084
67.	'social support':exp	114,380
68.	'teleconsultation':exp	15,434
69.	'telehealth':de	17,395
70.	'telemedicine':de	43,093
71.	'telepsychiatry':de	1,345
72.	'telepsychology':de	66
73.	'teletherapy':de	963
74.	'therapeutic alliance':de	1,270
75.	'therapy software':de	38
76.	'web-based intervention':de	2,528
77.	((abreaction OR desensitization OR implosive) NEAR/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "acceptance and commitment therapy" OR ((animal* OR art OR colo\$ OR creative* OR dance OR dancing OR drama OR equine OR experiential OR music OR play* OR sensory OR singing) NEAR/3 (intervention* OR	1,731,596

program* OR therap* OR treatment*)) OR 'assertive community treatment*' OR (attention NEAR/3 modification) OR 'attention training' OR ((behavio* OR cognitive) NEAR/3 (activat* OR approach* OR component* OR contracting OR defusion OR guidance OR intervention* OR management OR modif* OR program* OR rehab* OR restructur* OR technique* OR therap* OR train* OR treatment*)) OR 'bereavement therap*' OR ((biofeedback OR feedback OR imagery) NEAR/3 (intervention* OR program* OR technique* OR therap* OR train* OR treatment*)) OR ((brief OR time-limited) NEAR/3 (intervention* OR therap* OR treatment*)) OR 'brain training' OR 'case management' OR CBT OR ((client-centred OR client-centered OR client-focus* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) NEAR/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR 'cognitive behavio*' OR ((combination OR 'compass* focus*' OR integrated OR integrative) NEAR/3 (intervention* OR therap* OR treatment*)) OR 'combined modality therapy' OR ((coping OR resilience) NEAR/3 (intervention* OR therap* OR treatment*)) OR coun?eling OR coun?elling OR ((couple* OR family OR group) NEAR/3 (program* OR intervention* OR therap* OR treatment*)) OR (crisis NEXT/1 (care OR intervention* OR therap* OR treatment)) OR DBT OR debriefing OR 'deep brain reorientation' OR 'dialectical behavio*' OR 'early intervention*' OR 'emotional freedom technique*' OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) NEAR/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ((exposure OR 'exposure based') NEXT/2 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR 'eye movement desensiti?ation' OR EMDR OR 'expressive writing' OR 'grad* exposure' OR 'hearing voices' OR hypnosis OR hypnotherapy OR (imagery NEAR/3 (modification OR rehearsal OR trauma)) OR 'life span integration' OR mandalas OR MBT OR meditation OR 'memory specificity training' OR 'mental training' OR ((mentalization OR mentalisation) NEAR/3 (intervention* OR therap* OR treatment*)) OR 'metacognitive therapy' OR mindfulness OR 'mind training' OR 'minimal therapist support' OR ((modular OR multicomponent OR multi-component OR multimodal* OR multi-modal* OR multimodal OR multi-modular OR phase-based) NEAR/3 (approach* OR program* OR intervention* OR therap* OR treatment*)) OR 'motivational interviewing' OR ((multisystemic OR multi-systemic OR systemic*) NEAR/3 (program* OR intervention* OR therap* OR treatment*)) OR (narrative NEXT/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR (network NEXT/1 (intervention OR therap* OR treatment*)) OR neurofeedback OR neuro-feedback OR ((non-direct* OR nondirect* OR 'solution focus*') NEAR/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ('problem oriented' NEAR/3 (approach* OR intervention* OR therap* OR treatment*)) OR 'prolonged exposure' OR psychoanaly* OR (psychiatr* NEXT/1 (program* OR intervention* OR therap* OR treatment*)) OR psycho-analy* OR psychoeducat* OR psycho-educat* OR ((psychodrama OR psycho-drama* OR psychodynamic OR 'psycho dynamic' OR psychological OR psychosocial OR psycho-social) NEAR/3 (intervention* OR program* OR rehab* OR technique* OR therap* OR train* OR treatment*)) OR psychotherap* OR 'psycho therap*' OR 'reconsolidation of traumatic memories' OR (relational NEAR/3 (intervention* OR therap* OR treatment*)) OR relaxation OR 'role play' OR ((self-administered OR selfadministered) NEAR/3 (guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR treatment*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) NEAR/3 (administered OR guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR tool* OR treatment*)) OR self-management OR ('sex* abuse' NEAR/2 (intervention* OR therap* OR treatment*)) OR (short-term NEXT/2 (intervention* OR therap* OR treatment*)) OR 'skill* training' OR 'social acknowledgement' OR 'somatic experiencing' OR 'stress inoculation training' OR 'structured approach therapy' OR (support NEAR/3 (community OR family OR group* OR psychosocial OR psycho-social OR social)) OR (supportive NEAR/3 (intervention* OR service* OR talk*)) OR 'therapeutic allianc*' OR 'therapeutic communit*' OR 'therapeutic relationship*' OR 'third wave' OR 'thought field therapy' OR ('trauma focused' OR 'trauma informed') NEAR/3 (care OR intervention* OR program* OR technique* OR therap* OR treatment*)) OR 'trauma processing' OR 'validation therapy' OR (written NEAR/3 (disclosure OR exposure)) OR yoga):ti,ab,kw

78.	ccbt:ti,ab,kw OR 'c cbt':ti,ab,kw OR 'cyber counseling':ti,ab,kw OR 'cyber counsellng':ti,ab,kw OR cybercounseling:ti,ab,kw OR cybercounselling:ti,ab,kw OR 'digital health':ti,ab,kw OR 'e consultation':ti,ab,kw OR ecbt:ti,ab,kw OR 'e cbt':ti,ab,kw OR econsultation:ti,ab,kw OR 'e counsellng':ti,ab,kw OR ecounseling:ti,ab,kw OR ecounselling:ti,ab,kw OR 'e health':ti,ab,kw OR ehealth:ti,ab,kw OR emedicine:ti,ab,kw OR 'e medicine':ti,ab,kw OR 'emental health*':ti,ab,kw OR 'e-mental health*':ti,ab,kw OR 'e portal':ti,ab,kw OR eportal:ti,ab,kw OR epsych*:ti,ab,kw OR 'e psych*':ti,ab,kw OR 'e therapy':ti,ab,kw OR etherapy:ti,ab,kw OR 'i cbt':ti,ab,kw OR icbt:ti,ab,kw OR 'i health':ti,ab,kw OR mhealth:ti,ab,kw OR 'mobile health':ti,ab,kw OR telepsychiatry:ti,ab,kw OR tele-psychiatry:ti,ab,kw OR deprexis:ti,ab,kw OR interapy:ti,ab,kw OR wechat*:ti,ab,kw	36,665
79.	'home visit'/de AND ('child advocacy'/de OR 'child care'/de OR 'child custody'/de OR 'child welfare'/exp OR 'community integration'/de OR 'infant welfare'/de OR 'social work'/de OR social:ti)	263
80.	((visit* OR home OR house OR child OR health*) NEAR/4 (visit* OR call* OR program* OR skill* OR educat* OR train* OR promotion*)) AND ('social care*' OR 'social work*' OR 'social service*' OR 'child protectiv*' OR 'family support*' OR 'family counsel*' OR 'child welfare*' OR 'community service*')):ti,ab,kw	13,305
81.	('active parenting' OR 'attachment and biobehavioral catch-up' OR ((attachment OR bond*) NEAR/5 (intervention* OR therap* OR treatment*))) OR 'cool kids' OR 'coping power program' OR DBTSS OR 'family check-up' OR 'incredible years' OR KIDNET OR 'kids club*' OR 'Kognitiv Integrerad Behandling vid Barnmisshandel' OR KIBB OR 'marte meo' OR 'moms empowerment program' OR 'no kids in the middle' OR 'parent-child interaction therapy' OR 'parent education' OR 'parent management training' OR (parent-mediated NEAR/3 (program* OR intervention* OR therap* OR treatment*)) OR 'parent training' OR 'parenting intervention' OR 'parenting young children' OR 'project support' OR 'promoting first relationship*' OR PCIT OR safecare* OR 'safe place' OR 'safer kids' OR 'trappan-modellen' OR 'trappanmetoden' OR trappan OR 'Traumafokuserad KBT' OR 'TF kbt'):ti,ab,kw	12,403
82.	('Alternatives for Families' OR 'Caring Dads' OR CPPC OR 'Community Partnerships for the Protection of Children' OR 'Communities that Care' OR 'Exchange Parent Aide' OR 'Iowa Parent Partner Approach' OR MST-CAN OR 'Nurturing Parenting Program for Parents and their Infants Toddlers' OR 'Nurturing Parenting Program for Parents and their School-age Children' OR 'Parent Engagement and Self-Advocacy' OR 'Parent Support Outreach Program' OR PSOP OR 'Project 12-ways' OR 'Strengthening Families' OR 'Strong Communities for Children' OR 'Who Do You Tell' OR 'WebsterStratton parenting program' OR 'Triple P' OR 'Incredible years' OR 'otroliga aren'):ti,ab,kw	1,149
83.	#42 OR #43 OR #44 OR #45 OR #46 OR #47 OR #48 OR #49 OR #50 OR #51 OR #52 OR #53 OR #54 OR #55 OR #56 OR #57 OR #58 OR #59 OR #60 OR #61 OR #62 OR #63 OR #64 OR #65 OR #66 OR #67 OR #68 OR #69 OR #70 OR #71 OR #72 OR #73 OR #74 OR #75 OR #76 OR #77 OR #78 OR #79 OR #80 OR #81 OR #82	2,150,568
Combined sets		
84.	#38 AND #41 AND #83	12,219
Limits		
85.	'conference abstract'/it	4,767,387
86.	#84 NOT #85	10,480
Final result		
87.	#84 NOT #85 AND ([danish]/lim OR [english]/lim OR [norwegian]/lim OR [swedish]/lim)	9,854

The final search result, usually found at the end of the documentation, forms the list of abstracts.

/de = Term from the EMTREE controlled vocabulary; /exp = Includes terms found below this term in the EMTREE hierarchy;
/mj = Major Topic; :ab = Abstract; :au = Author; :kw = Author keyword ; :ti = Article Title; :ti,ab = Title or abstract; * = Truncation; '' = Citation Marks; searches for an exact phrase; NEAR/n = Requests terms that are within 'n' words of each other in either direction; NEXT/n = Requests terms that are within 'n' words of each other in the order specified; \$ = replaces one or no letters; ? = replaces one letter

Medline via OvidSP 16 May 2023

Title: Sexual violence in children 7 years old or younger

Search terms	Items found
Population: Sexual violence	
1. Rape/	6851
2. Sexual Harassment/	2236
3. Sex Offenses/	11389
4. exp Sexual Trauma/	118
5. ((intercourse adj3 (coer* or force* or unwanted)) or rape or raped or rapes or raping or (sex* adj3 (abus* or aggressi* or assault or attack* or bully* or coerc* or crime* or exploit* or force* or harm or harass* or maltreat* or misconduct* or molest* or nonconsensual or non-consensual or offend* or predator* or slave* or solicitation or trauma* or victim* or violated or violation* or unlawful* or unwanted or violen*)) or (sex adj3 (in-appropriate or inappropriate)) or (sex* adj3 (victim* or revictim* or re-victim* or survivor*)).ti,ab,kf,bt.	49882
6. or/1-5	54194
7. Domestic Violence/	7602
8. exp Intimate Partner Violence/	13074
9. ((dating adj3 (abuse or aggression or violence)) or dishonor* or dishonour* or ((domestic or family or intrafamilial or marital or partner) adj3 (abuse or violence)) or honor* or honour* or (relationship adj3 (aggression or violence)) or (spous* adj3 abuse)).ti,ab,kf,bt.	37772
10. or/7-9	42542
11. Human Trafficking/	666
12. Sex Work/	6389
13. Sex Workers/	2993
14. (brothel* or human traffick* or prostitut* or (sex* adj3 traffick*) or sex work*).ti,ab,kf,bt.	12109
15. or/11-14	14213
16. Child Abuse, Sexual/	11015
17. Incest/	1668
18. Pedophilia/	1030
19. (((adolescen* or child* or early or forced) adj5 (marriage* or married)) or child bride or child porn* or grooming or incest* or paedophil* or pedophil*).ti,ab,kf,bt.	14856
20. or/16-19	25816
21. Circumcision, Female/	1685
22. (clitoridectomy* or clitorectomy* or defibulat* or deinfibulat* or de-infibulat* or ((female* or wom*n or girl*) adj3 (circumcision or cutting* or mutilation* or infibulat*)) or (genital* adj3 (alteration* or circumcision* or cutting* or excision* or "mutilation/cutting" or infibulat* or mutilation* or modification* or nicking or pricking)) or infibulat* or re-circumcision or reinfibulat* or re-infibulat* or (removal* adj6 genital*) or pharaonic circumcision* or sunna).ti,ab,kf,bt.	3011
23. or/21-22	3286
24. 6 or 10 or 15 or 20 or 23	119987
Population: Child, preschool	
25. exp Child/ or Infant/	2410186
26. (1 year* old* or 2 year* old* or 3 year* old* or 4 year* old* or 5 year* old* or 6 year* old* or 7 year* old* or baby or babies or boy or boyhood* or boys or child* or five year* old* or four year* old* or girl or girlhood* or girls or kid or kids or kinder* or nursery or one year* old* or paediatric* or pediatric* or prekindergarten or preschool* or pre-school* or stepchild* or step-child* or seven year* old* or six year* old* or three year* old* or toddler* or two year* old* or infant?).ti,ab,kf,bt.	2352108
27. or/25-26	3283163
Intervention: Psychological and psychosocial treatments	
28. Adaptation, Psychological/	103966
29. Case Management/	10611
30. Combined Modality Therapy/	184851
31. Computer-Assisted Instruction/	12532

32.	exp Counseling/	48736
33.	Internet-Based Intervention/	1113
34.	Object Attachment/	14515
35.	Program Evaluation/	67155
36.	Psychiatric Rehabilitation/	680
37.	Psychological First Aid/	31
38.	Psychosocial Support Systems/	976
39.	exp Psychotherapy/	217680
40.	exp Relaxation Therapy/	10156
41.	exp Remote Consultation/	5777
42.	Self Care/	35976
43.	Self-Help Groups/	9582
44.	Self-Management/	5281
45.	exp Social Support/	79571
46.	Telemedicine/	36992
47.	Therapy, Computer-Assisted/	6971
48.	Yoga/	3747
49.	((abreaction or desensitization or implosive) adj3 (intervention* or program* or technique* or therap* or treatment*)) or "acceptance and commitment therapy" or ((animal* or art or colo?r or creative* or dance or dancing or drama or equine or experiential or music or play* or sensory or singing) adj3 (intervention* or program* or therap* or treatment*)) or assertive community treatment* or (attention adj3 modification) or attention training or ((behavio* or cognitive) adj3 (activat* or approach* or component? or contracting or defusion or guidance or intervention* or management or modif* or program* or rehab* or restruktur* or technique* or therap* or train* or treatment*)) or bereavement therap* or ((biofeedback or feedback or imagery) adj3 (intervention* or program* or technique* or therap* or train* or treatment*)) or ((brief or time-limited) adj3 (intervention* or therap* or treatment*)) or brain training or case management or CBT or ((client-centred or client-centered or client-focus* or individual or individualised or individualized or person-centred or person-centered or present-centred or present-centered) adj3 (intervention* or program* or technique* or therap* or treatment*)) or cognitive behavio* or ((combination or compass* focus* or integrated or integrative) adj3 (intervention* or therap* or treatment*)) or combined modality therapy or ((coping or resilience) adj3 (intervention* or therap* or treatment*)) or coun#eling or coun#elling or ((couple* or family or group) adj3 (program* or intervention* or therap* or treatment*)) or (crisis adj (care or intervention* or therap* or treatment)) or DBT or debriefing or deep brain reorientation or dialectical behavio* or early intervention* or emotional freedom technique* or ((existential or gestalt or humanistic or interpersonal or milieu or residential or socioenvironmental or socio-environmental) adj3 (intervention* or program* or technique* or therap* or treatment*)) or ((exposure or exposure based) adj (intervention* or program* or technique* or therap* or treatment*)) or eye movement desensiti?ation or EMDR or expressive writing or grad* exposure or hearing voices or hypnosis or hypnotherapy or (imagery adj3 (modification or rehearsal or trauma)) or life span integration or mandalas or MBT or meditation or memory specificity training or mental training or ((mentalization or mentalisation) adj3 (intervention* or therap* or treatment*)) or metacognitive therapy or mindfulness or mind training or minimal therapist support or ((modular or multicomponent or multi-component or multimodal* or multimodal* or multimodular or multi-modular or phase-based) adj3 (approach* or program* or intervention* or therap* or treatment*)) or motivational interviewing or ((multisystemic or multi-systemic or systemic*) adj3 (program* or intervention* or therap* or treatment*)) or (narrative adj3 (intervention* or program* or technique* or therap* or treatment*)) or (network adj (intervention or therap* or treatment*)) or neurofeedback or neuro-feedback or ((non-direct* or nondirect* or solution focus*) adj3 (intervention* or program* or technique* or therap* or treatment*)) or (problem oriented adj3 (approach* or intervention* or therap* or treatment*)) or prolonged exposure or psychoanaly* or (psychiatr* adj (program* or intervention* or therap* or treatment*)) or psycho-analy* or psychoeducat* or psycho-educat* or ((psychodrama or psycho-drama* or psychodynamic or psycho dynamic or psychological or psychosocial or psycho-social) adj3 (intervention* or	1247660

	program* or rehab* or technique* or therap* or train* or treatment*)) or psychotherap* or psycho therap* or "reconsolidation of traumatic memories" or (relational adj3 (intervention* or therap* or treatment*)) or relaxation or role play or ((self-administered or selfadministered) adj3 (guided or instruct* or intervention* or program* or strateg* or supervised or therap* or treatment*)) or ((self-care or selfcare or self-change or self-help or selfhelp) adj3 (administered or guided or instruct* or intervention* or program* or strateg* or supervised or therap* or tool* or treatment*)) or self-management or (sex* abuse adj2 (intervention* or therap* or treatment*)) or (short-term adj (intervention* or therap* or treatment*)) or skill* training or social acknowledgement or somatic experiencing or stress inoculation training or structured approach therapy or (support adj3 (community or family or group* or psychosocial or psycho-social or social)) or (supportive adj3 (intervention* or service* or talk*)) or therapeutic allianc* or therapeutic communit* or therapeutic relationship* or third wave or thought field therapy or ((trauma focused or trauma informed) adj3 (care or intervention* or program* or technique* or therap* or treatment*)) or trauma processing or validation therapy or (written adj3 (disclosure or exposure)) or yoga).ti,ab,bt,kf.	
50.	(cCBT or c-CBT or cyber-counseling or cyber-counselling or cybercounseling or cybercounselling or digital health or e-consultation or eCBT or e-CBT or econsultation or ecounseling or e-counselling or ecounseling or ecounselling or e-health or ehealth or emedicine or e-medicine or emental health* or e-mental health* or e-portal or eportal or epsych* or e-psych* or e-therapy or etherapy or i-CBT or ICBT or m-health or mhealth or mobile health or telepsychiatry or tele-psychiatry or Deprexis or Interapy or WeChat*).ti,ab,bt,kf.	32594
51.	House Calls/ and (exp Social Work/ or exp Child Welfare/ or Child Protective Services/ or Community Integration/ or Infant Welfare/ or social.ti.)	237
52.	((visit* or home or house or child or health*) adj4 (visit* or call* or program* or skill* or educat* or train* or promotion*)) and (social care* or social work* or social service* or child protectiv* or family support* or family counsel* or child welfare* or community service*).ti,ab,kf,bt.	8491
53.	(active parenting or "attachment and biobehavioral catch-up" or ((attachment or bond*) adj5 (intervention* or therap* or treatment*)) or cool kids or coping power program or DBTSS or family check-up or increadible years or KIDNET or kids club* or "Kognitiv Integrerad Behandling vid Barnmisshandel" or KIBB or marte meo or moms empowerment program or no kids in the middle or parent-child interaction therapy or parent education or parent management training or (parent-mediated adj3 (program* or intervention* or therap* or treatment*)) or parent training or parenting intervention or parenting young children or project support or promoting first relationship* or PCIT or safecare* or safe place or safer kids or "trappan-modellen" or "trappanmetoden" or trappan or "Traumafokuserad KBT" or "TF kbt").ti,ab,bt,kf.	10630
54.	("Alternatives for Families" or Caring Dads or CPPC or "Community Partnerships for the Protection of Children" or "Communities that Care" or "Exchange Parent Aide" or "Iowa Parent Partner Approach" or MST-CAN or "Nurturing Parenting Program for Parents and their Infants Toddlers" or "Nurturing Parenting Program for Parents and their School-age Children" or "Parent Engagement and Self-Advocacy" or "Parent Support Outreach Program" or PSOP or "Project 12-ways" or "Strengthening Families" or "Strong Communities for Children" or "Who Do You Tell" or "WebsterStratton parenting program" or "Triple P" or "Incredible years" or "otroliga aren").ti,ab,bt,kf.	1120
55.	or/28-54	1760707
Combined sets		
56.	24 and 27 and 55	9551
Final result		
57.	limit 56 to (danish or english or norwegian or swedish)	9077

The final search result, usually found at the end of the documentation, forms the list of abstracts.

.ab. = Abstract; .ab,ti. = Abstract or title; .af. = All fields; .bt. = Book title; exp = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy; .fs. = Floating sub-heading, does not include terms found below this term in the MeSH hierarchy; .kf. = Author keyword; .sh. = Term from the Medline controlled vocabulary; .ti. = Title; .xs. = Floating sub-heading, includes terms found below this term in the MeSH hierarchy; / = Term

from the Medline controlled vocabulary, but does not include terms found below this term in the MeSH hierarchy; * = Focus (if found in front of a MeSH-term); * or \$ = Truncation (if found at the end of a free text term); .mp. = Text, heading word, subject area node, title; " " = Citation Marks; searches for an exact phrase; adjn = Positional operator that lets you retrieve records that contain your terms (in any order) within a specified number (n) of words of each other; ? = replaces one or no letters; # = replaces one letter

PsycINFO via EBSCO 16 May 2023

Title: Sexual violence in children 7 years old or younger

Search terms	Items found
Population: Sexual violence	
1. DE "Acquaintance Rape" OR DE "Rape" OR DE "Sex Offenses" OR DE "Sexual Abuse" OR DE "Sexual Coercion" OR DE "Sexual Harassment" OR DE "Sexual Violence"	43,928
2. TI ((intercourse N3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* N3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex N3 (in-appropriate OR inappropriate)) OR (sex* N3 (victim* OR revictim* OR re-victim* OR survivor*))) OR AB ((intercourse N3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* N3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex N3 (in-appropriate OR inappropriate)) OR (sex* N3 (victim* OR revictim* OR re-victim* OR survivor*))) OR KW ((intercourse N3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* N3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex N3 (in-appropriate OR inappropriate)) OR (sex* N3 (victim* OR revictim* OR re-victim* OR survivor*)))	74,898
3. S1 OR S2	77,142
4. DE "Domestic Violence" OR DE "Intimate Partner Violence"	25,721
5. TI ((dating N3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) N3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship N3 (aggression OR violence)) OR (spous* N3 abuse)) OR AB ((dating N3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) N3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship N3 (aggression OR violence)) OR (spous* N3 abuse)) OR KW ((dating N3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) N3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship N3 (aggression OR violence)) OR (spous* N3 abuse))	50,628
6. S4 OR S5	53,987
7. DE "Human Trafficking" OR DE "Sex Trafficking" OR DE "Sex Work"	5,687
8. TI (brothel* OR "human traffick*" OR prostitut* OR (sex* N3 traffick*) OR "sex work*") OR AB (brothel* OR "human traffick*" OR prostitut* OR (sex* N3 traffick*) OR "sex work*") OR KW (brothel* OR "human traffick*" OR prostitut* OR (sex* N3 traffick*) OR "sex work*")	8,008
9. S7 OR S8	8,480
10. DE "Incest" OR DE "Pedophilia"	5,003
11. TI (((adolescen* OR child* OR early OR forced) N5 (marriage* OR married)) OR "child bride" OR "child porn*" OR grooming OR incest* OR paedophil* OR pedophil*) OR AB (((adolescen* OR child* OR early OR forced) N5 (marriage* OR married)) OR "child bride" OR "child porn*" OR grooming OR incest* OR paedophil* OR pedophil*) OR KW (((adolescen* OR child* OR early OR forced) N5 (marriage* OR married)) OR "child bride" OR "child porn*" OR grooming OR incest* OR paedophil* OR pedophil*)	18,124
12. S10 OR S11	19,327
13. TI (clitoridectom* OR clitorectom* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR wom*n OR girl*) N3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* N3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal*	1,054

N6 genital*) OR "pharaonic circumcision*" OR sunna) OR AB (clitoridectomy* OR clitorectomy* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR wom*n OR girl*) N3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* N3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal* N6 genital*) OR "pharaonic circumcision*" OR sunna) OR KW (clitoridectomy* OR clitorectomy* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR wom*n OR girl*) N3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* N3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR (removal* N6 genital*) OR "pharaonic circumcision*" OR sunna)

14.	S3 OR S6 OR S9 OR S12 OR S13	142,445
-----	------------------------------	---------

Population: Child, preschool

15.	AG "childhood (birth-12 yrs)"	600,333
16.	TI ("1 year* old*" OR "2 year* old*" OR "3 year* old*" OR "4 year* old*" OR "5 year* old*" OR "6 year* old*" OR "7 year* old*" OR baby OR babies OR boy OR boyhood* OR boys OR child* OR "five year* old*" OR "four year* old*" OR girl OR girlhood* OR girls OR kid OR kids OR kinder* OR nursery OR "one year* old*" OR paediatric* OR pediatric* OR prekindergarten OR preschool* OR pre-school* OR stepchild* OR step-child* OR "seven year* old*" OR "six year* old*" OR "three year* old*" OR toddler* OR "two year* old*" OR infant OR infants) OR AB ("1 year* old*" OR "2 year* old*" OR "3 year* old*" OR "4 year* old*" OR "5 year* old*" OR "6 year* old*" OR "7 year* old*" OR baby OR babies OR boy OR boyhood* OR boys OR child* OR "five year* old*" OR "four year* old*" OR girl OR girlhood* OR girls OR kid OR kids OR kinder* OR nursery OR "one year* old*" OR paediatric* OR pediatric* OR prekindergarten OR preschool* OR pre-school* OR stepchild* OR step-child* OR "seven year* old*" OR "six year* old*" OR "three year* old*" OR toddler* OR "two year* old*" OR infant OR infants) OR KW ("1 year* old*" OR "2 year* old*" OR "3 year* old*" OR "4 year* old*" OR "5 year* old*" OR "6 year* old*" OR "7 year* old*" OR baby OR babies OR boy OR boyhood* OR boys OR child* OR "five year* old*" OR "four year* old*" OR girl OR girlhood* OR girls OR kid OR kids OR kinder* OR nursery OR "one year* old*" OR paediatric* OR pediatric* OR prekindergarten OR preschool* OR pre-school* OR stepchild* OR step-child* OR "seven year* old*" OR "six year* old*" OR "three year* old*" OR toddler* OR "two year* old*" OR infant OR infants)	917,712

17.	S15 OR S16	1,044,327
-----	------------	-----------

Intervention: Psychological and psychosocial treatments

18.	DE "Psychotherapy" OR DE "Active Listening" OR DE "Adlerian Psychotherapy" OR DE "Adolescent Psychotherapy" OR DE "Affirmative Therapy" OR DE "Age Regression (Hypnotic)" OR DE "Analytical Psychotherapy" OR DE "Animal Assisted Therapy" OR DE "Autogenic Training" OR DE "Brief Psychotherapy" OR DE "Brief Relational Therapy" OR DE "Centering" OR DE "Child Psychotherapy" OR DE "Client Centered Therapy" OR DE "Conjoint Therapy" OR DE "Conversion Therapy" OR DE "Cotherapy" OR DE "Couples Therapy" OR DE "Dream Analysis" OR DE "Eclectic Psychotherapy" OR DE "Emotion Focused Therapy" OR DE "Empty Chair Technique" OR DE "Encounter Group Therapy" OR DE "Ericksonian Psychotherapy" OR DE "Existential Therapy" OR DE "Experiential Psychotherapy" OR DE "Expressive Psychotherapy" OR DE "Eye Movement Desensitization Therapy" OR DE "Family Intervention" OR DE "Family Therapy" OR DE "Feminist Therapy" OR DE "Free Association" OR DE "Geriatric Psychotherapy" OR DE "Gestalt Therapy" OR DE "Group Psychotherapy" OR DE "Guided Imagery" OR DE "Humanistic Psychotherapy" OR DE "Hypnosis" OR DE "Hypnotherapy" OR DE "Individual Psychotherapy" OR DE "Insight Therapy" OR DE "Integrative Psychotherapy" OR DE "Interpersonal Psychotherapy" OR DE "Life Review" OR DE "Logotherapy" OR DE "Marathon Group Therapy" OR DE "Mirroring" OR DE "Morita Therapy" OR DE "Motivational Interviewing" OR DE "Multisystemic Therapy" OR DE "Mutual Storytelling Technique" OR DE "Narrative Therapy" OR DE "Network Therapy" OR DE "Paradoxical Techniques" OR DE "Persuasion Therapy" OR DE "Play Therapy" OR DE "Posthypnotic Suggestions" OR DE "Primal Therapy" OR DE "Psychoanalysis" OR DE "Psychodrama" OR DE "Psychodynamic Psychotherapy" OR DE "Psychotherapeutic Counseling" OR DE "Psychotherapeutic Techniques" OR DE "Rational Emotive Behavior Therapy" OR DE "Reality Therapy" OR DE "Relationship Therapy" OR DE "Schema Therapy"	248,953
-----	---	---------

	OR DE "Self-Affirmation" OR DE "Self-Analysis" OR DE "Solution Focused Therapy" OR DE "Strategic Family Therapy" OR DE "Strategic Therapy" OR DE "Structural Family Therapy" OR DE "Supportive Psychotherapy" OR DE "Therapeutic Community" OR DE "Transactional Analysis"	
19.	DE "Aversion Therapy" OR DE "Applied Behavior Analysis" OR DE "Behavior Contracting" OR DE "Behavior Modification" OR DE "Behavior Therapy" OR DE "Biofeedback Training" OR DE "Conversion Therapy" OR DE "Covert Sensitization" OR DE "Dialectical Behavior Therapy" OR DE "Exposure Therapy" OR DE "Imaginal Exposure" OR DE "Implosive Therapy" OR DE "In Vivo Exposure" OR DE "Prolonged Exposure Therapy" OR DE "Reciprocal Inhibition Therapy" OR DE "Response Cost" OR DE "Systematic Desensitization Therapy" OR DE "Virtual Reality Exposure Therapy"	47,284
20.	DE "Cognitive Behavior Therapy" OR DE "Cognitive Processing Therapy" OR DE "Cognitive Restructuring" OR DE "Cognitive Techniques" OR DE "Cognitive Therapy" OR DE "Prolonged Exposure Therapy"	45,456
21.	DE "Psychosocial Rehabilitation" OR DE "Psychosocial Readjustment" OR DE "Therapeutic Social Clubs"	6,759
22.	DE "Counseling" OR DE "Community Counseling" OR DE "Cross Cultural Counseling" OR DE "Grief Counseling" OR DE "Group Counseling" OR DE "Microcounseling" OR DE "Multicultural Counseling" OR DE "Pastoral Counseling" OR DE "Peer Counseling"	42,233
23.	DE "Art Therapy" OR DE "Creative Arts Therapy" OR DE "Cross Cultural Treatment" OR DE "Dance Therapy" OR DE "Horticulture Therapy" OR DE "Meditation" OR DE "Milieu Therapy" OR DE "Mindfulness" OR DE "Mindfulness-Based Interventions" OR DE "Music Therapy" OR DE "Progressive Relaxation Therapy" OR DE "Psychoeducation" OR DE "Recreation Therapy" OR DE "Relaxation Therapy"	45,988
24.	DE "Case Management" OR DE "Program Evaluation" OR DE "Mental Health Program Evaluation"	31,820
25.	DE "Coping Behavior" OR DE "Coping Style"	54,072
26.	DE "Brief Interventions" OR DE "Debriefing (Psychological)" OR DE "Crisis Intervention" OR DE "Early Intervention" OR DE "Group Intervention"	22,893
27.	DE "Integrated Services" OR DE "Interdisciplinary Treatment Approach" OR DE "Multimodal Treatment Approach"	14,867
28.	DE "Psychological First Aid"	235
29.	DE "Self-Care" OR DE "Self-Help Techniques" OR DE "Self-Instructional Training" OR DE "Self-Management"	16,324
30.	DE "Social Support" OR DE "Support Groups"	69,589
31.	DE "Sociotherapy" OR DE "Strengths-Based Interventions" OR DE "Trauma-Informed Care" OR DE "Video-Based Interventions"	1,310
32.	DE "Computer Assisted Therapy" OR DE "Digital Interventions" OR DE "Online Therapy" OR DE "Teleconsultation" OR DE "Telemedicine" OR DE "Telepsychiatry" OR DE "Telepsychology"	15,151
33.	DE "Yoga"	2,541
34.	TI (((abreaction OR desensitization OR implosive) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "acceptance and commitment therapy" OR ((animal* OR art OR color# OR creative* OR dance OR dancing OR drama OR equine OR experiential OR music OR play* OR sensory OR singing) N3 (intervention* OR program* OR therap* OR treatment*)) OR "assertive community treatment*" OR (attention N3 modification) OR "attention training" OR ((behavior* OR cognitive) N3 (activation* OR approach* OR component# OR contracting OR defusion OR guidance OR intervention* OR management OR modif* OR program* OR rehab* OR restruktur* OR technique* OR therap* OR train* OR treatment*)) OR "bereavement therap*" OR ((biofeedback OR feedback OR imagery) N3 (intervention* OR program* OR technique* OR therap* OR train* OR treatment*)) OR ((brief OR time-limited) N3 (intervention* OR therap* OR treatment*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "cognitive behavior*" OR ((combination OR "compass* focus*" OR integrated OR integrative) N3 (intervention* OR therap* OR treatment*)) OR "combined modality therapy" OR ((coping OR resilience) N3 (intervention*	909,217

OR therap* OR treatment*)) OR coun?eling OR coun?elling OR ((couple* OR family OR group) N3 (program* OR intervention* OR therap* OR treatment*)) OR (crisis W1 (care OR intervention* OR therap* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavio*" OR "early intervention*" OR "emotional freedom technique*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ((exposure OR "exposure based") W2 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "eye movement desensitization" OR EMDR OR "expressive writing" OR "grad* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery N3 (modification OR rehearsals OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) N3 (intervention* OR therap* OR treatment*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal* OR multi-modal* OR multimodular OR multi-modular OR phase-based) N3 (approach* OR program* OR intervention* OR therap* OR treatment*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic*) N3 (program* OR intervention* OR therap* OR treatment*)) OR (narrative W3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR (network W1 (intervention OR therap* OR treatment*)) OR neurofeedback OR neuro-feedback OR ((non-direct* OR nondirect* OR "solution focus*") N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ("problem oriented" N3 (approach* OR intervention* OR therap* OR treatment*)) OR "prolonged exposure" OR psychoanaly* OR (psychiatr* W1 (program* OR intervention* OR therap* OR treatment*)) OR psycho-analy* OR psychoeducat* OR psycho-educat* OR ((psychodrama OR psycho-drama* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) N3 (intervention* OR program* OR rehab* OR technique* OR therap* OR train* OR treatment*)) OR psychotherap* OR "psycho therap*" OR "reconsolidation of traumatic memories" OR (relational N3 (intervention* OR therap* OR treatment*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) N3 (guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR treatment*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) N3 (administered OR guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR tool* OR treatment*)) OR self-management OR ("sex* abuse" N2 (intervention* OR therap* OR treatment*)) OR (short-term W2 (intervention* OR therap* OR treatment*)) OR "skill* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support N3 (community OR family OR group* OR psychosocial OR psycho-social OR social)) OR (supportive N3 (intervention* OR service* OR talk*)) OR "therapeutic allianc*" OR "therapeutic communit*" OR "therapeutic relationship*" OR "third wave" OR "thought field therapy" OR ((trauma focused" OR "trauma informed") N3 (care OR intervention* OR program* OR technique* OR therap* OR treatment*)) OR "trauma processing" OR "validation therapy" OR (written N3 (disclosure OR exposure)) OR yoga) OR AB (((abreaction OR desensitization OR implosive) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "acceptance and commitment therapy" OR ((animal* OR art OR colo#r OR creative* OR dance OR dancing OR drama OR equine OR experiential OR music OR play* OR sensory OR singing) N3 (intervention* OR program* OR therap* OR treatment*)) OR "assertive community treatment*" OR (attention N3 modification) OR "attention training" OR ((behavio* OR cognitive) N3 (activat* OR approach* OR component# OR contracting OR defusion OR guidance OR intervention* OR management OR modif* OR program* OR rehab* OR restruktur* OR technique* OR therap* OR train* OR treatment*)) OR "bereavement therap*" OR ((biofeedback OR feedback OR imagery) N3 (intervention* OR program* OR technique* OR therap* OR train* OR treatment*)) OR ((brief OR time-limited) N3 (intervention* OR therap* OR treatment*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "cognitive behavio*" OR ((combination OR "compass* focus*" OR integrated OR integrative) N3 (intervention* OR therap* OR treatment*)) OR "combined modality therapy" OR ((coping OR resilience) N3 (intervention* OR therap* OR treatment*)) OR coun?eling OR coun?elling OR ((couple* OR family OR group) N3 (program* OR

intervention* OR therap* OR treatment*)) OR (crisis W1 (care OR intervention* OR therap* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavio*" OR "early intervention*" OR "emotional freedom technique*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ((exposure OR "exposure based") W2 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "eye movement desensitization" OR EMDR OR "expressive writing" OR "grad* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery N3 (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) N3 (intervention* OR therap* OR treatment*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal* OR multi-modal* OR multimodular OR multi-modular OR phase-based) N3 (approach* OR program* OR intervention* OR therap* OR treatment*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic*) N3 (program* OR intervention* OR therap* OR treatment*)) OR (narrative W3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR (network W1 (intervention OR therap* OR treatment*)) OR neurofeedback OR neuro-feedback OR ((non-direct* OR nondirect* OR "solution focus*") N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ("problem oriented" N3 (approach* OR intervention* OR therap* OR treatment*)) OR "prolonged exposure" OR psychoanaly* OR (psychiatr* W1 (program* OR intervention* OR therap* OR treatment*)) OR psycho-analy* OR psychoeducat* OR psycho-educat* OR ((psychodrama OR psycho-drama* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) N3 (intervention* OR program* OR rehab* OR technique* OR therap* OR train* OR treatment*)) OR psychotherap* OR "psycho therap*" OR "reconsolidation of traumatic memories" OR (relational N3 (intervention* OR therap* OR treatment*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) N3 (guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR treatment*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) N3 (administered OR guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR tool* OR treatment*)) OR self-management OR ("sex* abuse" N2 (intervention* OR therap* OR treatment*)) OR (short-term W2 (intervention* OR therap* OR treatment*)) OR "skill* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support N3 (community OR family OR group* OR psychosocial OR psycho-social OR social)) OR (supportive N3 (intervention* OR service* OR talk*)) OR "therapeutic allianc*" OR "therapeutic communit*" OR "therapeutic relationship*" OR "third wave" OR "thought field therapy" OR ("trauma focused" OR "trauma informed") N3 (care OR intervention* OR program* OR technique* OR therap* OR treatment*)) OR "trauma processing" OR "validation therapy" OR (written N3 (disclosure OR exposure)) OR yoga) OR KW (((abreaction OR desensitization OR implosive) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "acceptance and commitment therapy" OR ((animal* OR art OR colo#r OR creative* OR dance OR dancing OR drama OR equine OR experiential OR music OR play* OR sensory OR singing) N3 (intervention* OR program* OR therap* OR treatment*)) OR "assertive community treatment*" OR (attention N3 modification) OR "attention training" OR ((behavio* OR cognitive) N3 (activat* OR approach* OR component# OR contracting OR defusion OR guidance OR intervention* OR management OR modif* OR program* OR rehab* OR restructur* OR technique* OR therap* OR train* OR treatment*)) OR "bereavement therap*" OR ((biofeedback OR feedback OR imagery) N3 (intervention* OR program* OR technique* OR therap* OR train* OR treatment*)) OR ((brief OR time-limited) N3 (intervention* OR therap* OR treatment*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "cognitive behavio*" OR ((combination OR "compass* focus*" OR integrated OR integrative) N3 (intervention* OR therap* OR treatment*)) OR "combined modality therapy" OR ((coping OR resilience) N3 (intervention* OR therap* OR treatment*)) OR coun?eling OR coun?elling OR ((couple* OR family OR group) N3 (program* OR intervention* OR therap* OR treatment*)) OR (crisis W1 (care OR intervention* OR therap* OR treatment)) OR DBT OR debriefing OR "deep brain

reorientation" OR "dialectical behavio*" OR "early intervention*" OR "emotional freedom technique*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ((exposure OR "exposure based") W2 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "eye movement desensitization" OR EMDR OR "expressive writing" OR "grad* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery N3 (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) N3 (intervention* OR therap* OR treatment*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal* OR multi-modal* OR multimodular OR multi-modular OR phase-based) N3 (approach* OR program* OR intervention* OR therap* OR treatment*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic*) N3 (program* OR intervention* OR therap* OR treatment*)) OR (narrative W3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR (network W1 (intervention OR therap* OR treatment*)) OR neurofeedback OR neuro-feedback OR ((non-direct* OR nondirect* OR "solution focus*") N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ("problem oriented" N3 (approach* OR intervention* OR therap* OR treatment*)) OR "prolonged exposure" OR psychoanaly* OR (psychiatr* W1 (program* OR intervention* OR therap* OR treatment*)) OR psycho-analy* OR psychoeducat* OR psycho-educat* OR ((psychodrama OR psycho-drama* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) N3 (intervention* OR program* OR rehab* OR technique* OR therap* OR train* OR treatment*)) OR psychotherap* OR "psycho therap*" OR "reconsolidation of traumatic memories" OR (relational N3 (intervention* OR therap* OR treatment*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) N3 (guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR treatment*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) N3 (administered OR guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR tool* OR treatment*)) OR self-management OR ("sex* abuse" N2 (intervention* OR therap* OR treatment*)) OR (short-term W2 (intervention* OR therap* OR treatment*)) OR "skill* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support N3 (community OR family OR group* OR psychosocial OR psycho-social OR social)) OR (supportive N3 (intervention* OR service* OR talk*)) OR "therapeutic allianc*" OR "therapeutic communit*" OR "therapeutic relationship*" OR "third wave" OR "thought field therapy" OR ("trauma focused" OR "trauma informed") N3 (care OR intervention* OR program* OR technique* OR therap* OR treatment*)) OR "trauma processing" OR "validation therapy" OR (written N3 (disclosure OR exposure)) OR yoga)

-
35. TI (cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cyberguidance OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat*) OR AB (cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cyberguidance OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat*) OR KW (cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cyberguidance OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat*)
-

36.	(DE "Home Visiting Programs" AND (DE "Social Casework" OR DE "Social Group Work" OR DE "Child Welfare" OR DE "Child Guidance" OR DE "Child Abuse Reporting" OR DE "Social Services" OR DE "Community Services" OR DE "Outreach Programs" OR DE "Protective Services" OR DE "Support Groups" OR DE "Social Workers" OR DE "Psychiatric Social Workers" OR TI social*))	342
37.	TI (((visit* OR home OR house OR child* OR health*) N3 (visit* OR call* OR intervention*)) OR AB ((visit* OR home OR house OR child* OR health*) N3 (visit* OR call* OR intervention*))) AND (TI ("social care" OR (social W1 work*) OR (social W1 service*) OR "child protective" OR "family support" OR (family W1 counsel*) OR "child welfare" OR (community W1 service*)) OR AB ("social care" OR (social W1 work*) OR (social W1 service*) OR "child protective" OR "family support" OR (family W1 counsel*) OR "child welfare" OR (community W1 service*)))	3,723
38.	TI ("active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) N5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated N3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt") OR AB ("active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) N5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated N3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt") OR KW ("active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) N5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated N3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt")	14,793
39.	TI ("Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren") OR AB ("Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren") OR KW ("Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care"	5,502

OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren")		
40.	S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35 OR S36 OR S37 OR S38 OR S39	1,067,653
Combined sets		
41.	S14 AND S17 AND S40	16,984
42.	PT "Book" OR PT "Dissertation Abstract"	1,082,467
43.	S41 NOT S42	11,665
Final result		
44.	S41 NOT S42	10,714

Limiters - Language: Danish, English, Norwegian, Swedish

The final search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract; **AU** = Author; **DE** = Term from the thesaurus; **KW** (Available in Academic Search Premiere / SocINDEX / PsycInfo) = Author keyword; **MH** = Exact Subject Heading from CINAHL Subject Headings; **MM** = Major Concept; **SU** = Searches for a part of or an entire subject heading; **TI** = Title; **TX** = All Text. Performs a keyword search of all the database's searchable fields; **ZC** = Methodology Index; * = Truncation; " " = Citation Marks; searches for an exact phrase; # = replaces one or no letters; ? = replaces one letter; **N** = Near Operator (N) finds the words if they are a maximum of x words apart from one another, regardless of the order in which they appear.; **W** = Within Operator (W) finds the words if they are within x words of one another, in the order in which you entered them

PTSDpubs via Proquest 19 May 2023

Title: Sexual violence in children 7 years old or younger

Search terms	Items found
Population: Sexual violence	
1. (MAINSUBJECT.EXACT("Military Sexual Trauma") OR MAINSUBJECT.EXACT.EXPLODE("Rape") OR MAINSUBJECT.EXACT("Sexual Harassment") OR (TIAB(rape OR raped OR rapes OR raping OR "sex abuse" OR "sexual abuse" OR "sexually abused" OR "sex assault" OR "sexual assault" OR "sexually assaulted" OR "sexual coercion" OR "sexually coerced" OR "sex exploitation" OR "sexual exploitation" OR "sexually exploited" OR "sexual harassment" OR "sexually harassed" OR "sex molestation" OR "sexual molestation" OR "sexually molested" OR "sex trauma" OR "sexual trauma" OR "sex violence" OR "sexual violence")) OR (MAINSUBJECT.EXACT("Dating Violence") OR MAINSUBJECT.EXACT("Family Violence") OR MAINSUBJECT.EXACT("Partner Abuse")) OR (TIAB(dishonor OR dishonour OR "domestic abuse" OR "domestic violence" OR "family violence" OR honor OR honour OR "marital violence" OR "partner abuse" OR "partner violence" OR "spouse abuse" OR "spousal abuse")) OR (MAINSUBJECT.EXACT("Human Trafficking") OR MAINSUBJECT.EXACT("Prostitution") OR MAINSUBJECT.EXACT("Sex Workers")) OR (TIAB("human trafficking" OR prostitution OR prostitutes OR "sex trafficking" OR "sex work" OR "sex workers")) OR (MAINSUBJECT.EXACT("Incest")) OR (TIAB("child marriage" OR "child porn" OR "child pornography" OR "forced marriage" OR grooming OR incest OR paedophilia OR paedophile OR paedophiles OR pedophilia OR pedophile OR pedophiles)) OR (MAINSUBJECT.EXACT("Genital Mutilation")) OR (TIAB(clitoridectomy OR clitoridecomies OR clitorectomy OR clitorectomies OR defibulation OR defibulated OR deinfibulation OR deinfibulated OR de-infibulation OR de-infibulated OR "female circumcision" OR "genital mutilation" OR infibulation OR infibulated OR re-circumcision OR reinfibulation OR reinfibulated OR re-infibulation OR re-infibulated OR "pharaonic circumcision" OR "pharaonic circumcisions" OR sunna))	12,404
Population: Child, preschool	
2. (MAINSUBJECT.EXACT("Children") OR MAINSUBJECT.EXACT("Infants") OR MAINSUBJECT.EXACT("Preschool Age Children") OR MAINSUBJECT.EXACT("School Age Children") OR (TIAB(baby OR babies OR boy OR boyhood OR boys OR child OR childhood OR children OR girl OR girlhood OR girls OR kid OR kids OR kindergarten OR nursery OR paediatric OR pediatric OR prekindergarten OR preschool OR pre-school OR preschooler OR pre-schooler OR preschoolers OR pre-schoolers OR stepchild OR stepchildren OR toddler OR toddlers OR infant OR infants))	16,171
Intervention: Psychological and psychosocial treatments	
3. (MAINSUBJECT.EXACT("Animal Assisted Therapy") OR MAINSUBJECT.EXACT.EXPLODE("Behavior Modification") OR MAINSUBJECT.EXACT("Case Management") OR MAINSUBJECT.EXACT("Coping Behavior") OR MAINSUBJECT.EXACT.EXPLODE("Creative Arts Therapy") OR MAINSUBJECT.EXACT.EXPLODE("Meditation") OR MAINSUBJECT.EXACT("Program Evaluation") OR MAINSUBJECT.EXACT("Psychosocial Rehabilitation") OR MAINSUBJECT.EXACT.EXPLODE("Psychotherapy") OR MAINSUBJECT.EXACT("Self Help Techniques") OR MAINSUBJECT.EXACT("Social Casework") OR MAINSUBJECT.EXACT("Social Support Networks") OR MAINSUBJECT.EXACT("Support Groups") OR (TIAB(therap* OR program* OR intervention* OR treatment* OR train* OR "attention modification" OR "attention training" OR ((behavio* OR cognitive) NEAR/3 (activat* OR approach* OR component* OR contracting OR defusion OR guidance OR management OR modif* OR rehab* OR restruktur* OR technique*)) OR "case management" OR CBT OR "cognitive behavio*" OR "combined modality therapy" OR counseling OR counselling OR counceling OR councelling OR "crisis care" OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavio*" OR "emotional freedom technique*" OR "eye movement desensitization" OR "eye movement desensitisation" OR EMDR OR "expressive writing" OR "grad* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery AND (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR meditation OR mindfulness OR "minimal therapist support" OR "motivational interviewing" OR neurofeedback OR neuro-feedback OR "prolonged exposure" OR psychoanaly* OR psycho-analy* OR psychoeducat* OR psycho-educat* OR psychodrama OR psycho-drama* OR psychodynamic OR "psycho dynamic" OR psychosocial OR psycho-social psychotherap* OR "psycho therap*" OR "reconsolidation of traumatic	38,087

memories" OR relaxation OR "role play" OR self-care OR selfcare OR self-change OR self-help OR selfhelp OR self-management OR "social acknowledgement" OR "somatic experiencing" OR "community support" OR "family support" OR "group support" OR "social support" OR "supportive service*" OR "supportive talk*" OR "therapeutic allianc*" OR "therapeutic communict*" OR "therapeutic relationship*" OR "third wave" OR "trauma focused care" OR "trauma informed care" OR "trauma processing" OR "written disclosure" OR "written exposure" OR yoga)) OR (TIAB(cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybergcounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR ecounselling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat*)) OR (TIAB(((visit* OR home OR house OR child OR health*) NEAR/4 (visit* OR call* OR program* OR skill* OR educat* OR train* OR promotion*))) AND ("social care*" OR "social work*" OR "social service*" OR "child protectiv*" OR "family support*" OR "family counsel*" OR "child welfare*" OR "community service*")))) OR (TIAB("active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) NEAR/5 (intervention* OR therap* OR treatment*))) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated NEAR/3 (program* OR intervention* OR therap* OR treatment*))) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt")) OR (TIAB("Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren"))

Combined sets

4.	1 AND 2 AND 3	3,483
5.	1 AND 2 AND 3	2,887
<hr/>		
6.	NOT (Books AND Dissertations & Theses) 1 AND 2 AND 3	2,430

NOT (Books AND Dissertations & Theses)

Limit to: Peer reviewed

Final result

7.	1 AND 2 AND 3	2,377
----	----------------------	-------

NOT (Books AND Dissertations & Theses)

Limit to: Peer reviewed

Limits applied: English, Norwegian²

The final search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract; **AF** = Author affiliation; **All** = Performs a keyword search in most of the database's searchable fields, except full text; **AU** = Author; **MAINSUBJECT.EXACT** = Term from the thesaurus, does not include terms found below this term in the hierarchy; **MAINSUBJECT.EXACT.EXPLODE** = Term from the thesaurus, including terms found below this term in the hierarchy; **SU** = Subjects; **TI** = Title; ; **NEAR/n or N/n** = Requests terms that are within 'n' words of each other in either direction; **PRE/n or P/n** = Requests terms that are within 'n' words of each other in the order specified; * = Truncation; " " =

² No articles were available in Danish or Swedish

Citation Marks; searches for an exact phrase; ? = Wildcard, used to replace any single character either inside or at the right end of a word

Scopus via Elsevier 22 May 2023

Title: Sexual violence in children 7 years old or younger

Search terms	Items found
Population: Sexual violence	
1. TITLE-ABS((intercourse W/3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* W/3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex W/3 (in-appropriate OR inappropriate)) OR (sex* W/3 (victim* OR revictim* OR re-victim* OR survivor*)) OR (dating W/3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) W/3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship W/3 (aggression OR violence)) OR (spous* W/3 abuse) OR brothel* OR "human traffick*" OR prostitut* OR (sex* W/3 traffick*) OR "sex work*" OR ((adolescen* OR child* OR early OR forced) W/5 (marriage* OR married)) OR "child bride" OR "child porn**" OR grooming OR incest* OR paedophil* OR pedophil* OR clitoridectomy* OR clitorectomy* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR woman OR women OR girl*) W/3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* W/3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal* W/6 genital*) OR "pharaonic circumcision**" OR sunna)	261,238
2. AUTHKEY((intercourse W/3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* W/3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex W/3 (in-appropriate OR inappropriate)) OR (sex* W/3 (victim* OR revictim* OR re-victim* OR survivor*)) OR (dating W/3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) W/3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship W/3 (aggression OR violence)) OR (spous* W/3 abuse) OR brothel* OR "human traffick*" OR prostitut* OR (sex* W/3 traffick*) OR "sex work*" OR ((adolescen* OR child* OR early OR forced) W/5 (marriage* OR married)) OR "child bride" OR "child porn**" OR grooming OR incest* OR paedophil* OR pedophil* OR clitoridectomy* OR clitorectomy* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR woman OR women OR girl*) W/3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* W/3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal* W/6 genital*) OR "pharaonic circumcision**" OR sunna)	67,758
3. 1 OR 2	268,284
Population: Child, preschool	
4. TITLE-ABS("1 year* old**" OR "2 year* old**" OR "3 year* old**" OR "4 year* old**" OR "5 year* old**" OR "6 year* old**" OR "7 year* old**" OR baby OR babies OR boy OR boyhood* OR boys OR child* OR "five year* old**" OR "four year* old**" OR girl OR girlhood* OR girls OR kid OR kids OR kinder* OR nursery OR "one year* old**" OR paediatric* OR pediatric* OR prekindergarten OR preschool* OR pre-school* OR stepchild* OR step-child* OR "seven year* old**" OR "six year* old**" OR "three year* old**" OR toddler* OR "two year* old**" OR infant OR infants)	3,323,282
5. AUTHKEY("1 year* old**" OR "2 year* old**" OR "3 year* old**" OR "4 year* old**" OR "5 year* old**" OR "6 year* old**" OR "7 year* old**" OR baby OR babies OR boy OR boyhood* OR boys OR child* OR "five year* old**" OR "four year* old**" OR girl OR girlhood* OR girls OR kid OR kids OR kinder* OR nursery OR "one year* old**" OR paediatric* OR pediatric* OR prekindergarten OR preschool* OR pre-school* OR stepchild* OR step-child* OR "seven	676,479

year* old*" OR "six year* old*" OR "three year* old*" OR toddler* OR "two year* old*" OR infant OR infants)

6. 4 OR 5

3,368,366

Intervention: Psychological and psychosocial treatments

7. TITLE-ABS(((abreaction OR desensitization OR implosive) W/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "acceptance and commitment therapy" OR ((animal* OR art OR color OR colour OR creative* OR dance OR dancing OR drama OR equine OR experiential OR music OR play* OR sensory OR singing) W/3 (intervention* OR program* OR therap* OR treatment*)) OR "assertive community treatment*" OR (attention W/3 modification) OR "attention training" OR ((behavio* OR cognitive) W/3 (activat* OR approach* OR component* OR contracting OR defusion OR guidance OR intervention* OR management OR modif* OR program* OR rehab* OR restruktur* OR technique* OR therap* OR train* OR treatment*)) OR "bereavement therap*" OR ((biofeedback OR feedback OR imagery) W/3 (intervention* OR program* OR technique* OR therap* OR train* OR treatment*)) OR ((brief OR time-limited) W/3 (intervention* OR therap* OR treatment*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) W/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "cognitive behavio*" OR ((combination OR "compass* focus*" OR integrated OR integrative) W/3 (intervention* OR therap* OR treatment*)) OR "combined modality therapy" OR ((coping OR resilience) W/3 (intervention* OR therap* OR treatment*)) OR coun?eling OR coun?elling OR ((couple* OR family OR group) W/3 (program* OR intervention* OR therap* OR treatment*)) OR (crisis PRE/1 (care OR intervention* OR therap* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavio*" OR "early intervention*" OR "emotional freedom technique*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) W/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ((exposure OR "exposure based") PRE/2 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "eye movement desensiti?ation" OR EMDR OR "expressive writing" OR "grad* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery W/3 (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) W/3 (intervention* OR therap* OR treatment*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal* OR multi-modal* OR multimodular OR multi-modular OR phase-based) W/3 (approach* OR program* OR intervention* OR therap* OR treatment*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic*) W/3 (program* OR intervention* OR therap* OR treatment*)) OR (narrative PRE/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR (network PRE/1 (intervention OR therap* OR treatment*)) OR neurofeedback OR neuro-feedback OR ((non-direct* OR nondirect* OR "solution focus*") W/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ("problem oriented" W/3 (approach* OR intervention* OR therap* OR treatment*)) OR "prolonged exposure" OR psychoanalyst* OR (psychiatr* PRE/1 (program* OR intervention* OR therap* OR treatment*)) OR psycho-analy* OR psychoeducat* OR psycho-educat* OR ((psychodrama OR psycho-drama* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) W/3 (intervention* OR program* OR rehab* OR technique* OR therap* OR train* OR treatment*)) OR psychotherap* OR "psycho therap*" OR "reconsolidation of traumatic memories" OR (relational W/3 (intervention* OR therap* OR treatment*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) W/3 (guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR treatment*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) W/3 (administered OR guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR tool* OR treatment*)) OR self-management OR ("sex* abuse" W/2 (intervention* OR therap* OR treatment*)) OR (short-term PRE/2 (intervention* OR therap* OR treatment*)) OR "skill* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support W/3 (community OR family OR group* OR psychosocial OR psycho-social OR social)) OR (supportive W/3 (intervention* OR

	service* OR talk*)) OR "therapeutic allianc*" OR "therapeutic communit*" OR "therapeutic relationship*" OR "third wave" OR "thought field therapy" OR ("trauma focused" OR "trauma informed") W/3 (care OR intervention* OR program* OR technique* OR therap* OR treatment*)) OR "trauma processing" OR "validation therapy" OR (written W/3 (disclosure OR exposure)) OR yoga OR cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR ecounselling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat* OR (((visit* OR home OR house OR child OR health*) W/4 (visit* OR call* OR program* OR skill* OR educat* OR train* OR promotion*)) AND ("social care*" OR "social work*" OR "social service*" OR "child protectiv*" OR "family support*" OR "family counsel*" OR "child welfare*" OR "community service*")) OR "active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) W/5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated NEAR/3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt" OR "Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren")	
8.	AUTHKEY(((abreaction OR desensitization OR implosive) W/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "acceptance and commitment therapy" OR ((animal* OR art OR color OR colour OR creative* OR dance OR dancing OR drama OR equine OR experiential OR music OR play* OR sensory OR singing) W/3 (intervention* OR program* OR therap* OR treatment*)) OR "assertive community treatment*" OR (attention W/3 modification) OR "attention training" OR ((behavio* OR cognitive) W/3 (activat* OR approach* OR component* OR contracting OR defusion OR guidance OR intervention* OR management OR modif* OR program* OR rehab* OR restruktur* OR technique* OR therap* OR train* OR treatment*)) OR "bereavement therap*" OR ((biofeedback OR feedback OR imagery) W/3 (intervention* OR program* OR technique* OR therap* OR train* OR treatment*)) OR ((brief OR time-limited) W/3 (intervention* OR therap* OR treatment*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) W/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "cognitive behavio*" OR ((combination OR "compass* focus*" OR integrated OR integrative) W/3 (intervention* OR therap* OR treatment*)) OR "combined modality therapy" OR ((coping OR resilience) W/3 (intervention* OR therap* OR treatment*)) OR coun?elling OR coun?elling OR ((couple* OR family OR group) W/3 (program* OR intervention* OR therap* OR treatment*)) OR (crisis PRE/1 (care OR intervention* OR therap* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavio*" OR "early intervention*" OR "emotional freedom technique*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) W/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ((exposure OR "exposure based") PRE/2 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "eye movement desensiti?ation" OR EMDR OR "expressive writing" OR "grad* exposure" OR "hearing voices" OR hypnosis OR	339,288

hypnotherapy OR (imagery W/3 (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) W/3 (intervention* OR therap* OR treatment*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal* OR multi-modal* OR multimodular OR multi-modular OR phase-based) W/3 (approach* OR program* OR intervention* OR therap* OR treatment*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic*) W/3 (program* OR intervention* OR therap* OR treatment*)) OR (narrative PRE/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR (network PRE/1 (intervention OR therap* OR treatment*)) OR neurofeedback OR neuro-feedback OR ((non-direct* OR nondirect* OR "solution focus*") W/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ("problem oriented" W/3 (approach* OR intervention* OR therap* OR treatment*)) OR "prolonged exposure" OR psychoanaly* OR (psychiatr* PRE/1 (program* OR intervention* OR therap* OR treatment*)) OR psycho-analy* OR psychoeducat* OR psycho-educat* OR ((psychodrama OR psycho-drama* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) W/3 (intervention* OR program* OR rehab* OR technique* OR therap* OR train* OR treatment*)) OR psychotherap* OR "psycho therap*" OR "reconsolidation of traumatic memories" OR (relational W/3 (intervention* OR therap* OR treatment*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) W/3 (guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR treatment*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) W/3 (administered OR guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR tool* OR treatment*)) OR self-management OR ("sex* abuse" W/2 (intervention* OR therap* OR treatment*)) OR (short-term PRE/2 (intervention* OR therap* OR treatment*)) OR "skill* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support W/3 (community OR family OR group* OR psychosocial OR psycho-social OR social)) OR (supportive W/3 (intervention* OR service* OR talk*)) OR "therapeutic allianc*" OR "therapeutic communit*" OR "therapeutic relationship*" OR "third wave" OR "thought field therapy" OR ("trauma focused" OR "trauma informed") W/3 (care OR intervention* OR program* OR technique* OR therap* OR treatment*)) OR "trauma processing" OR "validation therapy" OR (written W/3 (disclosure OR exposure)) OR yoga OR cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR ecounselling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat* OR (((visit* OR home OR house OR child OR health*) W/4 (visit* OR call* OR program* OR skill* OR educat* OR train* OR promotion*)) AND ("social care*" OR "social work*" OR "social service*" OR "child protectiv*" OR "family support*" OR "family counsel*" OR "child welfare*" OR "community service*")) OR "active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) W/5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated NEAR/3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt" OR "Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR

"WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren")	
9.	7 OR 8
Combined sets	
10. 3 AND 6 AND 9	
11.	3 AND 6 AND 9
(EXCLUDE (DOCTYPE , "ch") OR EXCLUDE (DOCTYPE , "bk"))	
Final result	
12.	3 AND 6 AND 9
(EXCLUDE (DOCTYPE , "ch") OR EXCLUDE (DOCTYPE , "bk"))	
(LIMIT-TO (LANGUAGE,"English") OR LIMIT-TO (LANGUAGE,"Swedish") OR LIMIT-TO (LANGUAGE,"Danish") OR LIMIT-TO (LANGUAGE,"Norwegian"))	

The final search result, usually found at the end of the documentation, forms the list of abstracts.

TITLE-ABS-KEY = Title or abstract or keywords; **ALL** = All fields; **PRE/n** = "precedes by". The first term in the search must precede the second by a specified number of terms (n); **W/n** = "Within". The terms in the search must be within a specified number of terms (n) in any order.; * = Truncation; " " = Citation Marks; searches for a phrase; ? = replaces one letter; **LIMIT-TO (SRCTYPE, "j"** = Limit to source type journal; **LIMIT-TO (DOCTYPE, "ar"** = Limit to document type article; **LIMIT-TO (DOCTYPE, "re"** = Limit to document type review

Social Services Abstracts/Sociological Abstracts via Proquest 19 May 2023

Title: Sexual violence in children 7 years old or younger

Search terms	Items found
Population: Sexual violence	
1. (MAINSUBJECT.EXACT("Sexual Abuse") OR MAINSUBJECT.EXACT.EXPLODE("Sexual Assault") OR MAINSUBJECT.EXACT("Sexual Harassment")) OR (TIAB(rape OR raped OR rapes OR raping OR "sex abuse" OR "sexual abuse" OR "sexually abused" OR "sex assault" OR "sexual assault" OR "sexually assaulted" OR "sexual coercion" OR "sexually coerced" OR "sex exploitation" OR "sexual exploitation" OR "sexually exploited" OR "sexual harassment" OR "sexually harassed" OR "sex molestation" OR "sexual molestation" OR "sexually molested" OR "sex trauma" OR "sexual trauma" OR "sex violence" OR "sexual violence")) OR (MAINSUBJECT.EXACT("Family Violence") OR MAINSUBJECT.EXACT("Partner Abuse") OR MAINSUBJECT.EXACT("Spouse Abuse")) OR (TIAB(dishonor OR dishonour OR "domestic abuse" OR "domestic violence" OR "family violence" OR honor OR honour OR "marital violence" OR "partner abuse" OR "partner violence" OR "spouse abuse" OR "spousal abuse")) OR (MAINSUBJECT.EXACT("Prostitution")) OR (TIAB("human trafficking" OR prostitution OR prostitutes OR "sex trafficking" OR "sex work" OR "sex workers")) OR (MAINSUBJECT.EXACT("Child Sexual Abuse") OR MAINSUBJECT.EXACT("Incest")) OR (TIAB("child marriage" OR "child porn" OR "child pornography" OR "forced marriage" OR grooming OR incest OR paedophilia OR paedophile OR paedophiles OR pedophilia OR pedophile OR pedophiles)) OR (MAINSUBJECT.EXACT("Genital Mutilation")) OR (TIAB(clitoridectomy OR clitoridectomies OR clitorectomy OR clitorectomies OR defibulation OR defibulated OR deinfibulation OR deinfibulated OR de-infibulation OR de-infibulated OR "female circumcision" OR "genital mutilation" OR infibulation OR infibulated OR re-circumcision OR reinfibulation OR reinfibulated OR re-infibulation OR re-infibulated OR "pharaonic circumcision" OR "pharaonic circumcisions" OR sunna))	81,011
Population: Child, preschool	
2. (MAINSUBJECT.EXACT("Adopted Children") OR MAINSUBJECT.EXACT("Children") OR MAINSUBJECT.EXACT("Foster Children") OR MAINSUBJECT.EXACT("Infants") OR MAINSUBJECT.EXACT("Only Children") OR MAINSUBJECT.EXACT("Preschool Children")) OR (TIAB(baby OR babies OR boy OR boyhood OR boys OR child OR childhood OR children OR girl OR girlhood OR girls OR kid OR kids OR kindergarten OR nursery OR paediatric OR pediatric OR prekindergarten OR preschool OR pre-school OR preschooler OR pre-schooler OR preschoolers OR pre-schoolers OR stepchild OR stepchildren OR toddler OR toddlers OR infant OR infants))	269,659
Intervention: Psychological and psychosocial treatments	
3. (MAINSUBJECT.EXACT("Behavior Modification") OR MAINSUBJECT.EXACT("Case Management") OR MAINSUBJECT.EXACT("Coping") OR MAINSUBJECT.EXACT("Counseling") OR MAINSUBJECT.EXACT("Family Therapy") OR MAINSUBJECT.EXACT("Group Therapy") OR MAINSUBJECT.EXACT("Hypnosis") OR MAINSUBJECT.EXACT("Program Evaluation") OR MAINSUBJECT.EXACT("Psychoanalysis") OR MAINSUBJECT.EXACT("Psychotherapy") OR MAINSUBJECT.EXACT("Self Help") OR MAINSUBJECT.EXACT("Self Help Groups") OR MAINSUBJECT.EXACT("Social Support") OR MAINSUBJECT.EXACT("Sociotherapy") OR MAINSUBJECT.EXACT("Transcendental Meditation") OR MAINSUBJECT.EXACT("Yoga")) OR (TI(therap* OR program* OR intervention* OR treatment* OR train* OR "attention modification" OR "attention training" OR ((behavio* OR cognitive) NEAR/3 (activat* OR approach* OR component* OR contracting OR defusion OR guidance OR management OR modif* OR rehab* OR restruktur* OR technique*)) OR "case management" OR CBT OR "cognitive behavio*" OR "combined modality therapy" OR counseling OR counselling OR counceling OR counelling OR "crisis care" OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavio*" OR "emotional freedom technique*" OR "eye movement desensitization" OR "eye movement desensitisation" OR EMDR OR "expressive writing" OR "grad* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery AND (modification OR rehearsals OR trauma)) OR "life span integration" OR mandalas OR meditation OR mindfulness OR "minimal therapist support" OR "motivational interviewing" OR neurofeedback OR neuro-feedback OR "prolonged exposure" OR psychoanaly* OR psychoanaly* OR psychoeducat* OR psycho-educat* OR psychodrama OR psycho-drama* OR psychodynamic OR "psycho dynamic" OR psychosocial OR psycho-social psychotherap* OR "psycho therap*" OR "reconsolidation of traumatic memories" OR relaxation OR "role play" OR self-care OR selfcare OR self-change OR self-help OR selfhelp OR self-management OR "social	179,031

acknowledgement" OR "somatic experiencing" OR "community support" OR "family support" OR "group support" OR "social support" OR "supportive service*" OR "supportive talk*" OR "therapeutic alliance*" OR "therapeutic community*" OR "therapeutic relationship*" OR "third wave" OR "trauma focused care" OR "trauma informed care" OR "trauma processing" OR "written disclosure" OR "written exposure" OR "yoga)) OR (TI(cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR ecounselling OR e-health OR ehealth OR emedicine OR e-medicine OR "e-mental health*" OR "e-mental health**" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat*)) OR (TI(((visit* OR home OR house OR child OR health*) NEAR/4 (visit* OR call* OR program* OR skill* OR educat* OR train* OR promotion*))) AND ("social care*" OR "social work*" OR "social service*" OR "child protective*" OR "family support*" OR "family counsel*" OR "child welfare*" OR "community service*")))) OR (TIAB("active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*)) NEAR/5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated NEAR/3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt") OR (TIAB("Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren"))

Combined sets

4.	1 AND 2 AND 3	4,501
5.	1 AND 2 AND 3	3,801

Limit to: Peer-reviewed

Final result

6.	1 AND 2 AND 3	2803
----	----------------------	------

Limit to: Peer-reviewed

Limits applied: English, Norwegian, Swedish, Danish

The final search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract; **AF** = Author affiliation; **All** = Performs a keyword search in most of the database's searchable fields, except full text; **AU** = Author; **MAINSUBJECT.EXACT** = Term from the thesaurus, does not include terms found below this term in the hierarchy; **MAINSUBJECT.EXACT.EXPLODE** = Term from the thesaurus, including terms found below this term in the hierarchy; **SU** = Subjects; **TI** = Title; ; **NEAR/n or N/n** = Requests terms that are within 'n' words of each other in either direction; **PRE/n or P/n** = Requests terms that are within 'n' words of each other in the order specified; * = Truncation; " " = Citation Marks; searches for an exact phrase; ? = Wildcard, used to replace any single character either inside or at the right end of a word

SocINDEX via EBSCO 21 May 2023

Title: Sexual violence in children 7 years old or younger

Search terms	Items found
Population: Sexual violence	
1. DE "RAPE" OR DE "MALE rape" OR DE "RAPE in marriage" OR DE "RAPE in the military" OR DE "RAPE victims" OR DE "ACQUAINTANCE rape victims" OR DE "FEMALE rape victims" OR DE "LGBTQ+ rape victims" OR DE "MALE rape victims" OR DE "RAPE -- Psychological aspects" OR DE "RAPE in prisons" OR DE "SEXUAL harassment" OR DE "SAME-sex sexual harassment" OR DE "SEXUAL harassment in education" OR DE "SEXUAL harassment in mass media" OR DE "SEXUAL harassment of men" OR DE "SEXUAL harassment of women" OR DE "SEX crimes" OR DE "SEXUAL aggression" OR DE "SEXUAL assault"	17,302
2. TI ((intercourse N3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* N3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex N3 (in-appropriate OR inappropriate)) OR (sex* N3 (victim* OR revictim* OR re-victim* OR survivor*))) OR AB ((intercourse N3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* N3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex N3 (in-appropriate OR inappropriate)) OR (sex* N3 (victim* OR revictim* OR re-victim* OR survivor*)))	47,796
3. S1 OR S2	49,784
4. DE "DOMESTIC violence" OR DE "INTIMATE partner violence" OR DE "LGBTQ family violence" OR DE "VICTIMS of domestic violence" OR DE "DATING violence" OR DE "MARITAL violence"	13,944
5. TI ((dating N3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) N3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship N3 (aggression OR violence)) OR (spous* N3 abuse)) OR AB ((dating N3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) N3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship N3 (aggression OR violence)) OR (spous* N3 abuse))	34,281
6. S4 OR S5	37,569
7. DE "HUMAN trafficking" OR DE "SEX trafficking" OR DE "SEX work" OR DE "MALE sex work" OR DE "BROTHELS" OR DE "SEX workers" OR DE "CRIMES against sex workers" OR DE "MALE sex workers"	4,913
8. TI (brothel* OR "human traffick*" OR prostitut* OR (sex* N3 traffick*) OR "sex work*") OR AB (brothel* OR "human traffick*" OR prostitut* OR (sex* N3 traffick*) OR "sex work*")	8,544
9. S7 OR S8	9,437
10. DE "CHILD pornography" OR DE "CHILD sexual abuse" OR DE "CHILD sexual abuse by Scout leaders" OR DE "CHILD sexual abuse by clergy" OR DE "CHILD sexual abuse by teachers" OR DE "CHILD sexual abuse in sports" OR DE "INCEST" OR DE "PEDOPHILIA" OR DE "SEXUALLY abused children" OR DE "SEXUALLY abused boys" OR DE "SEXUALLY abused girls" OR DE "CHILD rape victims"	8,968
11. TI (((adolescen* OR child* OR early OR forced) N5 (marriage* OR married)) OR "child bride" OR "child porn*" OR grooming OR incest* OR paedophil* OR pedophil*) OR AB (((adolescen* OR child* OR early OR forced) N5 (marriage* OR married)) OR "child bride" OR "child porn*" OR grooming OR incest* OR paedophil* OR pedophil*)	9,107
12. S10 OR S11	16,212
13. DE "FEMALE genital mutilation" OR DE "INFIBULATION" OR DE "GENITAL mutilation"	434
14. TI ((clitoridectom* OR clitorectom* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR wom*n OR girl*) N3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* N3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal*	835

	N6 genital*) OR "pharaonic circumcision*" OR sunna) OR AB ((clitoridectomy* OR clitorectomy* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR wom*n OR girl*) N3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* N3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re- circumcision OR reinfibulat* OR re-infibulat* OR (removal* N6 genital*) OR "pharaonic circumcision*" OR sunna)	
15.	S13 OR S14	869
16.	S3 OR S6 OR S9 OR S12 OR S15	96,563
Population: Child, preschool		
17.	TI ("1 year* old*" OR "2 year* old*" OR "3 year* old*" OR "4 year* old*" OR "5 year* old*" OR "6 year* old*" OR "7 year* old*" OR baby OR babies OR boy OR boyhood* OR boys OR child* OR "five year* old*" OR "four year* old*" OR girl OR girlhood* OR girls OR kid OR kids OR kinder* OR nursery OR "one year* old*" OR paediatric* OR pediatric* OR prekindergarten OR preschool* OR pre-school* OR stepchild* OR step-child* OR "seven year* old*" OR "six year* old*" OR "three year* old*" OR toddler* OR "two year* old*" OR infant OR infants) OR AB ("1 year* old*" OR "2 year* old*" OR "3 year* old*" OR "4 year* old*" OR "5 year* old*" OR "6 year* old*" OR "7 year* old*" OR baby OR babies OR boy OR boyhood* OR boys OR child* OR "five year* old*" OR "four year* old*" OR girl OR girlhood* OR girls OR kid OR kids OR kinder* OR nursery OR "one year* old*" OR paediatric* OR pediatric* OR prekindergarten OR preschool* OR pre-school* OR stepchild* OR step-child* OR "seven year* old*" OR "six year* old*" OR "three year* old*" OR toddler* OR "two year* old*" OR infant OR infants)	302,327
Intervention: Psychological and psychosocial treatments		
18.	DE "PSYCHOTHERAPY" OR DE "ADOLESCENT psychotherapy" OR DE "ASSERTIVENESS training" OR DE "BEHAVIOR modification" OR DE "BEHAVIOR therapy" OR DE "CHILD psychotherapy" OR DE "COGNITIVE therapy" OR DE "CONJOINT therapy" OR DE "COUNSELING" OR DE "COUNSELING of children" OR DE "COUPLES counseling" OR DE "COUPLES therapy" OR DE "CROSS-cultural counseling" OR DE "EMOTION-focused therapy" OR DE "EXPOSURE therapy" OR DE "FAMILY counseling" OR DE "FAMILY psychotherapy" OR DE "FAMILY support" OR DE "GROUP counseling" OR DE "GROUP psychotherapy" OR DE "HEALTH self-care" OR DE "HYPNOTHERAPY" OR DE "INTERPERSONAL & social rhythm therapy" OR DE "MEDITATION" OR DE "MINDFULNESS" OR DE "MOTIVATIONAL interviewing" OR DE "NATURE therapy" OR DE "PSYCHOANALYSIS" OR DE "REALITY therapy" OR DE "RECREATIONAL therapy" OR DE "RELATIONAL-cultural therapy" OR DE "SELF-help techniques" OR DE "SELF-management (Psychology)" OR DE "SOCIAL services case management" OR DE "SOCIAL support" OR DE "SUPPORT groups" OR DE "TELEPSYCHIATRY" OR DE "TRANSCENDENTAL Meditation"	71,672
19.	TI (((abreaction OR desensitization OR implosive) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "acceptance and commitment therapy" OR ((animal* OR art OR colo#r OR creative* OR dance OR dancing OR drama OR equine OR experiential OR music OR play* OR sensory OR singing) N3 (intervention* OR program* OR therap* OR treatment*)) OR "assertive community treatment*" OR (attention N3 modification) OR "attention training" OR ((behavio* OR cognitive) N3 (activat* OR approach* OR component# OR contracting OR defusion OR guidance OR intervention* OR management OR modif* OR program* OR rehab* OR restruktur* OR technique* OR therap* OR train* OR treatment*)) OR "bereavement therap*" OR ((biofeedback OR feedback OR imagery) N3 (intervention* OR program* OR technique* OR therap* OR train* OR treatment*)) OR ((brief OR time-limited) N3 (intervention* OR therap* OR treatment*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "cognitive behavio*" OR ((combination OR "compass* focus*" OR integrated OR integrative) N3 (intervention* OR therap* OR treatment*)) OR "combined modality therapy" OR ((coping OR resilience) N3 (intervention* OR therap* OR treatment*)) OR coun?eling OR coun?elling OR ((couple* OR family OR group) N3 (program* OR intervention* OR therap* OR treatment*)) OR (crisis W1 (care OR intervention* OR therap* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavio*" OR "early intervention*" OR "emotional freedom	170,643

technique*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ((exposure OR "exposure based") W2 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "eye movement desensitization" OR EMDR OR "expressive writing" OR "grad* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery N3 (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) N3 (intervention* OR therap* OR treatment*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal* OR multi-modal* OR multimodular OR multi-modular OR phase-based) N3 (approach* OR program* OR intervention* OR therap* OR treatment*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic*) N3 (program* OR intervention* OR therap* OR treatment*)) OR (narrative W3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR (network W1 (intervention OR therap* OR treatment*)) OR neurofeedback OR neuro-feedback OR ((non-direct* OR nondirect* OR "solution focus*") N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ("problem oriented" N3 (approach* OR intervention* OR therap* OR treatment*)) OR "prolonged exposure" OR psychoanaly* OR (psychiatr* W1 (program* OR intervention* OR therap* OR treatment*)) OR psycho-analy* OR psychoeducat* OR psycho-educat* OR ((psychodrama OR psycho-drama* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) N3 (intervention* OR program* OR rehab* OR technique* OR therap* OR train* OR treatment*)) OR psychotherap* OR "psycho therap*" OR "reconsolidation of traumatic memories" OR (relational N3 (intervention* OR therap* OR treatment*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) N3 (guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR treatment*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) N3 (administered OR guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR tool* OR treatment*)) OR self-management OR ("sex* abuse" N2 (intervention* OR therap* OR treatment*)) OR (short-term W2 (intervention* OR therap* OR treatment*)) OR "skill* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support N3 (community OR family OR group* OR psychosocial OR psycho-social OR social)) OR (supportive N3 (intervention* OR service* OR talk*)) OR "therapeutic allianc*" OR "therapeutic communit*" OR "therapeutic relationship*" OR "third wave" OR "thought field therapy" OR ("trauma focused" OR "trauma informed") N3 (care OR intervention* OR program* OR technique* OR therap* OR treatment*)) OR "trauma processing" OR "validation therapy" OR (written N3 (disclosure OR exposure)) OR yoga) OR AB (((abreaction OR desensitization OR implosive) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "acceptance and commitment therapy" OR ((animal* OR art OR colo#r OR creative* OR dance OR dancing OR drama OR equine OR experiential OR music OR play* OR sensory OR singing) N3 (intervention* OR program* OR therap* OR treatment*)) OR "assertive community treatment*" OR (attention N3 modification) OR "attention training" OR ((behavio* OR cognitive) N3 (activat* OR approach* OR component# OR contracting OR defusion OR guidance OR intervention* OR management OR modif* OR program* OR rehab* OR restruktur* OR technique* OR therap* OR train* OR treatment*)) OR "bereavement therap*" OR ((biofeedback OR feedback OR imagery) N3 (intervention* OR program* OR technique* OR therap* OR train* OR treatment*)) OR ((brief OR time-limited) N3 (intervention* OR therap* OR treatment*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "cognitive behavio*" OR ((combination OR "compass* focus*" OR integrated OR integrative) N3 (intervention* OR therap* OR treatment*)) OR "combined modality therapy" OR ((coping OR resilience) N3 (intervention* OR therap* OR treatment*)) OR coun?eling OR coun?elling OR ((couple* OR family OR group) N3 (program* OR intervention* OR therap* OR treatment*)) OR (crisis W1 (care OR intervention* OR therap* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavio*" OR "early intervention*" OR "emotional freedom technique*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR

	socio-environmental) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ((exposure OR "exposure based") W2 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "eye movement desensitization" OR EMDR OR "expressive writing" OR "grad* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery N3 (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) N3 (intervention* OR therap* OR treatment*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal* OR multi-modal* OR multimodular OR multi-modular OR phase-based) N3 (approach* OR program* OR intervention* OR therap* OR treatment*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic*) N3 (program* OR intervention* OR therap* OR treatment*)) OR (narrative W3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR (network W1 (intervention OR therap* OR treatment*)) OR neurofeedback OR neuro-feedback OR ((non-direct* OR nondirect* OR "solution focus*") N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ("problem oriented" N3 (approach* OR intervention* OR therap* OR treatment*)) OR "prolonged exposure" OR psychoanaly* OR (psychiatr* W1 (program* OR intervention* OR therap* OR treatment*)) OR psycho-analy* OR psychoeducat* OR psycho-educat* OR ((psychodrama OR psycho-drama* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) N3 (intervention* OR program* OR rehab* OR technique* OR therap* OR train* OR treatment*)) OR psychotherap* OR "psycho therap*" OR "reconsolidation of traumatic memories" OR (relational N3 (intervention* OR therap* OR treatment*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) N3 (guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR treatment*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) N3 (administered OR guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR tool* OR treatment*)) OR self-management OR ("sex* abuse" N2 (intervention* OR therap* OR treatment*)) OR (short-term W2 (intervention* OR therap* OR treatment*)) OR "skill* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support N3 (community OR family OR group* OR psychosocial OR psycho-social OR social)) OR (supportive N3 (intervention* OR service* OR talk*)) OR "therapeutic allianc*" OR "therapeutic communit*" OR "therapeutic relationship*" OR "third wave" OR "thought field therapy" OR ("trauma focused" OR "trauma informed") N3 (care OR intervention* OR program* OR technique* OR therap* OR treatment*)) OR "trauma processing" OR "validation therapy" OR (written N3 (disclosure OR exposure)) OR yoga)	
20.	TI (cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR ecounselling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat*) OR AB (cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR ecounselling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat*)	627
21.	TX ((home W2 visit*) OR (home W2 call*) OR (home W2 interven*) OR (house W2 visit*) OR (house W2 call*) OR (house W2 interven*)) AND TX ("social care" OR (social W1 work*) OR (social W1 service*) OR "child protective" OR "family support" OR (family W1 counsel*) OR "child welfare" OR (community W1 service*))	10,305
22.	TI ("active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) N5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-	3,327

mediated N3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt") OR AB ("active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) N5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated N3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt")		
23.	TI ("Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren") OR AB ("Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren")	1,963
24.	S18 OR S19 OR S20 OR S21 OR S22 OR S23	202,129
Combined sets		
25.	S16 AND S17 AND S24	7,230
26.	S16 AND S17 AND S24	4,672
Limiters - Peer Reviewed		
Final result		
27.	S16 AND S17 AND S24	4,604
Limiters - Peer Reviewed		
Limiters - Language: Danish, English, Norwegian, Swedish		

The final search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract; **AU** = Author; **DE** = Term from the thesaurus; **KW** (Available in Academic Search Premiere / SocINDEX / PsycInfo) = Author keyword; **MH** = Exact Subject Heading from CINAHL Subject Headings; **MM** = Major Concept; **SU** = Searches for a part of or an entire subject heading; **TI** = Title; **TX** = All Text. Performs a keyword search of all the database's searchable fields; **ZC** = Methodology Index; * = Truncation; " " = Citation Marks; searches for an exact phrase; # = replaces one or no letters; ? = replaces one letter; **N** = Near Operator (N) finds the words if they are a maximum of x words apart from one another, regardless of the order in which they appear.; **W** = Within Operator (W) finds the words if they are within x words of one another, in the order in which you entered them

Campbell Library 17 May 2023

Title: Sexual violence in children 7 years old or younger

Search terms	Items found
Population: Sexual violence	
1. Keyword search: baby OR babies OR boy OR boyhood OR boys OR child OR childhood OR children OR girl OR girlhood OR girls OR kid OR kids OR kindergarten OR nursery OR paediatric OR pediatric OR prekindergarten OR preschool OR pre-school OR preschooler OR pre-schooler OR preschoolers OR pre-schoolers OR stepchild OR stepchildren OR toddler OR toddlers OR infant OR infants	94
2. Keyword search: sex OR abuse OR rape OR violence	75

All results from both search rows were screened in the database for relevance, 6 references were exported for further screening.

Epistemonikos 17 May 2023

Title: Sexual violence in children 7 years old or younger

Search terms	Items found
Population: Sexual violence	
1. (title:(rape OR raped OR rapes OR raping OR "sex abuse" OR "sexual abuse" OR "sexually abused" OR "sex assault" OR "sexual assault" OR "sexually assaulted" OR "sexual coercion" OR "sexually coerced" OR "sex exploitation" OR "sexual exploitation" OR "sexually exploited" OR "sexual harassment" OR "sexually harassed" OR "sex molestation" OR "sexual molestation" OR "sexually molested" OR "sex trauma" OR "sexual trauma" OR "sex violence" OR "sexual violence" OR dishonor OR dishonour OR "domestic abuse" OR "domestic violence" OR honor OR honour OR "marital violence" OR "partner abuse" OR "partner violence" OR "spouse abuse" OR "spousal abuse" OR "human trafficking" OR prostitution OR prostitutes OR "sex trafficking" OR "sex work" OR "sex workers" OR "child marriage" OR "child porn" OR "child pornography" OR "forced marriage" OR grooming OR incest OR paedophilia OR paedophile OR pedophilia OR pedophile OR pedophiles OR clitoridectomy OR clitoridectomies OR clitorectomy OR clitorectomies OR defibulation OR defibulated OR deinfibulation OR deinfibulated OR de-infibulation OR de-infibulated OR "female circumcision" OR "genital mutilation" OR infibulation OR infibulated OR re-circumcision OR reinfibulation OR reinfibulated OR re-infibulation OR re-infibulated OR "pharaonic circumcision" OR "pharaonic circumcisions" OR sunna) OR abstract:(rape OR raped OR rapes OR raping OR "sex abuse" OR "sexual abuse" OR "sexually abused" OR "sex assault" OR "sexual assault" OR "sexually assaulted" OR "sexual coercion" OR "sexually coerced" OR "sex exploitation" OR "sexual exploitation" OR "sexually exploited" OR "sexual harassment" OR "sexually harassed" OR "sex molestation" OR "sexual molestation" OR "sexually molested" OR "sex trauma" OR "sexual trauma" OR "sex violence" OR "sexual violence" OR dishonor OR dishonour OR "domestic abuse" OR "domestic violence" OR honor OR honour OR "marital violence" OR "partner abuse" OR "partner violence" OR "spouse abuse" OR "spousal abuse" OR "human trafficking" OR prostitution OR prostitutes OR "sex trafficking" OR "sex work" OR "sex workers" OR "child marriage" OR "child porn" OR "child pornography" OR "forced marriage" OR grooming OR incest OR paedophilia OR paedophile OR pedophilia OR pedophile OR pedophiles OR clitoridectomy OR clitoridectomies OR clitorectomy OR clitorectomies OR defibulation OR defibulated OR deinfibulation OR deinfibulated OR de-infibulation OR de-infibulated OR "female circumcision" OR "genital mutilation" OR infibulation OR infibulated OR re-circumcision OR reinfibulation OR reinfibulated OR re-infibulation OR re-infibulated OR "pharaonic circumcision" OR "pharaonic circumcisions" OR sunna))	15,068
Population: Child, preschool	
2. (title:(baby OR babies OR boy OR boyhood OR boys OR child OR children OR girl OR girlhood OR girls OR kid OR kids OR kindergarten OR nursery OR paediatric OR pediatric OR prekindergarten OR preschool OR pre-school OR preschooler OR pre-schooler OR preschoolers OR pre-schoolers OR stepchild OR stepchildren OR toddler OR toddlers OR	312,963

infant OR infants) OR abstract:(baby OR babies OR boy OR boyhood OR boys OR child OR children OR girl OR girlhood OR girls OR kid OR kids OR kindergarten OR nursery OR paediatric OR pediatric OR prekindergarten OR preschool OR pre-school OR preschooler OR pre-schooler OR preschoolers OR pre-schoolers OR stepchild OR stepchildren OR toddler OR toddlers OR infant OR infants))

Intervention: Psychological and psychosocial treatments

- | | |
|--|---------|
| 3. title:(therapy OR therapies OR therapeutic OR program OR programs OR programme OR programmes OR intervention OR interventions OR treatment OR treatments OR train OR training OR support OR supportive OR management OR modification OR rehabilitation OR restructuring OR technique OR techniques OR behavior OR behavioral OR behaviour OR behavioural OR cognitive OR "case management" OR CBT OR counseling OR counselling OR counceling OR counelling OR "crisis care" OR DBT OR debriefing OR "deep brain reorientation" OR "eye movement desensitization" OR "eye movement desensitisation" OR EMDR OR "expressive writing" OR "graded exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery AND (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR meditation OR mindfulness OR "motivational interviewing" OR neurofeedback OR neuro-feedback OR "prolonged exposure" OR psychoanalysis OR psycho-analysis OR psychoanalytical OR psycho-analytical OR psychoeducation OR psycho-education OR psychoeducative OR psycho-educative OR psychoeducational OR psycho-educational OR psychodrama OR psycho-drama OR psychodynamic OR "psycho dynamic" OR psychosocial OR psycho-social OR psychotherapy OR "psycho therapy" OR psychotherapies OR "psycho therapies" OR psychotherapeutic OR "psycho therapeutic" OR "reconsolidation of traumatic memories" OR relaxation OR "role play" OR self-care OR selfcare OR self-change OR self-help OR selfhelp OR self-management OR "social acknowledgement" OR "somatic experiencing" OR "therapeutic alliance" OR "therapeutic community" OR "therapeutic relationship" OR "third wave" OR "trauma focused care" OR "trauma informed care" OR "trauma processing" OR "written disclosure" OR "written exposure" OR yoga OR cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR e-counselling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health" OR "e-mental health" OR e-portal OR eportal OR epsychology OR e-psychology OR epsychiatry OR e-psychiatry OR e-therapy OR ethery OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat) | 612,106 |
|--|---------|
-

Final result

- | | |
|------------------|-----|
| 4. 1 AND 2 AND 3 | 551 |
|------------------|-----|
-

Limit to Publication type: Systematic Review

The final search result, usually found at the end of the documentation, forms the list of abstracts.

International HTA Database 21 May 2023

Title: Sexual violence in children 7 years old or younger

Search terms	Items found
Population: Sexual violence	
1. "Rape"[mh] OR "Sexual Harassment"[mh] OR "Sex Offenses"[mh] OR "Sexual Trauma"[mhe] OR "Domestic Violence"[mh] OR "Intimate Partner Violence"[mhe] OR "Human Trafficking"[mh] OR "Sex Work"[mh] OR "Sex Workers"[mh] OR "Child Abuse, Sexual"[mh] OR "Incest"[mh] OR "Pedophilia"[mh] OR "Circumcision, Female"[mh]	23
2. (rape OR raped OR rapes OR raping OR "sex abuse" OR "sexual abuse" OR "sexually abused" OR "sex assault" OR "sexual assault" OR "sexually assaulted" OR "sexual coercion" OR "sexually coerced" OR "sex exploitation" OR "sexual exploitation" OR "sexually exploited" OR "sexual harassment" OR "sexually harassed" OR "sex molestation" OR "sexual molestation" OR "sexually molested" OR "sex trauma" OR "sexual trauma" OR "sex violence" OR "sexual violence" OR dishonor OR dishonour OR "domestic abuse" OR "domestic violence" OR honor* OR honour* OR "marital violence" OR "partner abuse" OR	34

"partner violence" OR "spouse abuse" OR "spousal abuse" OR "human trafficking" OR prostitution OR prostitutes OR "sex trafficking" OR "sex work" OR "sex workers" OR "child marriage" OR "child porn" OR "child pornography" OR "forced marriage" OR grooming OR incest OR paedophilia OR paedophile OR paedophiles OR pedophilia OR pedophile OR pedophiles OR clitoridectomy OR clitoridectomies OR clitorectomy OR clitorectomies OR defibulation OR defibulated OR deinfibulation OR deinfibulated OR de-infibulation OR de-infibulated OR "female circumcision" OR "genital mutilation" OR infibulation OR infibulated OR re-circumcision OR reinfibulation OR reinfibulated OR re-infibulation OR re-infibulated OR "pharaonic circumcision" OR "pharaonic circumcisions" OR sunna)[Title] OR (rape OR raped OR rapes OR raping OR "sex abuse" OR "sexual abuse" OR "sexually abused" OR "sex assault" OR "sexual assault" OR "sexually assaulted" OR "sexual coercion" OR "sexually coerced" OR "sex exploitation" OR "sexual exploitation" OR "sexually exploited" OR "sexual harassment" OR "sexually harassed" OR "sex molestation" OR "sexual molestation" OR "sexually molested" OR "sex trauma" OR "sexual trauma" OR "sex violence" OR "sexual violence" OR dishonor OR dishonour OR "domestic abuse" OR "domestic violence" OR honor* OR honour* OR "marital violence" OR "partner abuse" OR "partner violence" OR "spouse abuse" OR "spousal abuse" OR "human trafficking" OR prostitution OR prostitutes OR "sex trafficking" OR "sex work" OR "sex workers" OR "child marriage" OR "child porn" OR "child pornography" OR "forced marriage" OR grooming OR incest OR paedophilia OR paedophile OR paedophiles OR pedophilia OR pedophile OR pedophiles OR clitoridectomy OR clitoridectomies OR clitorectomy OR clitorectomies OR defibulation OR defibulated OR deinfibulation OR deinfibulated OR de-infibulation OR de-infibulated OR "female circumcision" OR "genital mutilation" OR infibulation OR infibulated OR re-circumcision OR reinfibulation OR reinfibulated OR re-infibulation OR re-infibulated OR "pharaonic circumcision" OR "pharaonic circumcisions" OR sunna)[abs]

3. #2 OR #1

39

Population: Child, preschool

4. "Child"[mhe] OR "Infant"[mh]

1150

5. (baby OR babies OR boy OR boyhood OR boys OR child OR childhood OR children OR girl OR girlhood OR girls OR kid OR kids OR kindergarten OR nursery OR paediatric OR pediatric OR prekindergarten OR preschool OR pre-school OR preschooler OR pre-schooler OR preschoolers OR pre-schoolers OR stepchild OR stepchildren OR toddler OR toddlers OR infant OR infants)[Title] OR (baby OR babies OR boy OR boyhood OR boys OR child OR children OR girl OR girlhood OR girls OR kid OR kids OR kindergarten OR nursery OR paediatric OR pediatric OR prekindergarten OR preschool OR pre-school OR preschooler OR pre-schooler OR preschoolers OR pre-schoolers OR stepchild OR stepchildren OR toddler OR toddlers OR infant OR infants)[abs]

1656

6. #5 OR #4

1928

Final result

7. #6 AND #3

19

The final search result, usually found at the end of the documentation, forms the list of abstracts.

PROSPERO 22 May 2023

Title: Sexual violence in children 7 years old or younger

Search terms	Items found
Population: Sexual violence	
1. MeSH DESCRIPTOR Child Abuse, Sexual	53
2. MeSH DESCRIPTOR Circumcision, Female	30
3. MeSH DESCRIPTOR Domestic Violence	94
4. MeSH DESCRIPTOR Human Trafficking	14
5. MeSH DESCRIPTOR Incest	0
6. MeSH DESCRIPTOR Intimate Partner Violence EXPLODE ALL TREES	145
7. MeSH DESCRIPTOR Pedophilia	5

8.	MeSH DESCRIPTOR Rape	9
9.	MeSH DESCRIPTOR Sexual Harassment	6
10.	MeSH DESCRIPTOR Sex Offenses	99
11.	MeSH DESCRIPTOR Sex Work	10
12.	MeSH DESCRIPTOR Sex Workers	32
13.	MeSH DESCRIPTOR Sexual Trauma EXPLODE ALL TREES	4
14.	(rape OR raped OR rapes OR raping OR "sex abuse" OR "sexual abuse" OR "sexually abused" OR "sex assault" OR "sexual assault" OR "sexually assaulted" OR "sexual coercion" OR "sexually coerced" OR "sex exploitation" OR "sexual exploitation" OR "sexually exploited" OR "sexual harassment" OR "sexually harassed" OR "sex molestation" OR "sexual molestation" OR "sexually molested" OR "sex trauma" OR "sexual trauma" OR "sex violence" OR "sexual violence" OR dishonor OR dishonour OR "domestic abuse" OR "domestic violence" OR honor* OR honour* OR "marital violence" OR "partner abuse" OR "partner violence" OR "spouse abuse" OR "spousal abuse" OR "human trafficking" OR prostitution OR prostitutes OR "sex trafficking" OR "sex work" OR "sex workers" OR "child marriage" OR "child porn" OR "child pornography" OR "forced marriage" OR grooming OR incest OR paedophilia OR paedophile OR pedophilia OR pedophile OR pedophiles OR clitoridectomy OR clitoridectomies OR clitorectomy OR clitorectomies OR defibulation OR defibulated OR deinfibulation OR deinfibulated OR de-infibulation OR de-infibulated OR "female circumcision" OR "genital mutilation" OR infibulation OR infibulated OR re-circumcision OR reinfibulation OR reinfibulated OR re-infibulation OR re-infibulated OR "pharaonic circumcision" OR "pharaonic circumcisions" OR sunna):TI	649
15.	#1 OR #2 OR #3 OR #4 OR #5 OR #6 OR #7 OR #8 OR #9 OR #10 OR #11 OR #12 OR #13 OR #14	746
Population: Child, preschool		
16.	MeSH DESCRIPTOR Child EXPLODE ALL TREES	7037
17.	MeSH DESCRIPTOR Infant	975
18.	baby OR babies OR boy OR boyhood OR boys OR child OR childhood OR children OR girl OR girlhood OR girls OR kid OR kids OR kindergarten OR nursery OR paediatric OR pediatric OR prekindergarten OR preschool OR pre-school OR preschooler OR pre-schooler OR preschoolers OR pre-schoolers OR stepchild OR stepchildren OR toddler OR toddlers OR infant OR infants	54204
19.	#16 OR #17 OR #18	54280
Intervention: Psychological and psychosocial treatments		
20.	MeSH DESCRIPTOR Adaptation, Psychological	312
21.	MeSH DESCRIPTOR Case Management	24
22.	MeSH DESCRIPTOR Combined Modality Therapy	199
23.	MeSH DESCRIPTOR Computer-Assisted Instruction	19
24.	MeSH DESCRIPTOR Counseling EXPLODE ALL TREES	257
25.	MeSH DESCRIPTOR Internet-Based Intervention	62
26.	MeSH DESCRIPTOR Object Attachment	55
27.	MeSH DESCRIPTOR Program Evaluation	37
28.	MeSH DESCRIPTOR Psychiatric Rehabilitation	40
29.	MeSH DESCRIPTOR Psychological First Aid	1
30.	MeSH DESCRIPTOR Psychosocial Support Systems	51
31.	MeSH DESCRIPTOR Psychotherapy EXPLODE ALL TREES	2177
32.	MeSH DESCRIPTOR Relaxation Therapy EXPLODE ALL TREES	176
33.	MeSH DESCRIPTOR Remote Consultation EXPLODE ALL TREES	45
34.	MeSH DESCRIPTOR Self Care	346
35.	MeSH DESCRIPTOR Self-Help Groups	27
36.	MeSH DESCRIPTOR Self-Management	191
37.	MeSH DESCRIPTOR Social Support EXPLODE ALL TREES	353
38.	MeSH DESCRIPTOR Telemedicine	708
39.	MeSH DESCRIPTOR Therapy, Computer-Assisted	6

40.	MeSH DESCRIPTOR Yoga	115
41.	(therapy OR therapies OR therapeutic OR program OR programs OR programme OR programmes OR intervention OR interventions OR treatment OR treatments OR train OR training OR support OR supportive OR management OR modification OR rehabilitation OR restructuring OR technique OR techniques OR behavior OR behavioral OR behaviour OR behavioural OR cognitive OR "case management" OR CBT OR counseling OR counselling OR counceling OR counelling OR "crisis care" OR DBT OR debriefing OR "deep brain reorientation" OR "eye movement desensitization" OR "eye movement desensitisation" OR EMDR OR "expressive writing" OR "graded exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery AND (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR meditation OR mindfulness OR "motivational interviewing" OR neurofeedback OR neuro-feedback OR "prolonged exposure" OR psychoanalysis OR psycho-analysis OR psychoanalytical OR psycho-analytical OR psychoeducation OR psycho-education OR psychoeducative OR psycho-educative OR psychoeducational OR psycho-educational OR psychodrama OR psycho-drama OR psychodynamic OR "psycho dynamic" OR psychosocial OR psycho-social OR psychotherapy OR "psycho therapy" OR psychotherapies OR "psycho therapies" OR psychotherapeutic OR "psycho therapeutic" OR "reconsolidation of traumatic memories" OR relaxation OR "role play" OR self-care OR selfcare OR self-change OR self-help OR selfhelp OR self-management OR "social acknowledgement" OR "somatic experiencing" OR "therapeutic alliance" OR "therapeutic community" OR "therapeutic relationship" OR "third wave" OR "trauma focused care" OR "trauma informed care" OR "trauma processing" OR "written disclosure" OR "written exposure" OR yoga OR cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR ecounselling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health" OR "e-mental health" OR e-portal OR eportal OR epsychology OR e-psychology OR epsychiatry OR e-psychiatry OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat):TI	63894
42.	#20 OR #21 OR #22 OR #23 OR #24 OR #25 OR #26 OR #27 OR #28 OR #29 OR #30 OR #31 OR #32 OR #33 OR #34 OR #35 OR #36 OR #37 OR #38 OR #39 OR #40 OR #41	64790
Final result		
43.	#15 AND #19 AND #42	116

The final search result, usually found at the end of the documentation, forms the list of abstracts.