



## Appendix 3 References exempt from analysis

### Contents

References reporting exposure as occupational exposure or VGDF .....	2
References reporting diacetyl exposure .....	5

## References reporting exposure as occupational exposure or VGDF

Reference
Al Wachami N, Arraji M, Iderdar Y, Mourajid Y, Boumendil K, Bouchachi FZ, et al. Prevalence and Risk Factors of Chronic Obstructive Pulmonary Disease Among Users of Primary Health Care Facilities in Morocco. <i>International Journal of COPD</i> . 2024;19:375-87. Available from: <a href="https://doi.org/10.2147/COPD.S443081">https://doi.org/10.2147/COPD.S443081</a> .
Backman H, Vanfleteren L, Lindberg A, Ekerljung L, Stridsman C, Axelsson M, et al. Decreased COPD prevalence in Sweden after decades of decrease in smoking. <i>Respir Res</i> . 2020;21(1):283. Available from: <a href="https://doi.org/https://dx.doi.org/10.1186/s12931-020-01536-4">https://doi.org/https://dx.doi.org/10.1186/s12931-020-01536-4</a> .
Blanc PD, Eisner MD, Earnest G, Trupin L, Balmes JR, Yelin EH, et al. Further exploration of the links between occupational exposure and chronic obstructive pulmonary disease. <i>Journal of Occupational and Environmental Medicine</i> . 2009;51:804-10. Available from: <a href="https://doi.org/https://dx.doi.org/10.1097/JOM.0b013e3181a7dd4e">https://doi.org/https://dx.doi.org/10.1097/JOM.0b013e3181a7dd4e</a> .
Blanc PD, Iribarren C, Trupin L, Earnest G, Katz PP, Balmes J, et al. Occupational exposures and the risk of COPD: dusty trades revisited. <i>Thorax</i> . 2009;64(1):6-12. Available from: <a href="https://doi.org/https://dx.doi.org/10.1136/thx.2008.099390">https://doi.org/https://dx.doi.org/10.1136/thx.2008.099390</a> .
Blanc PD, Menezes AM, Plana E, Mannino DM, Hallal PC, Toren K, et al. Occupational exposures and COPD: an ecological analysis of international data. <i>European Respiratory Journal</i> . 2009;33(2):298-304. Available from: <a href="https://doi.org/https://dx.doi.org/10.1183/09031936.00118808">https://doi.org/https://dx.doi.org/10.1183/09031936.00118808</a> .
Chen Q, Zhou H, Tang J, Sun Y, Ao G, Zhao H, et al. An analysis of exogenous harmful substance exposure as risk factors for COPD and hypertension co-morbidity using PSM. <i>Frontiers in public health</i> . 2024;12:1414768. Available from: <a href="https://doi.org/https://dx.doi.org/10.3389/fpubh.2024.1414768">https://doi.org/https://dx.doi.org/10.3389/fpubh.2024.1414768</a> .
de Marco R, Accordini S, Cerveri I, Corsico A, Sunyer J, Neukirch F, et al. An international survey of chronic obstructive pulmonary disease in young adults according to GOLD stages. <i>Thorax</i> . 2004;59(2):120-5.
De Marco R, Marcon A, Rossi A, Ant JM, Cerveri I, Gislason T, et al. Asthma, COPD and overlap syndrome: A longitudinal study in young European adults. <i>European Respiratory Journal</i> . 2015;46(3):671-9. Available from: <a href="https://doi.org/10.1183/09031936.00008615">https://doi.org/10.1183/09031936.00008615</a> .
Eriksson B, Backman H, Ekerljung L, Axelsson M, Lindberg A, Ronmark E, et al. Pattern of Cardiovascular Comorbidity in COPD in a Country with Low-smoking Prevalence: Results from Two-population-based Cohorts from Sweden. <i>Copd</i> . 2018;15(5):454-63. Available from: <a href="https://doi.org/https://dx.doi.org/10.1080/15412555.2018.1535580">https://doi.org/https://dx.doi.org/10.1080/15412555.2018.1535580</a> .
Fishwick D, Lewis L, Darby A, Young C, Wiggans R, Waterhouse J, et al. Determinants of health-related quality of life among residents with and without COPD in a historically industrialised area. <i>International Archives of Occupational and Environmental Health</i> . 2015;88(6):799-805. Available from: <a href="https://doi.org/https://dx.doi.org/10.1007/s00420-014-1008-8">https://doi.org/https://dx.doi.org/10.1007/s00420-014-1008-8</a> .
Hagstad S, Backman H, Bjerg A, Ekerljung L, Ye X, Hedman L, et al. Prevalence and risk factors of COPD among never-smokers in two areas of Sweden - Occupational exposure to gas, dust or fumes is an important risk factor. <i>Respiratory Medicine</i> . 2015;109(11):1439-45. Available from: <a href="https://doi.org/https://dx.doi.org/10.1016/j.rmed.2015.09.012">https://doi.org/https://dx.doi.org/10.1016/j.rmed.2015.09.012</a> .

- Jabbar AS, Mohammed RN. Impact of paints exposure on pulmonary function tests of male workers in basrah city,south of Iraq. *International Journal of Pharmaceutical Research*. 2020;12:1322-8. Available from: <https://doi.org/10.31838/ijpr/2020.SP2.127>.
- Jalasto J, Luukkonen R, Lindqvist A, Langhammer A, Kankaanranta H, Backman H, et al. Mortality Associated With Occupational Exposure in Helsinki, Finland-A 24-Year Follow-up. *Journal of Occupational and Environmental Medicine*. 2023;65(1):22-8. Available from: <https://doi.org/https://dx.doi.org/10.1097/JOM.0000000000002718>.
- Liu S, Ren Y, Wen D, Chen Y, Chen D, Li L, et al. Prevalence and risk factors for COPD in greenhouse farmers: a large, cross-sectional survey of 5,880 farmers from northeast China. *International journal of chronic obstructive pulmonary disease*. 2015;10:2097-108. Available from: <https://doi.org/https://dx.doi.org/10.2147/COPD.S79264>.
- Maio S, Baldacci S, Carrozzi L, Pistelli F, Simoni M, Angino A, et al. 18-yr cumulative incidence of respiratory/allergic symptoms/diseases and risk factors in the Pisa epidemiological study. *Respiratory Medicine*. 2019;158:33-41. Available from: <https://doi.org/https://dx.doi.org/10.1016/j.rmed.2019.09.013>.
- Mak GK, Gould MK, Kuschner WG. Occupational inhalant exposure and respiratory disorders among never-smokers referred to a hospital pulmonary function laboratory. *American Journal of the Medical Sciences*. 2001;322(3):121-6.
- Marcon A, Locatelli F, Dharmage SC, Svanes C, Heinrich J, Leynaert B, et al. The coexistence of asthma and COPD: risk factors, clinical history and lung function trajectories. *European Respiratory Journal*. 2021;58(5). Available from: <https://doi.org/10.1183/13993003.04656-2020>.
- Murgia N, Brisman J, Olin A-C, Dahlman-Hoglund A, Andersson E, Toren K. Occupational risk factors for airway obstruction in a population-based study in Northern Europe. *American Journal of Industrial Medicine*. 2021;64(7):576-84. Available from: <https://doi.org/https://dx.doi.org/10.1002/ajim.23250>.
- Ornek T, Tor M, Kiran S, Atalay F. Prevalence of chronic obstructive pulmonary disease in Zonguldak province of Turkey. *Tuberkuloz ve toraks*. 2015;63(3):170-7.
- Pallasaho P, Kainu A, Sovijarvi A, Lindqvist A, Piirila PL. Combined effect of smoking and occupational exposure to dusts, gases or fumes on the incidence of COPD. *Copd: Journal of Chronic Obstructive Pulmonary Disease*. 2014;11(1):88-95. Available from: <https://doi.org/https://dx.doi.org/10.3109/15412555.2013.830095>.
- Paulin LM, Diette GB, Blanc PD, Putcha N, Eisner MD, Kanner RE, et al. Occupational exposures are associated with worse morbidity in patients with chronic obstructive pulmonary disease. *American Journal of Respiratory & Critical Care Medicine*. 2015;191(5):557-65. Available from: <https://doi.org/https://dx.doi.org/10.1164/rccm.201408-1407OC>.
- Paulin LM, Smith BM, Koch A, Han M, Hoffman EA, Martinez C, et al. Occupational Exposures and Computed Tomographic Imaging Characteristics in the SPIROMICS Cohort. *Annals of the American Thoracic Society*. 2018;15(12):1411-9. Available from: <https://doi.org/https://dx.doi.org/10.1513/AnnalsATS.201802-1500C>.
- Sharifi H, Ghanei M, Jamaati H, Masjedi MR, Aarabi M, Sharifpour A, et al. Burden of Obstructive Lung Disease in Iran: Prevalence and Risk Factors for COPD in North of Iran. *International Journal of Preventive Medicine*. 2020;11:78. Available from: [https://doi.org/https://dx.doi.org/10.4103/ijpvm.IJPVM\\_478\\_18](https://doi.org/https://dx.doi.org/10.4103/ijpvm.IJPVM_478_18).

Singh A, Kesavachandran CN, Kamal R, Bihari V, Ansari A, Azeez PA, et al. Indoor air pollution and its association with poor lung function, microalbuminuria and variations in blood pressure among kitchen workers in India: a cross-sectional study. *Environmental health : a global access science source*. 2017;16:33. Available from: <https://doi.org/https://dx.doi.org/10.1186/s12940-017-0243-3>.

Sinha B, Singla R, Chowdhury R. An epidemiological profile of chronic obstructive pulmonary disease: A community-based study in Delhi. *Journal of postgraduate medicine*. 2017;63(1):29-35. Available from: <https://doi.org/https://dx.doi.org/10.4103/0022-3859.194200>.

Stoleski S, Minov J, Mijakoski D, Karadzinska-Bislimovska J. Chronic Respiratory Symptoms and Lung Function in Agricultural Workers - Influence of Exposure Duration and Smoking. *Open Access Macedonian Journal of Medical Sciences*. 2015;3:158-65. Available from: <https://doi.org/https://dx.doi.org/10.3889/oamjms.2015.014>.

Strassmann A, Kaufmann M, Dressel H, Turk A, R sli M, de Hoogh K, et al. Occupational exposure and the risk of airway obstruction and mortality. *International journal of public health*. 2020;65(6):823-33. Available from: <https://doi.org/10.1007/s00038-020-01400-8>.

Sumit AF, Das A, Miraj IH, Bhowmick D. Association between chronic obstructive pulmonary disease (COPD) and occupational exposures: A hospital based quantitative cross-sectional study among the Bangladeshi population. *PloS one*. 2020;15(9):e0239602. Available from: <https://doi.org/https://dx.doi.org/10.1371/journal.pone.0239602>.

Toren K, Vikgren J, Olin A-C, Rosengren A, Bergstrom G, Brandberg J. Occupational exposure to vapor, gas, dust, or fumes and chronic airflow limitation, COPD, and emphysema: the Swedish CARDioPulmonary BioImage Study (SCAPIS pilot). *International journal of chronic obstructive pulmonary disease*. 2017;12:3407-13. Available from: <https://doi.org/https://dx.doi.org/10.2147/COPD.S144933>.

Ulvestad B, Lund MB. Chronic obstructive pulmonary disease in construction workers. *Tidsskrift for den Norske Laegeforening*. 2003;123:2292-5.

van Koeeverden I, Blanc PD, Bowler RP, Arjomandi M. Secondhand Tobacco Smoke and COPD Risk in Smokers: A COPD Gene Study Cohort Subgroup Analysis. *Copd: Journal of Chronic Obstructive Pulmonary Disease*. 2015;12(2):182-9. Available from: <https://doi.org/https://dx.doi.org/10.3109/15412555.2014.922173>.

Vinnikov D, Raushanova A, Kyzayeva A, Romanova Z, Tulekov Z, Kenessary D, et al. Lifetime Occupational History, Respiratory Symptoms and Chronic Obstructive Pulmonary Disease: Results from a Population-Based Study. *Int J Chron Obstruct Pulmon Dis*. 2019;14:3025-34. Available from: <https://doi.org/10.2147/copd.S229119>.

West EA, Strassmann A, Wang C, Turk A, de Hoogh K, Roosli M, et al. Increase in Airway Obstruction between 1993 and 2012 in Switzerland. An Observational Study. *Annals of the American Thoracic Society*. 2020;17(4):457-65. Available from: <https://doi.org/https://dx.doi.org/10.1513/AnnalsATS.201907-542OC>.

Wurtz ET, Brasch-Andersen C, Steffensen R, Hansen JG, Malling TH, Schlunssen V, et al. Heme oxygenase 1 polymorphism, occupational vapor, gas, dust, and fume exposure and chronic obstructive pulmonary disease in a Danish population-based study. *Scand J Work Environ Health*. 2020;46(1):96-104. Available from: <https://doi.org/https://dx.doi.org/10.5271/sjweh.3846>.

Zhong N, Wang C, Yao W, Chen P, Kang J, Huang S, et al. Prevalence of chronic obstructive pulmonary disease in China: a large, population-based survey. *American journal of respiratory and critical care medicine*. 2007;176(8):753-60.

Zhou Y, Wang C, Yao W, Chen P, Kang J, Huang S, et al. COPD in Chinese nonsmokers. *European Respiratory Journal*. 2009;33(3):509-18. Available from: <https://doi.org/10.1183/09031936.00084408>.

## References reporting diacetyl exposure

### Reference

Akpinar-Elci M, Stemple KJ, Enright PL, Fahy JV, Bledsoe TA, Kreiss K, et al. Induced sputum evaluation in microwave popcorn production workers. *Chest*. 2005;128:991-7. Available from: <https://doi.org/10.1378/chest.128.2.991>.

Cox-Ganser JM, White SK, Fedan KB, Bailey RL, Fechter-Leggett E, Cummings KJ. Spirometric Abnormalities and Lung Function Decline in Current and Former Microwave Popcorn and Current Flavoring Manufacturing Workers. *Journal of Occupational and Environmental Medicine*. 2020;62(6):412-9. Available from: <https://doi.org/https://dx.doi.org/10.1097/JOM.0000000000001860>.

Halldin CN, Suarhana E, Fedan KB, Lo Y-C, Turabelidze G, Kreiss K. Increased respiratory disease mortality at a microwave popcorn production facility with worker risk of bronchiolitis obliterans. *PloS one*. 2013;8(2):e57935. Available from: <https://doi.org/https://dx.doi.org/10.1371/journal.pone.0057935>.

Kanwal R, Kullman G, Piacitelli C, Boylstein R, Sahakian N, Martin S, et al. Evaluation of flavorings-related lung disease risk at six microwave popcorn plants. *Journal of Occupational & Environmental Medicine*. 2006;48(2):149-57.

Kreiss K, Gomaa A, Kullman G, Fedan K, Simoes EJ, Enright PL. Clinical bronchiolitis obliterans in workers at a microwave-popcorn plant. *The New England journal of medicine*. 2002;347(5):330-8.

Lockey JE, Hilbert TJ, Levin LP, Ryan PH, White KL, Borton EK, et al. Airway obstruction related to diacetyl exposure at microwave popcorn production facilities. *The European respiratory journal*. 2009;34:63-71. Available from: <https://doi.org/https://dx.doi.org/10.1183/09031936.00050808>.

van Rooy FGBGJ, Rooyackers JM, Prokop M, Houba R, Smit LAM, Heederik DJJ. Bronchiolitis obliterans syndrome in chemical workers producing diacetyl for food flavorings. *American journal of respiratory and critical care medicine*. 2007;176(5):498-504.