

## Appendix 4 Studies with critical or high risk of bias

Ameille J, Letourneux M, Paris C, Brochard P, Stoufflet A, Schorle E, et al. Does asbestos exposure cause airway obstruction, in the absence of confirmed asbestosis? American journal of respiratory and critical care medicine. 2010;182:526-30. Available from: https://doi.org/https://dx.doi.org/10.1164/rccm.200812-1815OC.

Andersen CI, Von Essen SG, Smith LM, Spencer J, Jolie R, Donham KJ. Respiratory symptoms and airway obstruction in swine veterinarians: a persistent problem. American Journal of Industrial Medicine. 2004;46:386-92.

Arumugam E, Rajkumar P, Dhanaraj B, Govindasamy E, Jaganathasamy N, Mathiyazhakan M, et al. Determining pulmonary function and the associated risk factors among stone quarry workers in a suburban area of Chennai, Tamil Nadu, India. Lung India : official organ of Indian Chest Society. 2021;38:558-63. Available from:

https://doi.org/https://dx.doi.org/10.4103/lungindia.lungindia\_63\_21.

Brooks C, Slater T, Corbin M, McLean D, Firestone RT, Zock J-P, et al. Respiratory health in professional cleaners: Symptoms, lung function, and risk factors. Clinical and experimental allergy : journal of the British Society for Allergy and Clinical Immunolo. 2020;50(5):567-76. Available from: https://doi.org/https://dx.doi.org/10.1111/cea.13597.

Chloros D, Sichletidis L, Kyriazis G, Vlachogianni E, Kottakis I, Kakoura M. Respiratory effects in workers processing dried tobacco leaves. Allergologia et immunopathologia. 2004;32(6):344-51.

Christensen SW, Bonde JP, Omland O. A prospective study of decline in lung function in relation to welding emissions. Journal of occupational medicine and toxicology (London, England). 2008;3:6. Available from: https://doi.org/https://dx.doi.org/10.1186/1745-6673-3-6.

Cummings KJ, Gaughan DM, Kullman GJ, Beezhold DH, Green BJ, Blachere FM, et al. Adverse respiratory outcomes associated with occupational exposures at a soy processing plant. European Respiratory Journal. 2010;36(5):1007-15. Available from: https://doi.org/10.1183/09031936.00151109.

Cummings KJ, Stanton ML, Kreiss K, Boylstein RJ, Park JH, Cox-Ganser JM, et al. Workrelated adverse respiratory health outcomes at a machine manufacturing facility with a cluster of bronchiolitis, alveolar ductitis and emphysema (BADE). Occupational and environmental medicine. 2020;77(6):386-92. Available from: https://doi.org/10.1136/oemed-2019-106296.

Fell AKM, Thomassen TR, Kristensen P, Egeland T, Kongerud J. Respiratory symptoms and ventilatory function in workers exposed to portland cement dust. Journal of Occupational and Environmental Medicine. 2003;45:1008-14.

Fleming DM, Charlton JR. The prevalence of asthma and heart disease in transport workers: a practice-based study. The British journal of general practice : the journal of the Royal College of General Practitioners. 2001;51(469):638-43.

Friesen MC, Davies HW, Teschke K, Ostry AS, Hertzman C, Demers PA. Impact of the specificity of the exposure metric on exposure-response relationships. Epidemiology. 2007;18(1):88-94.

Glindmeyer HW, Lefante JJ, Jr., Rando RJ, Freyder L, Hnizdo E, Jones RN. Spray-painting and chronic airways obstruction. Am J Ind Med. 2004;46(2):104-11.

Guillien A, Puyraveau M, Soumagne T, Guillot S, Rannou F, Marquette D, et al. Prevalence and risk factors for COPD in farmers: a cross-sectional controlled study. European Respiratory Journal. 2016;47(1):95-103. Available from: https://doi.org/https://dx.doi.org/10.1183/13993003.00153-2015.

Hammond SK, Gold E, Baker R, Quinlan P, Smith W, Pandya R, et al. Respiratory health effects related to occupational spray painting and welding. Journal of Occupational and Environmental Medicine. 2005;47(7):728-39.

Hoffmeyer F, van Kampen V, Taeger D, Deckert A, Rosenkranz N, Kasen M, et al. Prevalence of and relationship between rhinoconjunctivitis and lower airway diseases in compost workers with current or former exposure to organic dust. Annals of agricultural and environmental medicine : AAEM. 2014;21(4):705-11. Available from: https://doi.org/https://dx.doi.org/10.5604/12321966.1129919.

Idolor LF, De Guia TS, Francisco NA, Roa CC, Ayuyao FG, Tady CZ, et al. Burden of obstructive lung disease in a rural setting in the Philippines. Respirology (Carlton, Vic). 2011;16(7):1111-8. Available from: https://doi.org/https://dx.doi.org/10.1111/j.1440-1843.2011.02027.x.

Jaakkola MS, Lajunen TK, Jaakkola JJK. Indoor mold odor in the workplace increases the risk of Asthma-COPD Overlap Syndrome: a population-based incident case-control study. Clinical and translational allergy. 2020;10:3. Available from: https://doi.org/https://dx.doi.org/10.1186/s13601-019-0307-2.

Jouneau S, Boche A, Brinchault G, Fekete K, Guillot S, Bayat S, et al. On-site screening of farming-induced chronic obstructive pulmonary disease with the use of an electronic minispirometer: results of a pilot study in Brittany, France. International Archives of Occupational and Environmental Health. 2012;85(6):623-30. Available from: https://doi.org/https://dx.doi.org/10.1007/s00420-011-0708-6.

Jouneau S, Marette S, Robert A-M, Gouyet T, Guillot S, Chapron A, et al. Prevalence and risk factors of chronic obstructive pulmonary disease in dairy farmers: AIRBAg study. Environmental Research. 2019;169:1-6. Available from: https://doi.org/https://dx.doi.org/10.1016/j.envres.2018.10.026.

Kezunovic LC. Prevalence of respiratory symptoms and spirometric values in aluminium potroom workers. Arhiv Za Higijenu Rada i Toksikologiju. 2008;59(2):89-95. Available from: https://doi.org/https://dx.doi.org/10.2478/10004-1254-59-2008-1854.

Khan AW, Kundi M, Moshammer H. Diminished pulmonary function in long-term workers exposed to cotton dust determined in a cross-sectional study in small Pakistani enterprises. Occupational and environmental medicine. 2015;72:722-7. Available from: https://doi.org/https://dx.doi.org/10.1136/oemed-2015-102902.

Kitamura H, Terunuma N, Kurosaki S, Hata K, Masuda M, Kochi T, et al. A cohort study on self-reported respiratory symptoms of toner-handling workers: Cross-sectional and longitudinal analysis from 2003 to 2008. BioMed Research International. 2014;2014. Available from: https://doi.org/10.1155/2014/826757.

Koskela K, Sauni R, Oksa P, Uitti J, Moilanen E, Lehtimaki L. High alveolar nitric oxide is associated with steeper lung function decline in foundry workers. Journal of breath research. 2021;15. Available from: https://doi.org/https://dx.doi.org/10.1088/1752-7163/abf272.

Koskela K, Sauni R, Uitti J, Oksa P, Moilanen E, H m I inen M, et al. An Increase in Plasma Adipsin Levels Is Associated With Higher Cumulative Dust Exposure and Airway Obstruction in Foundry Workers. Journal of Occupational and Environmental Medicine. 2023;65:203-9. Available from: https://doi.org/10.1097/JOM.0000000002736.

Kraim-Leleu M, Lesage F-X, Drame M, Lebargy F, Deschamps F. Occupational Risk Factors for COPD: A Case-Control Study. PloS one. 2016;11(8):e0158719. Available from: https://doi.org/https://dx.doi.org/10.1371/journal.pone.0158719.

Kurth L, Doney B, Halldin C. Prevalence of airflow obstruction among ever-employed US adults aged 18-79 years by longest held occupation group: National Health and Nutrition Examination Survey 2007-2008. Occupational and environmental medicine. 2016;73(7):482-6. Available from: https://doi.org/https://dx.doi.org/10.1136/oemed-2015-103532.

Lee S, Han J, Woo SH, Lee S-J. Occupational factors affecting the decline in pulmonary function among male farmers using occupational pesticide in Gyeonggi-do, South Korea. Annals of occupational and environmental medicine. 2022;34:e42. Available from: https://doi.org/https://dx.doi.org/10.35371/aoem.2022.34.e42.

Liu H, Li J, Ma Q, Tang J, Jiang M, Cao X, et al. Chronic exposure to diesel exhaust may cause small airway wall thickening without lumen narrowing: a quantitative computerized tomography study in Chinese diesel engine testers. Particle and fibre toxicology. 2021;18(1):14. Available from: https://doi.org/https://dx.doi.org/10.1186/s12989-021-00406-1.

Maesano CN, Caillaud D, Youssouf H, Banerjee S, Prud'Homme J, Audi C, et al. Indoor exposure to particulate matter and volatile organic compounds in dwellings and workplaces and respiratory health in French farmers. Multidisciplinary Respiratory Medicine. 2019;14:33. Available from: https://doi.org/https://dx.doi.org/10.1186/s40248-019-0194-3.

Mansouri F, Pili JP, Abbasi A, Soltani M, Izadi N. Respiratory problems among cotton textile workers. Lung India. 2016;33(2):163-6. Available from: https://doi.org/10.4103/0970-2113.177444.

Mazitova NN, Saveliev AA, Berheeva ZM, Amirov NK. COPD and occupation: a retrospective cohort study of industrial workers. Arhiv za higijenu rada i toksikologiju. 2012;63:345-56. Available from: https://doi.org/https://dx.doi.org/10.2478/10004-1254-63-2012-2178.

Meijer E, Kromhout H, Heederik D. Respiratory effects of exposure to low levels of concrete dust containing crystalline silica. American Journal of Industrial Medicine. 2001;40(2):133-40.

Mejza F, Nastalek P, Skucha W, Harat R, Nizankowska-Mogilnicka E. Effects of biomass combustion and occupational exposures on lung function in random population sample of Malopolska inhabitants. Pneumonologia i Alergologia Polska. 2012;80(6):509-15.

Molgaard EF, Hannerz H, Tuchsen F, Brauer C, Kirkeskov L. Chronic lower respiratory diseases among demolition and cement workers: a population-based register study. BMJ open. 2013;3(1). Available from: https://doi.org/https://dx.doi.org/10.1136/bmjopen-2012-001938.

Nafees AA, Fatmi Z, Kadir MM, Sathiakumar N. Chronic Bronchitis and Chronic Obstructive Pulmonary Disease (COPD) Among Textile Workers in Karachi, Pakistan. Journal of the College of Physicians and Surgeons--Pakistan : JCPSP. 2016;26:384-9. Available from: https://doi.org/https://dx.doi.org/2320.

Nafees AA, Muneer MZ, Irfan M, Kadir MM, Semple S, De Matteis S, et al. Byssinosis and lung health among cotton textile workers: baseline findings of the MultiTex trial in Karachi, Pakistan. Occupational & Environmental Medicine. 2023;80(3):129-36. Available from: https://doi.org/https://dx.doi.org/10.1136/oemed-2022-108533.

Nakano M, Omae K, Uchida K, Michikawa T, Yoshioka N, Hirata M, et al. Five-year cohort study: emphysematous progression of indium-exposed workers. Chest. 2014;146:1166-75. Available from: https://doi.org/https://dx.doi.org/10.1378/chest.13-2484.

Oo TW, Thandar M, Htun YM, Soe PP, Lwin TZ, Tun KM, et al. Assessment of respiratory dust exposure and lung functions among workers in textile mill (Thamine), Myanmar: a cross-sectional study. BMC Public Health. 2021;21(1):673. Available from: https://doi.org/10.1186/s12889-021-10712-0.

Pagdhune A, Kashyap R, SivaPerumal P, Balachandar R, Viramgami A, Sarkar K. Occupational exposure of vehicular emissions and cardiorespiratory risk among urban metropolitan bus drivers: A cross-sectional comparative study. Work (Reading, Mass). 2023. Available from: https://doi.org/10.3233/WOR-220189.

Pedersen JE, Ugelvig Petersen K, Ebbehoj NE, Bonde JP, Hansen J. Risk of asthma and chronic obstructive pulmonary disease in a large historical cohort of Danish firefighters. Occupational and environmental medicine. 2018;75(12):871-6. Available from: https://doi.org/https://dx.doi.org/10.1136/oemed-2018-105234.

Reynolds CJ, MacNeill SJ, Williams J, Hodges NG, Campbell MJ, Newman Taylor AJ, et al. Chronic obstructive pulmonary disease in Welsh slate miners. Occupational medicine (Oxford, England). 2017;67:20-5. Available from: https://doi.org/https://dx.doi.org/10.1093/occmed/kqw147.

Rinsky JL, Richardson DB, Kreiss K, Nylander-French L, Beane Freeman LE, London SJ, et al. Animal production, insecticide use and self-reported symptoms and diagnoses of COPD, including chronic bronchitis, in the Agricultural Health Study. Environment international. 2019;127:764-72. Available from:

https://doi.org/https://dx.doi.org/10.1016/j.envint.2019.02.049.

Rusiecki JA, Denic-Roberts H, Thomas DL, Collen J, Barrett J, Christenbury K, et al. Incidence of chronic respiratory conditions among oil spill responders: Five years of follow-up in the Deepwater Horizon Oil Spill Coast Guard Cohort study. Environmental research. 2022;203:111824. Available from:

https://doi.org/https://dx.doi.org/10.1016/j.envres.2021.111824.

Sadia A, Ali Y, Tahir HN, Shaukat N, Irfan M, Nafees AA. Effect Of Cotton Dust Exposure On Respiratory Health Outcomes Among Textile Workers. Journal of Ayub Medical College, Abbottabad: JAMC. 2023;35(1):104-9. Available from: https://doi.org/https://dx.doi.org/10.55519/JAMC-01-10901.

Saha K, Sarkar S, Bandyopadhyay A, Maikap MK, Banerjee A, Jash D, et al. Pulmonary function impairments among dry cell battery factory workers. Journal of Clinical and Diagnostic Research. 2012;6:342-5. Available from: https://doi.org/http://dx.doi.org/JCDR/3975:0000.

Schermer T, Malbon T, Morgan M, Briggs N, Holton C, Appleton S, et al. Lung function and health status in metropolitan fire-fighters compared to general population controls. International Archives of Occupational and Environmental Health. 2010;83(7):715-23. Available from: https://doi.org/https://dx.doi.org/10.1007/s00420-010-0528-0.

Shaaban LH, Zayet HH, Aboufaddan HH, Elghazally SA. Respiratory hazards: Clinical and functional assessment in aluminum industry workers. Egyptian Journal of Chest Diseases and Tuberculosis. 2016;65:537-43. Available from: https://doi.org/10.1016/j.ejcdt.2016.01.004.

Stoleski S, Minov J, Karadzinska-Bislimovska J, Mijakoski D, Atanasovska A, Bislimovska D. Asthma and Chronic Obstructive Pulmonary Disease Associated With Occupational Exposure in Dairy Farmers - Importance of Job Exposure Matrices. Open Access Macedonian Journal of Medical Sciences. 2019;7:2350-9. Available from: https://doi.org/https://dx.doi.org/10.3889/oamjms.2019.630.

Stoleski S, Minov J, Mijakoski D, Atanasovska A, Bislimovska D, Karadzinska-Bislimovska J. Prevalence and Characteristics of Chronic Obstructive Pulmonary Disease in Dairy Farmers. Open Access Macedonian Journal of Medical Sciences. 2022;10(E):1652-60. Available from: https://doi.org/10.3889/oamjms.2022.10912.

Svanes O, Bertelsen RJ, Lygre SHL, Carsin AE, Anto JM, Forsberg B, et al. Cleaning at Home and at Work in Relation to Lung Function Decline and Airway Obstruction. American journal of respiratory and critical care medicine. 2018;197:1157-63. Available from: https://doi.org/https://dx.doi.org/10.1164/rccm.201706-1311OC.

Tavakol E, Azari M, Zendehdel R, Salehpour S, Khodakrim S, Nikoo S, et al. Risk evaluation of construction workers' exposure to Silica dust and the possible lung function impairments. Tanaffos. 2017;16:295-303.

TenHarmsel H, Wang L, Rosenman KD. Evaluation of Silicosis, Asthma, and COPD Among Sand and Gravel and Stone Surface Mine Workers. Journal of Occupational & Environmental Medicine. 2022;64(3):263-70. Available from: https://doi.org/https://dx.doi.org/10.1097/JOM.0000000002420. Tungu AM, Bratveit M, Mamuya SH, Moen BE. The impact of reduced dust exposure on respiratory health among cement workers: an ecological study. Journal of Occupational & Environmental Medicine. 2014;56(1):101-10. Available from: https://doi.org/https://dx.doi.org/10.1097/JOM.00000000000057.

Ulvestad B, Ulvestad M, Skaugset NP, Aalokken TM, Gunther A, Clemm T, et al. Pulmonary function and high-resolution computed tomography in outdoor rock drillers exposed to crystalline silica. Occupational and environmental medicine. 2020;77:611-6. Available from: https://doi.org/https://dx.doi.org/10.1136/oemed-2019-106254.

Vested A, Basinas I, Burdorf A, Elholm G, Heederik DJJ, Jacobsen GH, et al. A nationwide follow-up study of occupational organic dust exposure and risk of chronic obstructive pulmonary disease (COPD). Occupational & Environmental Medicine. 2019;76(2):105-13. Available from: https://doi.org/https://dx.doi.org/10.1136/oemed-2018-105323.

Weiss G, Steinacher I, Lamprecht B, Kaiser B, Mikes R, Sator L, et al. Development and validation of the Salzburg COPD-screening questionnaire (SCSQ): a questionnaire development and validation study. NPJ primary care respiratory medicine. 2017;27(1):4. Available from: https://doi.org/https://dx.doi.org/10.1038/s41533-016-0005-7.

Xie W, Dumas O, Varraso R, Boggs KM, Camargo CA, Jr., Stokes AC. Association of Occupational Exposure to Inhaled Agents in Operating Rooms With Incidence of Chronic Obstructive Pulmonary Disease Among US Female Nurses. JAMA network open. 2021;4:e2125749. Available from:

https://doi.org/https://dx.doi.org/10.1001/jamanetworkopen.2021.25749.

Xin L, An TM, Ying L, Rong DW, Lei H. Prevalence and risk factors for obstructive pulmonary dysfunction caused by silica dust exposure: a multicenter cross-sectional study. BMC pulmonary medicine. 2024;24(1):297. Available from: https://doi.org/https://dx.doi.org/10.1186/s12890-024-03106-6.

Xu Y, Zhao H, Yu C, Wang Y, Xu H, Weng Z, et al. An investigation of the risk factors of chronic obstructive pulmonary disease in natural population-based cohorts in China - a nested case-control study. Frontiers in public health. 2023;11:1303097. Available from: https://doi.org/https://dx.doi.org/10.3389/fpubh.2023.1303097.

Yadav SK, Patil GP, Virmagami A, Bijalwan V, Devi K, Chauhan A, et al. Occupational lead exposure is an independent modulator of hypertension and poor pulmonary function: A cross-sectional comparative study in lead-acid battery recycling workers. Toxicology and Industrial Health. 2022;38:139-50. Available from: https://doi.org/10.1177/07482337221076248.

Yang L, Lu X, Deng J, Zhou Y, Huang D, Qiu F, et al. Risk factors shared by COPD and lung cancer and mediation effect of COPD: two center case-control studies. Cancer causes & control : CCC. 2015;26(1):11-24. Available from: https://doi.org/https://dx.doi.org/10.1007/s10552-014-0475-2.

7 (7)