

## Bilaga 1 Sökdokumentation/Appendix 1 Search strategies

If all or a substantive part of the search strategies below are reused in another publication, please cite this report!

CINAHL via EBSCO 2 june 2023

Title: Sexual violence and intellectual disabilities

Search terms	Items found
<b>Population: Sexual violence</b>	
1. MH "Rape" OR MH "Sexual Abuse" OR MH "Sexual Trauma"	13,541
2. TI ( (intercourse N3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* N3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex N3 (in-appropriate OR inappropriate)) OR (sex* N3 (victim* OR revictim* OR re-victim* OR survivor*)) ) OR AB ( (intercourse N3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* N3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex N3 (in-appropriate OR inappropriate)) OR (sex* N3 (victim* OR revictim* OR re-victim* OR survivor*)) )	29,343
3. S1 OR S2	32,975
4. MH "Dating Violence" OR MH "Domestic Violence" OR MH "Intimate Partner Violence"	22,077
5. TI ( (dating N3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) N3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship N3 (aggression OR violence)) OR (spous* N3 abuse) ) OR AB ( (dating N3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) N3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship N3 (aggression OR violence)) OR (spous* N3 abuse) )	32,956
6. S4 OR S5	39,538
7. MH "Human Trafficking" OR MH "Sex Work"	4,811
8. TI ( brothel* OR "human traffick*" OR prostitut* OR (sex* N3 traffick*) OR "sex work*" ) OR AB ( brothel* OR "human traffick*" OR prostitut* OR (sex* N3 traffick*) OR "sex work*" )	5,694
9. S7 OR S8	7,159
10. MH "Child Abuse, Sexual" OR MH "Child Abuse Survivors" OR MH "Incest"	9,517
11. TI ( ((adolescen* OR child* OR early OR forced) N5 (marriage* OR married)) OR "child bride" OR "child porn*" OR grooming OR incest* OR paedophil* OR pedophil* ) OR AB ( ((adolescen* OR child* OR early OR forced) N5 (marriage* OR married)) OR "child bride" OR "child porn*" OR grooming OR incest* OR paedophil* OR pedophil* )	4,130
12. S10 OR S11	13,110
13. MH "Female Genital Mutilation"	1,656
14. TI ( clitoridectom* OR clitorectom* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR wom*n OR girl*) N3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* N3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal* N6 genital*) OR "pharaonic circumcision*" OR sunna ) OR AB ( clitoridectom* OR	1,751

	clitoretom* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR wom*n OR girl*) N3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* N3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal* N6 genital*) OR "pharaonic circumcision*" OR sunna )	
15.	S13 OR S14	2,199
16.	S3 OR S6 OR S9 OR S12 OR S15	79,778
<b>Population: Intellectual disability</b>		
17.	MH "Children with Disabilities" OR MH "Developmental Disabilities" OR MH "Intellectual Disability+" OR MH "Learning Disorders+" OR MH "Persons with Mental Disabilities"	65,767
18.	TI ( ((intellect* OR learning) N3 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) ) OR AB ( ((intellect* OR learning) N3 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) )	32,018
19.	TI ( (cognit* N2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) ) OR AB ( (cognit* N2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) )	49,371
20.	TI ( (development* N2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) ) OR AB ( (development* N2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) )	25,175
21.	TI ( (mental* N2 (deficien* OR deficit* OR disab* OR handicap* OR impair* OR retard*)) ) OR AB ( (mental* N2 (deficien* OR deficit* OR disab* OR handicap* OR impair* OR retard*)) )	8,603
22.	TI ( ("borderline intellectual functioning" OR ((borderline OR low OR subnormal* OR sub-normal*) N3 (intelligence OR IQ))) ) OR AB ( ("borderline intellectual functioning" OR ((borderline OR low OR subnormal* OR sub-normal*) N3 (intelligence OR IQ))) ) OR KW ( ("borderline intellectual functioning" OR ((borderline OR low OR subnormal* OR sub-normal*) N3 (intelligence OR IQ))) )	655
23.	S17 OR S18 OR S19 OR S20 OR S21 OR S22	144,879
<b>Intervention: Psychological and psychosocial treatments</b>		
24.	(MH "Case Management") OR MH "Art Therapy" OR MH "Coping" OR MH "Color Therapy" OR MH "Combined Modality Therapy" OR MH "Community Support" OR MH "Computer Assisted Instruction" OR MH "Counseling" OR MH "Couples Counseling" OR MH "Health Education" OR MH "Internet-Based Intervention" OR MH "Meditation" OR MH "Motivational Interviewing" OR MH "Peer Counseling" OR (MH "Program Evaluation") OR MH "Psychological First Aid" OR MH "Psychotherapy+" OR MH "Rehabilitation, Psychosocial" OR MH "Relaxation Techniques" OR MH "Remote Consultation" OR MH "Self Care" OR MH "Self-Management" OR MH "Sex Education" OR MH "Sexual Counseling" OR MH "Telehealth" OR MH "Telemedicine" OR (MH "Telepsychiatry") OR MH "Therapy, Computer Assisted" OR MH "Therapeutic Alliance" OR MH "Yoga"	480,854
25.	TI ( ((abreaction OR desensitization OR implosive) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "acceptance and commitment therapy" OR ((animal* OR art OR colo#r OR creative* OR dance OR dancing OR drama OR equine OR experiential OR music OR play* OR sensory OR singing) N3 (intervention* OR program* OR therap* OR treatment*)) OR "assertive community treatment*" OR (attention N3 modification) OR "attention training" OR ((behavio* OR cognitive) N3 (activat* OR approach* OR component# OR contracting OR defusion OR guidance OR intervention* OR management OR modif* OR program* OR rehab* OR restructur* OR technique* OR therap* OR train* OR treatment*)) OR "bereavement therap*" OR ((biofeedback OR feedback OR imagery) N3 (intervention* OR program* OR technique* OR therap* OR train* OR treatment*)) OR ((brief OR time-limited) N3 (intervention* OR therap* OR treatment*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus* OR individual OR individualised OR individualized OR person-centred OR	535,403

person-centered OR present-centred OR present-centered) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*) OR "cognitive behavio\*" OR ((combination OR "compass\* focus\*" OR integrated OR integrative) N3 (intervention\* OR therap\* OR treatment\*)) OR "combined modality therapy" OR ((coping OR resilience) N3 (intervention\* OR therap\* OR treatment\*)) OR coun?eling OR coun?elling OR ((couple\* OR family OR group) N3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR (crisis W1 (care OR intervention\* OR therap\* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavio\*" OR "early intervention\*" OR "emotional freedom technique\*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR ((exposure OR "exposure based") W2 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "eye movement desensiti#ation" OR EMDR OR "expressive writing" OR "grad\* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery N3 (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) N3 (intervention\* OR therap\* OR treatment\*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal\* OR multi-modal\* OR multimodular OR multi-modular OR phase-based) N3 (approach\* OR program\* OR intervention\* OR therap\* OR treatment\*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic\*) N3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR (narrative W3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR (network W1 (intervention OR therap\* OR treatment\*)) OR neurofeedback OR neuro-feedback OR ((non-direct\* OR nondirect\* OR "solution focus\*") N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR ("problem oriented" N3 (approach\* OR intervention\* OR therap\* OR treatment\*)) OR "prolonged exposure" OR psychoanaly\* OR (psychiatr\* W1 (program\* OR intervention\* OR therap\* OR treatment\*)) OR psycho-analy\* OR psychoeducat\* OR psycho-educat\* OR ((psychodrama OR psycho-drama\* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) N3 (intervention\* OR program\* OR rehab\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR psychotherap\* OR "psycho therap\*" OR "reconsolidation of traumatic memories" OR (relational N3 (intervention\* OR therap\* OR treatment\*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) N3 (guided OR instruct\* OR intervention\* OR program\* OR strateg\* OR supervised OR therap\* OR treatment\*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) N3 (administered OR guided OR instruct\* OR intervention\* OR program\* OR strateg\* OR supervised OR therap\* OR tool\* OR treatment\*)) OR self-management OR ("sex\* abuse" N2 (intervention\* OR therap\* OR treatment\*)) OR (short-term W2 (intervention\* OR therap\* OR treatment\*)) OR "skill\* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support N3 (community OR family OR group\* OR psychosocial OR psycho-social OR social)) OR (supportive N3 (intervention\* OR service\* OR talk\*)) OR "therapeutic allianc\*" OR "therapeutic communit\*" OR "therapeutic relationship\*" OR "third wave" OR "thought field therapy" OR (("trauma focused" OR "trauma informed") N3 (care OR intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "trauma processing" OR "validation therapy" OR (written N3 (disclosure OR exposure)) OR yoga ) OR AB ( ((abreaction OR desensitization OR implosive) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "acceptance and commitment therapy" OR ((animal\* OR art OR colo#r OR creative\* OR dance OR dancing OR drama OR equine OR experiential OR music OR play\* OR sensory OR singing) N3 (intervention\* OR program\* OR therap\* OR treatment\*)) OR "assertive community treatment\*" OR (attention N3 modification) OR "attention training" OR ((behavio\* OR cognitive) N3 (activat\* OR approach\* OR component# OR contracting OR defusion OR guidance OR intervention\* OR management OR modif\* OR program\* OR rehab\* OR restructur\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR "bereavement therap\*" OR ((biofeedback OR feedback OR imagery) N3 (intervention\* OR program\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR ((brief OR time-limited) N3 (intervention\* OR therap\* OR treatment\*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus\* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR

"cognitive behavior\*" OR ((combination OR "compass\* focus\*" OR integrated OR integrative) N3 (intervention\* OR therap\* OR treatment\*)) OR "combined modality therapy" OR ((coping OR resilience) N3 (intervention\* OR therap\* OR treatment\*)) OR counseling OR counselling OR ((couple\* OR family OR group) N3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR (crisis W1 (care OR intervention\* OR therap\* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavior\*" OR "early intervention\*" OR "emotional freedom technique\*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR ((exposure OR "exposure based") W2 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "eye movement desensitization" OR EMDR OR "expressive writing" OR "grad\* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery N3 (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) N3 (intervention\* OR therap\* OR treatment\*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal\* OR multi-modal\* OR multimodular OR multi-modular OR phase-based) N3 (approach\* OR program\* OR intervention\* OR therap\* OR treatment\*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic\*) N3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR (narrative W3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR (network W1 (intervention OR therap\* OR treatment\*)) OR neurofeedback OR neuro-feedback OR ((non-direct\* OR nondirect\* OR "solution focus\*") N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR ("problem oriented" N3 (approach\* OR intervention\* OR therap\* OR treatment\*)) OR "prolonged exposure" OR psychoanaly\* OR (psychiatr\* W1 (program\* OR intervention\* OR therap\* OR treatment\*)) OR psycho-analy\* OR psychoeducat\* OR psycho-educat\* OR ((psychodrama OR psycho-drama\* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) N3 (intervention\* OR program\* OR rehab\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR psychotherap\* OR "psycho therap\*" OR "reconsolidation of traumatic memories" OR (relational N3 (intervention\* OR therap\* OR treatment\*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) N3 (guided OR instruct\* OR intervention\* OR program\* OR strateg\* OR supervised OR therap\* OR treatment\*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) N3 (administered OR guided OR instruct\* OR intervention\* OR program\* OR strateg\* OR supervised OR therap\* OR tool\* OR treatment\*)) OR self-management OR ("sex\* abuse" N2 (intervention\* OR therap\* OR treatment\*)) OR (short-term W2 (intervention\* OR therap\* OR treatment\*)) OR "skill\* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support N3 (community OR family OR group\* OR psychosocial OR psycho-social OR social)) OR (supportive N3 (intervention\* OR service\* OR talk\*)) OR "therapeutic allianc\*" OR "therapeutic communit\*" OR "therapeutic relationship\*" OR "third wave" OR "thought field therapy" OR (("trauma focused" OR "trauma informed") N3 (care OR intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "trauma processing" OR "validation therapy" OR (written N3 (disclosure OR exposure)) OR yoga )

---

26.	TI ( cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR e-counseling OR ehealth OR ehealth OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat* ) OR AB ( cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR e-counseling OR ehealth OR ehealth OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat* )	12,725
27.	(MH "Home Visits" AND ((MH "Social Work" OR MH "Social Work, Psychiatric" OR MH "Social Work Service" OR MH "Medical Social Worker Service (Saba CCC)" OR MH "Child	451

---

	Welfare" OR MH "Social Workers" OR MH "Social Worker Attitudes") OR TI social*)	
28.	TI (((visit* OR home OR house OR child* OR health*) N3 (visit* OR call* OR intervention*)) AND TI ("social care" OR (social W1 work*) OR (social W1 service*) OR "child protective" OR "family support" OR (family W1 counsel*) OR "child welfare" OR (community W1 service*)) OR AB (((visit* OR home OR house OR child* OR health*) N3 (visit* OR call* OR intervention*)) AND AB ("social care" OR (social W1 work*) OR (social W1 service*) OR "child protective" OR "family support" OR (family W1 counsel*) OR "child welfare" OR (community W1 service*)))	2,836
29.	TI ( "active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) N5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated N3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt" ) OR AB ( "active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) N5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated N3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt" )	5,882
30.	TI ( "Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren" ) OR AB ( "Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren" )	802
31.	TI ( ((sex* N2 education) OR (sexologic* N3 (intervention* OR rehab* OR technique* OR therap* OR treatment*))) ) OR AB ( ((sex* N2 education) OR (sexologic* N3 (intervention* OR rehab* OR technique* OR therap* OR treatment*))) )	9,552
32.	S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31	851,746
<b>Combined sets</b>		
33.	S16 AND S23 AND S32	539
34.	PT "doctoral dissertation" OR PT "Book"	32,316
35.	S33 NOT S34	533
<b>Final result</b>		
36.	S33 NOT S34	530

---

**Narrow by Language: - English, Norwegian<sup>1</sup>**

---

The final search result, usually found at the end of the documentation, forms the list of abstracts.

**AB** = Abstract; **AU** = Author; **DE** = Term from the thesaurus; **KW** (Available in Academic Search Premiere / SocINDEX / PsycInfo) = Author keyword; **MH** = Exact Subject Heading from CINAHL Subject Headings; **MM** = Major Concept; **SU** = Searches for a part of or an entire subject heading; **TI** = Title; **TX** = All Text. Performs a keyword search of all the database's searchable fields; **ZC** = Methodology Index; \* = Truncation; " " = Citation Marks; searches for an exact phrase; # = replaces one or no letters; ? = replaces one letter; **N** = Near Operator (N) finds the words if they are a maximum of x words apart from one another, regardless of the order in which they appear.; **W** = Within Operator (W) finds the words if they are within x words of one another, in the order in which you entered them

---

<sup>1</sup> No articles were available in Danish or Swedish



## Cochrane Library via Wiley 7 June 2023 (CDSR, Cochrane Protocols &amp; CENTRAL)

## Title: Sexual violence and intellectual disabilities

Search terms	Items found
<b>Population: Sexual violence</b>	
1. MeSH descriptor: [Rape] this term only	157
2. MeSH descriptor: [Sexual Harassment] this term only	31
3. MeSH descriptor: [Sex Offenses] this term only	295
4. MeSH descriptor: [Sexual Trauma] explode all trees	13
5. ((intercourse NEAR/3 (coer* or force* or unwanted)) or rape or raped or rapes or raping or (sex* NEAR/3 (abus* or aggressi* or assault or attack* or bully* or coerc* or crime* or exploit* or force* or harm or harass* or maltreat* or misconduct* or molest* or nonconsensual or non-consensual or offen* or predator* or slave* or solicitation or trauma* or victim* or violated or violation* or unlawful* or unwanted or violen*)) or (sex NEAR/3 (in-appropriate or inappropriate)) or (sex* NEAR/3 (victim* or revictim* or re-victim* or survivor*))) :ab,ti	2316
6. {OR #1-#5}	2361
7. MeSH descriptor: [Domestic Violence] this term only	208
8. MeSH descriptor: [Intimate Partner Violence] explode all trees	563
9. ((dating NEAR/3 (abuse or aggression or violence)) or dishonor* or dishonour* or ((domestic or family or intrafamilial or marital or partner) NEAR/3 (abuse or violence)) or honor* or honour* or "intimate partner violence" or (relationship NEAR/3 (aggression or violence)) or (spous* NEAR/3 abuse)) :ab,ti	3613
10. {OR #7-#9}	3715
11. MeSH descriptor: [Human Trafficking] this term only	2
12. MeSH descriptor: [Sex Work] this term only	132
13. (brothel* or "human traffick*" or prostitut* or (sex* NEAR/3 traffick*) or "sex work*") :ab,ti	174
14. {OR #11-#13}	265
15. MeSH descriptor: [Adult Survivors of Child Adverse Events] explode all trees	82
16. MeSH descriptor: [Child Abuse, Sexual] this term only	245
17. MeSH descriptor: [Incest] this term only	6
18. MeSH descriptor: [Pedophilia] this term only	21
19. (((adolescen* or child* or early or forced) NEAR/5 (marriage* or married)) or "child bride" or "child porn*" or grooming or incest* or paedophil* or pedophil*) :ab,ti	400
20. {OR #15-#19}	707
21. MeSH descriptor: [Circumcision, Female] this term only	5
22. (clitoridectom* or clitorrectom* or defibulat* or deinfibulat* or de-infibulat* or ((female* or woman or women or girl*) NEAR/3 (circumcision or cutting* or mutilation* or infibulat*)) or (genital* NEAR/3 (alteration* or circumcision* or cutting* or excision* or "mutilation/cutting" or infibulat* or mutilation* or modification* or nicking or pricking)) or infibulat* or re-circumcision or reinfibulat* or re-infibulat* or (removal* NEAR/6 genital*) or "pharaonic circumcision*" or sunna) :ab,ti	69
23. {OR #21-#22}	69
24. #6 or #10 or #14 or #20 or #23	6401
<b>Population: Intellectual disability</b>	
25. MeSH descriptor: [Cognitive Dysfunction] this term only	2896
26. MeSH descriptor: [Developmental Disabilities] this term only	760
27. MeSH descriptor: [Disabled Children] this term only	150
28. MeSH descriptor: [Intellectual Disability] explode all trees	1828
29. MeSH descriptor: [Learning Disabilities] this term only	330
30. MeSH descriptor: [Persons with Mental Disabilities] this term only	70
31. ((intellect* or learning) NEAR/3 (deficien* or deficit* or delay* or difficult* or disab* or disfunct* or disorder* or dysfunct* or handicap* or impair* or limitation* or retard* or subnormal* or sub-normal*)) :ab,ti	3342

32.	(cognit* NEAR/2 (deficien* or deficit* or delay* or difficult* or disab* or disfunc* or dysfunc* or handicap* or impair* or limitation* or retard* or subnormal* or sub-normal*)):ab,ti	18659
33.	(development* NEAR/2 (deficien* or deficit* or delay* or difficult* or disab* or disfunc* or disorder* or dysfunc* or handicap* or impair* or limitation* or retard* or subnormal* or sub-normal*)):ab,ti	3168
34.	(mental* NEAR/2 (deficien* or deficit* or disab* or handicap* or impair* or retard*)):ab,ti	2349
35.	("borderline intellectual functioning" or ((borderline or low or subnormal* or sub-normal*) NEAR/3 (intelligence or IQ))):ab,ti	121
36.	{OR #25-#35}	28721
<b>Final result</b>		
37.	<b>#24 and #36</b>	<b>CDSR/2 Cochrane Protocols/0 CENTRAL/11 2</b>

The final search result, usually found at the end of the documentation, forms the list of abstracts.

**:au** = Author; **MeSH** = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy; **this term only** = Does not include terms found below this term in the MeSH hierarchy; **:ti** = Title; **:ab** = Abstract; **:kw** = Keyword; \* = Truncation; " " = Citation Marks; searches for an exact phrase; **CDSR** = Cochrane Database of Systematic Review; **Cochrane Protocols** = Protocols of systematic reviews registered in Cochrane Library; **CENTRAL** = Cochrane Central Register of Controlled Trials, "trials"; ? = replaces one letter; **NEAR/n** = Requests terms that are within 'n' words of each other in either direction; **NEXT/n** = Requests terms that are within 'n' words of each other in the order specified



## Criminal Justice Abstracts with Full Text via EBSCO 2 June 2023

## Title: Sexual violence and intellectual disabilities

Search terms	Items found
<b>Population: Sexual violence</b>	
<p>1. TI ( (intercourse N3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* N3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex N3 (in-appropriate OR inappropriate)) OR (sex* N3 (victim* OR revictim* OR re-victim* OR survivor*)) ) OR AB ( (intercourse N3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* N3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex N3 (in-appropriate OR inappropriate)) OR (sex* N3 (victim* OR revictim* OR re-victim* OR survivor*)) ) OR KW ( (intercourse N3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* N3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex N3 (in-appropriate OR inappropriate)) OR (sex* N3 (victim* OR revictim* OR re-victim* OR survivor*)) )</p>	31,293
<p>2. TI ( (dating N3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) N3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship N3 (aggression OR violence)) OR (spous* N3 abuse) ) OR AB ( (dating N3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) N3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship N3 (aggression OR violence)) OR (spous* N3 abuse) ) OR KW ( (dating N3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) N3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship N3 (aggression OR violence)) OR (spous* N3 abuse) )</p>	20,559
<p>3. TI ( brothel* OR "human traffick*" OR prostitut* OR (sex* N3 traffick*) OR "sex work*" ) OR AB ( brothel* OR "human traffick*" OR prostitut* OR (sex* N3 traffick*) OR "sex work*" ) OR KW ( brothel* OR "human traffick*" OR prostitut* OR (sex* N3 traffick*) OR "sex work*" )</p>	4,349
<p>4. TI ( ((adolescenc* OR child* OR early OR forced) N5 (marriage* OR married)) OR "child bride" OR "child porn*" OR grooming OR incest* OR paedophil* OR pedophil* ) OR AB ( ((adolescenc* OR child* OR early OR forced) N5 (marriage* OR married)) OR "child bride" OR "child porn*" OR grooming OR incest* OR paedophil* OR pedophil* ) OR KW ( ((adolescenc* OR child* OR early OR forced) N5 (marriage* OR married)) OR "child bride" OR "child porn*" OR grooming OR incest* OR paedophil* OR pedophil* )</p>	3,145
<p>5. TI ( clitoridectom* OR clitorectom* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR wom*n OR girl*) N3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* N3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal* N6 genital*) OR "pharaonic circumcision*" OR sunna ) OR AB ( clitoridectom* OR clitorectom* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR wom*n OR girl*) N3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* N3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal* N6 genital*) OR "pharaonic circumcision*" OR sunna ) OR KW ( clitoridectom* OR clitorectom* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR wom*n OR girl*) N3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* N3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR</p>	195

	modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal* N6 genital*) OR "pharaonic circumcision*" OR sunna )	
6.	<i>S1 OR S2 OR S3 OR S4 OR S5</i>	52,742
<b>Population: Intellectual disability</b>		
7.	TI ( ((intellect* OR learning) N3 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) ) OR AB ( ((intellect* OR learning) N3 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) ) OR KW ( ((intellect* OR learning) N3 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) )	1,581
8.	TI ( (cognit* N2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) ) OR AB ( (cognit* N2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) ) OR KW ( (cognit* N2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) )	1,168
9.	TI ( (development* N2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) ) OR AB ( (development* N2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) ) OR KW ( (development* N2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) )	1,223
10.	TI ( ( (mental* N2 (deficien* OR deficit* OR disab* OR handicap* OR impair* OR retard*)) ) OR AB ( ( (mental* N2 (deficien* OR deficit* OR disab* OR handicap* OR impair* OR retard*)) ) OR KW ( ( (mental* N2 (deficien* OR deficit* OR disab* OR handicap* OR impair* OR retard*)) )	1,409
11.	TI ( ("borderline intellectual functioning" OR ((borderline OR low OR subnormal* OR sub-normal*) N3 (intelligence OR IQ))) ) OR AB ( ("borderline intellectual functioning" OR ((borderline OR low OR subnormal* OR sub-normal*) N3 (intelligence OR IQ))) ) OR KW ( ("borderline intellectual functioning" OR ((borderline OR low OR subnormal* OR sub-normal*) N3 (intelligence OR IQ))) )	120
12.	<i>S7 OR S8 OR S9 OR S10 OR S11</i>	5,000
<b>Intervention: Psychological and psychosocial treatments</b>		
13.	TI ( ((abreaction OR desensitization OR impulsive) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "acceptance and commitment therapy" OR ((animal* OR art OR color OR creative* OR dance OR dancing OR drama OR equine OR experiential OR music OR play* OR sensory OR singing) N3 (intervention* OR program* OR therap* OR treatment*)) OR "assertive community treatment*" OR (attention N3 modification) OR "attention training" OR ((behavio* OR cognitive) N3 (activat* OR approach* OR component# OR contracting OR defusion OR guidance OR intervention* OR management OR modif* OR program* OR rehab* OR restructur* OR technique* OR therap* OR train* OR treatment*)) OR "bereavement therap*" OR ((biofeedback OR feedback OR imagery) N3 (intervention* OR program* OR technique* OR therap* OR train* OR treatment*)) OR ((brief OR time-limited) N3 (intervention* OR therap* OR treatment*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) N3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "cognitive behavio*" OR ((combination OR "compass* focus*" OR integrated OR integrative) N3 (intervention* OR therap* OR treatment*)) OR "combined modality therapy" OR ((coping OR resilience) N3 (intervention* OR therap* OR treatment*)) OR coun?eling OR coun?elling OR ((couple* OR family OR group) N3 (program* OR intervention* OR therap* OR treatment*)) OR (crisis W1 (care OR intervention* OR therap* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavio*" OR "early intervention*" OR "emotional freedom	49,794

technique\*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR ((exposure OR "exposure based") W2 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "eye movement desensitization" OR EMDR OR "expressive writing" OR "grad\* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery N3 (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) N3 (intervention\* OR therap\* OR treatment\*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal\* OR multi-modal\* OR multimodal OR multi-modular OR phase-based) N3 (approach\* OR program\* OR intervention\* OR therap\* OR treatment\*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic\*) N3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR (narrative W3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR (network W1 (intervention OR therap\* OR treatment\*)) OR neurofeedback OR neuro-feedback OR ((non-direct\* OR nondirect\* OR "solution focus\*") N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR ("problem oriented" N3 (approach\* OR intervention\* OR therap\* OR treatment\*)) OR "prolonged exposure" OR psychoanaly\* OR (psychiatr\* W1 (program\* OR intervention\* OR therap\* OR treatment\*)) OR psycho-analy\* OR psychoeducat\* OR psycho-educat\* OR ((psychodrama OR psycho-drama\* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) N3 (intervention\* OR program\* OR rehab\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR psychotherap\* OR "psycho therap\*" OR "reconsolidation of traumatic memories" OR (relational N3 (intervention\* OR therap\* OR treatment\*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) N3 (guided OR instruct\* OR intervention\* OR program\* OR strateg\* OR supervised OR therap\* OR treatment\*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) N3 (administered OR guided OR instruct\* OR intervention\* OR program\* OR strateg\* OR supervised OR therap\* OR tool\* OR treatment\*)) OR self-management OR ("sex\* abuse" N2 (intervention\* OR therap\* OR treatment\*)) OR (short-term W2 (intervention\* OR therap\* OR treatment\*)) OR "skill\* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support N3 (community OR family OR group\* OR psychosocial OR psycho-social OR social)) OR (supportive N3 (intervention\* OR service\* OR talk\*)) OR "therapeutic allianc\*" OR "therapeutic communit\*" OR "therapeutic relationship\*" OR "third wave" OR "thought field therapy" OR (("trauma focused" OR "trauma informed") N3 (care OR intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "trauma processing" OR "validation therapy" OR (written N3 (disclosure OR exposure)) OR yoga ) OR AB ( ((abreaction OR desensitization OR implosive) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "acceptance and commitment therapy" OR ((animal\* OR art OR colo#r OR creative\* OR dance OR dancing OR drama OR equine OR experiential OR music OR play\* OR sensory OR singing) N3 (intervention\* OR program\* OR therap\* OR treatment\*)) OR "assertive community treatment\*" OR (attention N3 modification) OR "attention training" OR ((behavio\* OR cognitive) N3 (activat\* OR approach\* OR component# OR contracting OR defusion OR guidance OR intervention\* OR management OR modif\* OR program\* OR rehab\* OR restructur\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR "bereavement therap\*" OR ((biofeedback OR feedback OR imagery) N3 (intervention\* OR program\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR ((brief OR time-limited) N3 (intervention\* OR therap\* OR treatment\*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus\* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "cognitive behavio\*" OR ((combination OR "compass\* focus\*" OR integrated OR integrative) N3 (intervention\* OR therap\* OR treatment\*)) OR "combined modality therapy" OR ((coping OR resilience) N3 (intervention\* OR therap\* OR treatment\*)) OR coun?eling OR coun?elling OR ((couple\* OR family OR group) N3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR (crisis W1 (care OR intervention\* OR therap\* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavio\*" OR "early intervention\*" OR "emotional freedom technique\*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR

socio-environmental) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*) OR ((exposure OR "exposure based") W2 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "eye movement desensiti#ation" OR EMDR OR "expressive writing" OR "grad\* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery N3 (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) N3 (intervention\* OR therap\* OR treatment\*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal\* OR multi-modal\* OR multimodal OR multi-modular OR phase-based) N3 (approach\* OR program\* OR intervention\* OR therap\* OR treatment\*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic\*) N3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR (narrative W3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR (network W1 (intervention OR therap\* OR treatment\*)) OR neurofeedback OR neuro-feedback OR ((non-direct\* OR nondirect\* OR "solution focus\*") N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR ("problem oriented" N3 (approach\* OR intervention\* OR therap\* OR treatment\*)) OR "prolonged exposure" OR psychoanaly\* OR (psychiatr\* W1 (program\* OR intervention\* OR therap\* OR treatment\*)) OR psycho-analy\* OR psychoeducat\* OR psycho-educat\* OR ((psychodrama OR psycho-drama\* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) N3 (intervention\* OR program\* OR rehab\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR psychotherap\* OR "psycho therap\*" OR "reconsolidation of traumatic memories" OR (relational N3 (intervention\* OR therap\* OR treatment\*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) N3 (guided OR instruct\* OR intervention\* OR program\* OR strateg\* OR supervised OR therap\* OR treatment\*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) N3 (administered OR guided OR instruct\* OR intervention\* OR program\* OR strateg\* OR supervised OR therap\* OR tool\* OR treatment\*)) OR self-management OR ("sex\* abuse" N2 (intervention\* OR therap\* OR treatment\*)) OR (short-term W2 (intervention\* OR therap\* OR treatment\*)) OR "skill\* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support N3 (community OR family OR group\* OR psychosocial OR psycho-social OR social)) OR (supportive N3 (intervention\* OR service\* OR talk\*)) OR "therapeutic allianc\*" OR "therapeutic communit\*" OR "therapeutic relationship\*" OR "third wave" OR "thought field therapy" OR ("trauma focused" OR "trauma informed") N3 (care OR intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "trauma processing" OR "validation therapy" OR (written N3 (disclosure OR exposure)) OR yoga ) OR KW ( ((abreaction OR desensitization OR implosive) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "acceptance and commitment therapy" OR ((animal\* OR art OR colo#r OR creative\* OR dance OR dancing OR drama OR equine OR experiential OR music OR play\* OR sensory OR singing) N3 (intervention\* OR program\* OR therap\* OR treatment\*)) OR "assertive community treatment\*" OR (attention N3 (modification) OR "attention training" OR ((behavio\* OR cognitive) N3 (activat\* OR approach\* OR component# OR contracting OR defusion OR guidance OR intervention\* OR management OR modif\* OR program\* OR rehab\* OR restructur\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR "bereavement therap\*" OR ((biofeedback OR feedback OR imagery) N3 (intervention\* OR program\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR ((brief OR time-limited) N3 (intervention\* OR therap\* OR treatment\*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus\* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "cognitive behavio\*" OR ((combination OR "compass\* focus\*" OR integrated OR integrative) N3 (intervention\* OR therap\* OR treatment\*)) OR "combined modality therapy" OR ((coping OR resilience) N3 (intervention\* OR therap\* OR treatment\*)) OR coun?eling OR coun?elling OR ((couple\* OR family OR group) N3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR (crisis W1 (care OR intervention\* OR therap\* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavio\*" OR "early intervention\*" OR "emotional freedom technique\*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR ((exposure OR "exposure based")

W2 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "eye movement desensitization" OR EMDR OR "expressive writing" OR "grad\* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery N3 (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) N3 (intervention\* OR therap\* OR treatment\*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal\* OR multi-modal\* OR multimodular OR multi-modular OR phase-based) N3 (approach\* OR program\* OR intervention\* OR therap\* OR treatment\*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic\*) N3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR (narrative W3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR (network W1 (intervention OR therap\* OR treatment\*)) OR neurofeedback OR neuro-feedback OR ((non-direct\* OR nondirect\* OR "solution focus\*") N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR ("problem oriented" N3 (approach\* OR intervention\* OR therap\* OR treatment\*)) OR "prolonged exposure" OR psychoanaly\* OR (psychiatr\* W1 (program\* OR intervention\* OR therap\* OR treatment\*)) OR psycho-analy\* OR psychoeducat\* OR psycho-educat\* OR ((psychodrama OR psycho-drama\* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) N3 (intervention\* OR program\* OR rehab\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR psychotherap\* OR "psycho therap\*" OR "reconsolidation of traumatic memories" OR (relational N3 (intervention\* OR therap\* OR treatment\*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) N3 (guided OR instruct\* OR intervention\* OR program\* OR strateg\* OR supervised OR therap\* OR treatment\*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) N3 (administered OR guided OR instruct\* OR intervention\* OR program\* OR strateg\* OR supervised OR therap\* OR tool\* OR treatment\*)) OR self-management OR ("sex\* abuse" N2 (intervention\* OR therap\* OR treatment\*)) OR (short-term W2 (intervention\* OR therap\* OR treatment\*)) OR "skill\* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support N3 (community OR family OR group\* OR psychosocial OR psycho-social OR social)) OR (supportive N3 (intervention\* OR service\* OR talk\*)) OR "therapeutic allianc\*" OR "therapeutic communit\*" OR "therapeutic relationship\*" OR "third wave" OR "thought field therapy" OR (("trauma focused" OR "trauma informed") N3 (care OR intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "trauma processing" OR "validation therapy" OR (written N3 (disclosure OR exposure)) OR yoga )

- 
- |       |   |     |
|-------|---|-----|
| 14.   | <p>TI ( cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR ecounselling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat* ) OR AB ( cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR ecounselling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat* ) OR KW ( cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR ecounselling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat* )</p> | 412 |
| <hr/> |   |     |
| 15.   | <p>TI ( ((visit* OR home OR house OR child* OR health*) N3 (visit* OR call* OR intervention*)) AND TI ("social care" OR (social W1 work*) OR (social W1 service*) OR "child protective" OR "family support" OR (family W1 counsel*) OR "child welfare" OR (community W1 service*)) OR AB ( ((visit* OR home OR house OR child* OR health*) N3 (visit* OR call* OR</p>   | 201 |
-



	intervention*) AND TI ("social care" OR (social W1 work*) OR (social W1 service*) OR "child protective" OR "family support" OR (family W1 counsel*) OR "child welfare" OR (community W1 service*) ) OR KW ( (visit* OR home OR house OR child* OR health*) N3 (visit* OR call* OR intervention*) AND TI ("social care" OR (social W1 work*) OR (social W1 service*) OR "child protective" OR "family support" OR (family W1 counsel*) OR "child welfare" OR (community W1 service*) )	
16.	TI ( "active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) N5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated N3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt" ) OR AB ( "active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) N5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated N3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt" ) OR KW ( "active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) N5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated N3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt" )	1,243
17.	TI ( "Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren" ) OR AB ( "Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren" ) OR KW ( "Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR	292

	"WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren" )	
18.	TI ( ((sex* N2 education) OR (sexologic* N3 (intervention* OR rehab* OR technique* OR therap* OR treatment*))) ) OR AB ( ((sex* N2 education) OR (sexologic* N3 (intervention* OR rehab* OR technique* OR therap* OR treatment*))) ) OR KW ( ((sex* N2 education) OR (sexologic* N3 (intervention* OR rehab* OR technique* OR therap* OR treatment*))) )	692
19.	S13 OR S14 OR S15 OR S16 OR S17 OR S18	51,364
<b>Combined sets</b>		
20.	S6 AND S12 AND S19	142
21.	PT "Book"	11,349
22.	S20 NOT S21	134
23.	S20 NOT S21	125
Limiters - Scholarly (Peer Reviewed) Journals		
<b>Final result</b>		
24.	<b>S20 NOT S21</b>	<b>125</b>
<b>Limiters - Scholarly (Peer Reviewed) Journals</b>		
<b>Limiters - Language: Danish, English, Norwegian, Swedish</b>		

The final search result, usually found at the end of the documentation, forms the list of abstracts.

**AB** = Abstract; **AU** = Author; **DE** = Term from the thesaurus; **KW** (Available in Academic Search Premiere / SocINDEX / PsycInfo) = Author keyword; **MH** = Exact Subject Heading from CINAHL Subject Headings; **MM** = Major Concept; **SU** = Searches for a part of or an entire subject heading; **TI** = Title; **TX** = All Text. Performs a keyword search of all the database's searchable fields; **ZC** = Methodology Index; \* = Truncation; " " = Citation Marks; searches for an exact phrase; # = replaces one or no letters; ? = replaces one letter; **N** = Near Operator (N) finds the words if they are a maximum of x words apart from one another, regardless of the order in which they appear.; **W** = Within Operator (W) finds the words if they are within x words of one another, in the order in which you entered them



Embase via Elsevier 2 June 2023

Title: Sexual violence and intellectual disabilities

Search terms	Items found
<b>Population: Sexual violence</b>	
1. 'drug-facilitated sexual assault'/de	162
2. 'frotteurism'/de	25
3. 'rape'/exp	9,046
4. 'sexual abuse'/de	16,784
5. 'sexual assault'/de	3,612
6. 'sexual bullying'/de	62
7. 'sexual crime'/de	13,465
8. 'sexual harassment'/de	3,827
9. 'sexual trauma'/de	399
10. 'sexual violence'/de	4,176
11. ((intercourse NEAR/3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* NEAR/3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex NEAR/3 (in-appropriate OR inappropriate)) OR (sex* NEAR/3 (victim* OR revictim* OR re-victim* OR survivor*))) :ti,ab,kw	61,929
12. #1 OR #2 OR #3 OR #4 OR #5 OR #6 OR #7 OR #8 OR #9 OR #10 OR #11	75,080
13. 'dating violence'/de	604
14. 'domestic violence'/de	11,399
15. 'family violence'/de	4,150
16. 'partner violence'/de	16,578
17. ((dating NEAR/3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) NEAR/3 (abuse OR violence)) OR honor* OR honour* OR 'intimate partner violence' OR (relationship NEAR/3 (aggression OR violence)) OR (spous* NEAR/3 abuse)) :ti,ab,kw	54,589
18. #13 OR #14 OR #15 OR #16 OR #17	63,118
19. 'human trafficking'/de	869
20. 'prostitution'/de	9,749
21. 'sexual exploitation'/de	556
22. 'sex trafficking'/de	360
23. 'sex worker'/de	3,391
24. (brothel* OR 'human traffick*' OR prostitut* OR (sex* NEAR/3 traffick*) OR 'sex work*') :ti,ab,kw	13,709
25. #19 OR #20 OR #21 OR #22 #23 OR #24	17,794
26. 'child abuse survivor'/exp	886
27. 'child marriage'/de	67
28. 'child sexual abuse'/de	10,988
29. 'child sexual exploitation'/de	78
30. 'childhood trauma survivor'/de	496
31. 'cybergrooming'/de	20
32. 'incest'/de	2,273
33. 'pedophilia'/de	1,421
34. 'pedophilia disorder'/de	71
35. (((adolescen* OR child* OR early OR forced) NEAR/5 (marriage* OR married)) OR 'child bride' OR 'child porn*' OR grooming OR incest* OR paedophil* OR pedophil*) :ti,ab,kw	17,647
36. #26 OR #27 OR #28 OR #29 OR #30 OR #31 OR #32 OR #33 OR #34 OR #35	30,254
37. 'female genital mutilation'/exp	2,715
38. (clitoridectom* OR clitorectom* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR wom?n OR girl*) NEAR/3 (circumcision OR cutting* OR mutilation* OR	3,588

	infibulat*) OR (genital* NEAR/3 (alteration* OR circumcision* OR cutting* OR excision* OR 'mutilation/cutting' OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal* NEAR/6 genital*) OR 'pharaonic circumcision*' OR sunna):ti,ab,kw	
39.	#37 OR #38	4,267
40.	#12 OR #18 OR #25 OR #36 OR #39	165,123
<b>Population: Intellectual disability</b>		
41.	'alexia'/de	1,501
42.	'cognitive defect'/de	213,118
43.	'developmental delay'/de	16,095
44.	'developmental disorder'/de	39,779
45.	'dyscalculia'/de	739
46.	'intellectual impairment'/de	39,819
47.	'learning disorder'/de	35,513
48.	'mental deficiency'/exp	163,977
49.	'mentally disabled person'/de	1,649
50.	'trisomy'/exp	28,680
51.	((intellect* or learning) NEAR/3 (deficien* or deficit* or delay* or difficult* or disab* or disfunc* or disorder* or dysfunc* or handicap* or impair* or limitation* or retard* or subnormal* or sub-normal*)):ti,ab,kw	89,153
52.	(cognit* NEAR/2 (deficien* or deficit* or delay* or difficult* or disab* or disfunc* or dysfunc* or handicap* or impair* or limitation* or retard* or subnormal* or sub-normal*)):ti,ab,kw	214,872
53.	(development* NEAR/2 (deficien* or deficit* or delay* or difficult* or disab* or disfunc* or disorder* or dysfunc* or handicap* or impair* or limitation* or retard* or subnormal* or sub-normal*)):ti,ab,kw	97,020
54.	(mental* NEAR/2 (deficien* or deficit* or disab* or handicap* or impair* or retard*)):ti,ab,kw	61,951
55.	('borderline intellectual functioning' or ((borderline or low or subnormal* or sub-normal*) NEAR/3 (intelligence or IQ))):ti,ab,kw	2,911
56.	#41 OR #42 OR #43 OR #44 OR #45 OR #46 OR #47 OR #48 OR #49 OR #50 OR #51 OR #52 OR #53 OR #54 OR #55	679,127
<b>Intervention: Psychological and psychosocial treatments</b>		
57.	'animal assisted therapy'/exp	1,496
58.	'case management'/de	13,481
59.	'cognitive therapy software'/de	10
60.	'color therapy'/de	156
61.	'computer assisted therapy'/de	4,827
62.	'coping behavior'/de	73,898
63.	'counseling'/de	82,031
64.	'crisis intervention'/de	7,062
65.	'directive counseling'/de	884
66.	'e-counseling'/de	440
67.	'education of intellectually disabled'/de	237
68.	'family counseling'/de	8,642
69.	'health education'/de	114,067
70.	'motivational interviewing'/de	6,759
71.	'object relation'/de	12,587
72.	'patient counseling'/de	51,574
73.	'program effectiveness'/de	5,486
74.	'program efficacy'/de	1,256
75.	'program evaluation'/de	18,646
76.	'psychological care'/exp	26,601
77.	'psychological counseling'/de	771

78.	'psychological first aid'/de	95
79.	'psychosocial rehabilitation'/de	1,979
80.	'psychotherapy'/exp	313,413
81.	'self care'/de	74,168
82.	'self-care software'/de	25
83.	'self help'/de	15,103
84.	'sexology'/de	2,559
85.	'sexual counseling'/de	1,561
86.	'sexual education'/de	14,326
87.	'social support'/exp	114,893
88.	'teleconsultation'/exp	15,550
89.	'telehealth'/de	17,669
90.	'telemedicine'/de	43,399
91.	'telepsychiatry'/de	1,348
92.	'telepsychology'/de	66
93.	'teletherapy'/de	972
94.	'therapeutic alliance'/de	1,286
95.	'therapy software'/de	38
96.	'web-based intervention'/de	2,574
97.	((abreaction OR desensitization OR implosive) NEAR/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "acceptance and commitment therapy" OR ((animal* OR art OR colo\$ OR creative* OR dance OR dancing OR drama OR equine OR experiential OR music OR play* OR sensory OR singing) NEAR/3 (intervention* OR program* OR therap* OR treatment*)) OR 'assertive community treatment*' OR (attention NEAR/3 modification) OR 'attention training' OR ((behavio* OR cognitive) NEAR/3 (activat* OR approach* OR component* OR contracting OR defusion OR guidance OR intervention* OR management OR modif* OR program* OR rehab* OR restructur* OR technique* OR therap* OR train* OR treatment*)) OR 'bereavement therap*' OR ((biofeedback OR feedback OR imagery) NEAR/3 (intervention* OR program* OR technique* OR therap* OR train* OR treatment*)) OR ((brief OR time-limited) NEAR/3 (intervention* OR therap* OR treatment*)) OR 'brain training' OR 'case management' OR CBT OR ((client-centred OR client-centered OR client-focus* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) NEAR/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR 'cognitive behavio*' OR ((combination OR 'compass* focus*' OR integrated OR integrative) NEAR/3 (intervention* OR therap* OR treatment*)) OR 'combined modality therapy' OR ((coping OR resilience) NEAR/3 (intervention* OR therap* OR treatment*)) OR coun?eling OR coun?elling OR ((couple* OR family OR group) NEAR/3 (program* OR intervention* OR therap* OR treatment*)) OR (crisis NEXT/1 (care OR intervention* OR therap* OR treatment)) OR DBT OR debriefing OR 'deep brain reorientation' OR 'dialectical behavio*' OR 'early intervention*' OR 'emotional freedom technique*' OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) NEAR/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ((exposure OR 'exposure based') NEXT/2 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR 'eye movement desensiti?ation' OR EMDR OR 'expressive writing' OR 'grad* exposure' OR 'hearing voices' OR hypnosis OR hypnotherapy OR (imagery NEAR/3 (modification OR rehearsal OR trauma)) OR 'life span integration' OR mandalas OR MBT OR meditation OR 'memory specificity training' OR 'mental training' OR ((mentalization OR mentalisation) NEAR/3 (intervention* OR therap* OR treatment*)) OR 'metacognitive therapy' OR mindfulness OR 'mind training' OR 'minimal therapist support' OR ((modular OR multimodular OR multi-modular OR multi-modal* OR multi-modular OR multi-modular OR phase-based) NEAR/3 (approach* OR program* OR intervention* OR therap* OR treatment*)) OR 'motivational interviewing' OR ((multisystemic OR multi-systemic OR systemic*) NEAR/3 (program* OR intervention* OR therap* OR treatment*)) OR (narrative NEXT/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR (network NEXT/1 (intervention OR therap* OR treatment*)) OR neurofeedback OR neuro-feedback OR ((non-direct* OR nondirect*	1,739,481

	OR 'solution focus*') NEAR/3 (intervention* OR program* OR technique* OR therap* OR treatment*) OR ('problem oriented' NEAR/3 (approach* OR intervention* OR therap* OR treatment*)) OR 'prolonged exposure' OR psychoanaly* OR (psychiatr* NEXT/1 (program* OR intervention* OR therap* OR treatment*)) OR psycho-analy* OR psychoeducat* OR psycho-educat* OR ((psychodrama OR psycho-drama* OR psychodynamic OR 'psycho dynamic' OR psychological OR psychosocial OR psycho-social) NEAR/3 (intervention* OR program* OR rehab* OR technique* OR therap* OR train* OR treatment*)) OR psychotherap* OR 'psycho therap*' OR 'reconsolidation of traumatic memories' OR (relational NEAR/3 (intervention* OR therap* OR treatment*)) OR relaxation OR 'role play' OR ((self-administered OR selfadministered) NEAR/3 (guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR treatment*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) NEAR/3 (administered OR guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR tool* OR treatment*)) OR self-management OR ('sex* abuse' NEAR/2 (intervention* OR therap* OR treatment*)) OR (short-term NEXT/2 (intervention* OR therap* OR treatment*)) OR 'skill* training' OR 'social acknowledgement' OR 'somatic experiencing' OR 'stress inoculation training' OR 'structured approach therapy' OR (support NEAR/3 (community OR family OR group* OR psychosocial OR psycho-social OR social)) OR (supportive NEAR/3 (intervention* OR service* OR talk*)) OR 'therapeutic allianc*' OR 'therapeutic communit*' OR 'therapeutic relationship*' OR 'third wave' OR 'thought field therapy' OR (('trauma focused' OR 'trauma informed') NEAR/3 (care OR intervention* OR program* OR technique* OR therap* OR treatment*)) OR 'trauma processing' OR 'validation therapy' OR (written NEAR/3 (disclosure OR exposure)) OR yoga):ti,ab,kw	
98.	cbt:ti,ab,kw OR 'c cbt':ti,ab,kw OR 'cyber counseling':ti,ab,kw OR 'cyber counselling':ti,ab,kw OR cybercounseling:ti,ab,kw OR cybercounseling:ti,ab,kw OR 'digital health':ti,ab,kw OR 'e consultation':ti,ab,kw OR ecbt:ti,ab,kw OR 'e cbt':ti,ab,kw OR econsultation:ti,ab,kw OR 'e counselling':ti,ab,kw OR ecounseling:ti,ab,kw OR ecounseling:ti,ab,kw OR 'e health':ti,ab,kw OR ehealth:ti,ab,kw OR emedicine:ti,ab,kw OR 'e medicine':ti,ab,kw OR 'emental health*':ti,ab,kw OR 'e-mental health*':ti,ab,kw OR 'e portal':ti,ab,kw OR eportal:ti,ab,kw OR epsych*:ti,ab,kw OR 'e psych*':ti,ab,kw OR 'e therapy':ti,ab,kw OR etherapy:ti,ab,kw OR 'i cbt':ti,ab,kw OR icbt:ti,ab,kw OR 'm health':ti,ab,kw OR mhealth:ti,ab,kw OR 'mobile health':ti,ab,kw OR telepsychiatry:ti,ab,kw OR tele-psychiatry:ti,ab,kw OR deprexis:ti,ab,kw OR interapy:ti,ab,kw OR wechat*:ti,ab,kw	37,085
99.	'home visit'/de AND ('child advocacy'/de OR 'child care'/de OR 'child custody'/de OR 'child welfare'/exp OR 'community integration'/de OR 'infant welfare'/de OR 'social work'/de OR social:ti)	264
100.	((('visit* OR home OR house OR child OR health*') NEAR/4 (visit* OR call* OR program* OR skill* OR educat* OR train* OR promotion*)) AND ('social care*' OR 'social work*' OR 'social service*' OR 'child protectiv*' OR 'family support*' OR 'family counsel*' OR 'child welfare*' OR 'community service*')):ti,ab,kw	13,379
101.	('active parenting' OR 'attachment and biobehavioral catch-up' OR ((attachment OR bond*) NEAR/5 (intervention* OR therap* OR treatment*)) OR 'cool kids' OR 'coping power program' OR DBTSS OR 'family check-up' OR 'incredible years' OR KIDNET OR 'kids club*' OR 'Kognitiv Integrerad Behandling vid Barnmisshandel' OR KIBB OR 'marte meo' OR 'moms empowerment program' OR 'no kids in the middle' OR 'parent-child interaction therapy' OR 'parent education' OR 'parent management training' OR (parent-mediated NEAR/3 (program* OR intervention* OR therap* OR treatment*)) OR 'parent training' OR 'parenting intervention' OR 'parenting young children' OR 'project support' OR 'promoting first relationship*' OR PCIT OR safecare* OR 'safe place' OR 'safer kids' OR 'trappan-modellen' OR 'trappanmetoden' OR trappan OR 'Traumafokuserad KBT' OR 'TF kbt'):ti,ab,kw	12,468
102.	('Alternatives for Families' OR 'Caring Dads' OR CPPC OR 'Community Partnerships for the Protection of Children' OR 'Communities that Care' OR 'Exchange Parent Aide' OR 'Iowa Parent Partner Approach' OR MST-CAN OR 'Nurturing Parenting Program for Parents and their Infants Toddlers' OR 'Nurturing Parenting Program for Parents and their School-age Children' OR 'Parent Engagement and Self-Advocacy' OR 'Parent Support Outreach Program' OR PSOP OR 'Project 12-ways' OR 'Strengthening Families' OR 'Strong	1,152

	Communities for Children' OR 'Who Do You Tell' OR 'WebsterStratton parenting program' OR 'Triple P' OR 'Incredible years' OR 'otroliga aren'):ti,ab,kw	
103.	((sex* NEAR/2 education) or (sexologic* NEAR/3 (intervention* or rehab* or technique* or therap* or treatment*))) :ti,ab,kw	21,914
104.	#57 OR #58 OR #59 OR #60 OR #61 OR #62 OR #63 OR #64 OR #65 OR #66 OR #67 OR #68 OR #69 OR #70 OR #71 OR #72 OR #73 OR #74 OR #75 OR #76 OR #77 OR #78 OR #79 OR #80 OR #81 OR #82 OR #83 OR #84 OR #85 OR #86 OR #87 OR #88 OR #89 OR #90 OR #91 OR #92 OR #93 OR #94 OR #95 OR #96 OR #97 OR #98 OR #99 OR #100 OR #101 OR #102 OR #103	2,273,540
<b>Combined sets</b>		
105.	#40 AND #56 AND #104	1,366
<b>Limits</b>		
106.	'conference abstract'/it	4,789,536
107.	#105 NOT #106	1,140
<b>Final result</b>		
108.	#105 NOT #106 AND ([danish]/lim OR [english]/lim OR [norwegian]/lim OR [swedish]/lim)	1,058

The final search result, usually found at the end of the documentation, forms the list of abstracts.

**/de** = Term from the EMTREE controlled vocabulary; **/exp** = Includes terms found below this term in the EMTREE hierarchy;  
**/mj** = Major Topic; **:ab** = Abstract; **:au** = Author; **:kw** = Author keyword ; **:ti** = Article Title; **:ti,ab** = Title or abstract; \* =  
Truncation; ' ' = Citation Marks; searches for an exact phrase; **NEAR/n** = Requests terms that are within 'n' words of each  
other in either direction; **NEXT/n** = Requests terms that are within 'n' words of each other in the order specified; **\$** =  
replaces one or no letters; **?** = replaces one letter

## Medline via OvidSP 2 June 2023

## Title: Sexual violence and intellectual disabilities

Search terms	Items found
<b>Population: Sexual violence</b>	
1. Rape/	6855
2. Sexual Harassment/	2241
3. Sex Offenses/	11416
4. exp Sexual Trauma/	118
5. ((intercourse adj3 (coer* or force* or unwanted)) or rape or raped or rapes or raping or (sex* adj3 (abus* or aggressi* or assault or attack* or bully* or coerc* or crime* or exploit* or force* or harm or harass* or maltreat* or misconduct* or molest* or nonconsensual or non-consensual or offen* or predator* or slave* or solicitation or trauma* or victim* or violated or violation* or unlawful* or unwanted or violen*)) or (sex adj3 (in-appropriate or inappropriate)) or (sex* adj3 (victim* or revictim* or re-victim* or survivor*))).ti,ab,kf,bt.	49999
6. or/1-5	54313
7. Domestic Violence/	7604
8. exp Intimate Partner Violence/	13088
9. ((dating adj3 (abuse or aggression or violence)) or dishonor* or dishonour* or ((domestic or family or intrafamilial or marital or partner) adj3 (abuse or violence)) or honor* or honour* or (relationship adj3 (aggression or violence)) or (spous* adj3 abuse)).ti,ab,kf,bt.	37880
10. or/7-9	42651
11. Human Trafficking/	667
12. Sex Work/	6391
13. Sex Workers/	2994
14. (brothel* or human traffick* or prostitut* or (sex* adj3 traffick*) or sex work*).ti,ab,kf,bt.	12125
15. or/11-14	14229
16. exp Adult Survivors of Child Adverse Events/	3382
17. Child Abuse, Sexual/	11014
18. Incest/	1667
19. Pedophilia/	1031
20. (((adolescen* or child* or early or forced) adj5 (marriage* or married)) or child bride or child porn* or grooming or incest* or paedophil* or pedophil*).ti,ab,kf,bt.	14873
21. or/16-20	28663
22. Circumcision, Female/	1686
23. (clitoridectom* or clitorectom* or defibulat* or deinfibulat* or de-infibulat* or ((female* or wom*n or girl*) adj3 (circumcision or cutting* or mutilation* or infibulat*)) or (genital* adj3 (alteration* or circumcision* or cutting* or excision* or "mutilation/cutting" or infibulat* or mutilation* or modification* or nicking or pricking)) or infibulat* or re-circumcision or reinfibulat* or re-infibulat* or (removal* adj6 genital*) or pharaonic circumcision* or sunna).ti,ab,kf,bt.	3011
24. or/22-23	3286
25. 6 or 10 or 15 or 21 or 24	121951
<b>Population: Intellectual disability</b>	
26. Cognitive Dysfunction/	35099
27. Developmental Disabilities/	22264
28. Disabled Children/	6968
29. exp Intellectual Disability/	104992
30. Learning Disabilities/	14638
31. Persons with Mental Disabilities/	3695
32. ((intellect* or learning) adj3 (deficien* or deficit* or delay* or difficult* or disab* or disfunc* or disorder* or dysfunc* or handicap* or impair* or limitation* or retard* or subnormal* or sub-normal*).ti,ab,kf,bt.	64656
33. (cognit* adj2 (deficien* or deficit* or delay* or difficult* or disab* or disfunc* or dysfunc* or handicap* or impair* or limitation* or retard* or subnormal* or sub-normal*).ti,ab,kf,bt.	143426

34.	(development* adj2 (deficien* or deficit* or delay* or difficult* or disab* or disfunc* or disorder* or dysfunc* or handicap* or impair* or limitation* or retard* or subnormal* or sub-normal*)).ti,ab,kf,bt.	69583
35.	(mental* adj2 (deficien* or deficit* or disab* or handicap* or impair* or retard*)).ti,ab,kf,bt.	48621
36.	(borderline intellectual functioning or ((borderline or low or subnormal* or sub-normal*) adj3 (intelligence or IQ))).ti,ab,kf,bt.	2150
37.	or/26-36	391329
<b>Intervention: Psychological and psychosocial treatments</b>		
38.	Adaptation, Psychological/	104002
39.	Case Management/	10616
40.	Combined Modality Therapy/	184897
41.	Computer-Assisted Instruction/	12544
42.	exp Counseling/	48760
43.	Education of Intellectually Disabled/	5716
44.	Health Education/	63595
45.	Health Knowledge, Attitudes, Practice/	126361
46.	Internet-Based Intervention/	1114
47.	Object Attachment/	14523
48.	Program Evaluation/	67192
49.	Psychiatric Rehabilitation/	686
50.	Psychological First Aid/	31
51.	Psychosocial Support Systems/	976
52.	exp Psychotherapy/	217796
53.	exp Relaxation Therapy/	10156
54.	exp Remote Consultation/	5784
55.	Self Care/	35992
56.	Self-Help Groups/	9584
57.	Self-Management/	5286
58.	exp Sexology/	10388
59.	exp Social Support/	79597
60.	Telemedicine/	37077
61.	Therapy, Computer-Assisted/	6970
62.	Yoga/	3751
63.	((abreaction or desensitization or implosive) adj3 (intervention* or program* or technique* or therap* or treatment*)) or "acceptance and commitment therapy" or ((animal* or art or color* or creative* or dance or dancing or drama or equine or experiential or music or play* or sensory or singing) adj3 (intervention* or program* or therap* or treatment*)) or assertive community treatment* or (attention adj3 modification) or attention training or ((behavio* or cognitive) adj3 (activat* or approach* or component* or contracting or defusion or guidance or intervention* or management or modif* or program* or rehab* or restructur* or technique* or therap* or train* or treatment*)) or bereavement therap* or ((biofeedback or feedback or imagery) adj3 (intervention* or program* or technique* or therap* or train* or treatment*)) or ((brief or time-limited) adj3 (intervention* or therap* or treatment*)) or brain training or case management or CBT or ((client-centred or client-centered or client-focus* or individual or individualised or individualized or person-centred or person-centered or present-centred or present-centered) adj3 (intervention* or program* or technique* or therap* or treatment*)) or cognitive behavio* or ((combination or compass* focus* or integrated or integrative) adj3 (intervention* or therap* or treatment*)) or combined modality therapy or ((coping or resilience) adj3 (intervention* or therap* or treatment*)) or coun#eling or coun#elling or ((couple* or family or group) adj3 (program* or intervention* or therap* or treatment*)) or (crisis adj (care or intervention* or therap* or treatment)) or DBT or debriefing or deep brain reorientation or dialectical behavio* or early intervention* or emotional freedom technique* or ((existential or gestalt or humanistic or interpersonal or milieu or residential or socioenvironmental or socio-environmental) adj3 (intervention* or	1251034



program\* or technique\* or therap\* or treatment\*) or ((exposure or exposure based) adj (intervention\* or program\* or technique\* or therap\* or treatment\*)) or eye movement desensiti?ation or EMDR or expressive writing or grad\* exposure or hearing voices or hypnosis or hypnotherapy or (imagery adj3 (modification or rehearsal or trauma)) or life span integration or mandalas or MBT or meditation or memory specificity training or mental training or ((mentalization or mentalisation) adj3 (intervention\* or therap\* or treatment\*)) or metacognitive therapy or mindfulness or mind training or minimal therapist support or ((modular or multicomponent or multi-component or multimodal\* or multi-modal\* or multimodular or multi-modular or phase-based) adj3 (approach\* or program\* or intervention\* or therap\* or treatment\*)) or motivational interviewing or ((multisystemic or multi-systemic or systemic\*) adj3 (program\* or intervention\* or therap\* or treatment\*)) or (narrative adj3 (intervention\* or program\* or technique\* or therap\* or treatment\*)) or (network adj (intervention or therap\* or treatment\*)) or neurofeedback or neuro-feedback or ((non-direct\* or nondirect\* or solution focus\*) adj3 (intervention\* or program\* or technique\* or therap\* or treatment\*)) or (problem oriented adj3 (approach\* or intervention\* or therap\* or treatment\*)) or prolonged exposure or psychoanaly\* or (psychiatr\* adj (program\* or intervention\* or therap\* or treatment\*)) or psycho-analy\* or psychoeducat\* or psycho-educat\* or ((psychodrama or psycho-drama\* or psychodynamic or psycho dynamic or psychological or psychosocial or psycho-social) adj3 (intervention\* or program\* or rehab\* or technique\* or therap\* or train\* or treatment\*)) or psychotherap\* or psycho therap\* or "reconsolidation of traumatic memories" or (relational adj3 (intervention\* or therap\* or treatment\*)) or relaxation or role play or ((self-administered or selfadministered) adj3 (guided or instruct\* or intervention\* or program\* or strateg\* or supervised or therap\* or treatment\*)) or ((self-care or selfcare or self-change or self-help or selfhelp) adj3 (administered or guided or instruct\* or intervention\* or program\* or strateg\* or supervised or therap\* or tool\* or treatment\*)) or self-management or (sex\* abuse adj2 (intervention\* or therap\* or treatment\*)) or (short-term adj (intervention\* or therap\* or treatment\*)) or skill\* training or social acknowledgement or somatic experiencing or stress inoculation training or structured approach therapy or (support adj3 (community or family or group\* or psychosocial or psycho-social or social)) or (supportive adj3 (intervention\* or service\* or talk\*)) or therapeutic allianc\* or therapeutic communit\* or therapeutic relationship\* or third wave or thought field therapy or ((trauma focused or trauma informed) adj3 (care or intervention\* or program\* or technique\* or therap\* or treatment\*)) or trauma processing or validation therapy or (written adj3 (disclosure or exposure)).ti,ab,bt,kf.

---

64.	(cCBT or c-CBT or cyber-counseling or cyber-counseling or cybercounseling or cybercounseling or digital health or e-consultation or eCBT or e-CBT or econsultation or ecounseling or e-counseling or ecounseling or ehealth or ehealth or emedicine or e-medicine or emental health* or e-mental health* or e-portal or eportal or epsych* or e-psych* or e-therapy or etherapy or i-CBT or ICBT or m-health or mhealth or mobile health or telepsychiatry or tele-psychiatry or Deprexis or Interapy or WeChat*).ti,ab,kf,bt.	32790
65.	House Calls/ and (exp Social Work/ or exp Child Welfare/ or Child Protective Services/ or Community Integration/ or Infant Welfare/ or social.ti.)	237
66.	((visit* or home or house or child or health*) adj4 (visit* or call* or program* or skill* or educat* or train* or promotion*)) and (social care* or social work* or social service* or child protectiv* or family support* or family counsel* or child welfare* or community service*).ti,ab,kf,bt.	8530
67.	(active parenting or "attachment and biobehavioral catch-up" or ((attachment or bond*) adj5 (intervention* or therap* or treatment*)) or cool kids or coping power program or DBTSS or family check-up or incredible years or KIDNET or kids club* or "Kognitiv Integrerad Behandling vid Barnmisshandel" or KIBB or marte meo or moms empowerment program or no kids in the middle or parent-child interaction therapy or parent education or parent management training or (parent-mediated adj3 (program* or intervention* or therap* or treatment*)) or parent training or parenting intervention or parenting young children or project support or promoting first relationship* or PCIT or safecare* or safe place or safer kids or "trappan-modellen" or "trappanmetoden" or trappan or "Traumafokuserad KBT" or "TF kbt").ti,ab,bt,kf.	10662
68.	("Alternatives for Families" or Caring Dads or CPPC or "Community Partnerships for the Protection of Children" or "Communities that Care" or "Exchange Parent Aide" or "Iowa	1121

	Parent Partner Approach" or MST-CAN or "Nurturing Parenting Program for Parents and their Infants Toddlers" or "Nurturing Parenting Program for Parents and their School-age Children" or "Parent Engagement and Self-Advocacy" or "Parent Support Outreach Program" or PSOP or "Project 12-ways" or "Strengthening Families" or "Strong Communities for Children" or "Who Do You Tell" or "WebsterStratton parenting program" or "Triple P" or "Incredible years" or "otroliga aren").ti,ab,bt,kf.	
69.	((sex* adj2 education) or (sexologic* adj3 (intervention* or rehab* or technique* or therap* or treatment*))).ti,ab,kf,bt.	15800
70.	or/38-69	1922192
<b>Combined sets</b>		
71.	25 and 37 and 70	569
<b>Final result</b>		
72.	limit 71 to (danish or english or norwegian or swedish)	521

The final search result, usually found at the end of the documentation, forms the list of abstracts.

**.ab.** = Abstract; **.ab,ti.** = Abstract or title; **.af.** = All fields; **.bt.** = Book title; **exp** = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy; **.fs.** = Floating sub-heading, does not include terms found below this term in the MeSH hierarchy; **.kf.** = Author keyword; **.sh.** = Term from the Medline controlled vocabulary; **.ti.** = Title; **.xs.** = Floating sub-heading, includes terms found below this term in the MeSH hierarchy; **/** = Term from the Medline controlled vocabulary, but does not include terms found below this term in the MeSH hierarchy; **\*** = Focus (if found in front of a MeSH-term); **\* or \$** = Truncation (if found at the end of a free text term); **.mp.** = Text, heading word, subject area node, title; **" "** = Citation Marks; searches for an exact phrase; **adjn** = Positional operator that lets you retrieve records that contain your terms (in any order) within a specified number (n) of words of each other; **?** = replaces one or no letters; **#** = replaces one letter

PsycINFO via EBSCO 2 June 2023

Title: Sexual violence and intellectual disabilities

Search terms	Items found
<b>Population: Sexual violence</b>	
1. DE "Acquaintance Rape" OR DE "Rape" OR DE "Sex Offenses" OR DE "Sexual Abuse" OR DE "Sexual Coercion" OR DE "Sexual Harassment" OR DE "Sexual Violence"	44,006
2. TI ( (intercourse N3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* N3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex N3 (in-appropriate OR inappropriate)) OR (sex* N3 (victim* OR revictim* OR re-victim* OR survivor*)) ) OR AB ( (intercourse N3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* N3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex N3 (in-appropriate OR inappropriate)) OR (sex* N3 (victim* OR revictim* OR re-victim* OR survivor*)) ) OR KW ( (intercourse N3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* N3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex N3 (in-appropriate OR inappropriate)) OR (sex* N3 (victim* OR revictim* OR re-victim* OR survivor*)) )	75,019
3. S1 OR S2	77,266
4. DE "Domestic Violence" OR DE "Intimate Partner Violence"	25,791
5. TI ( (dating N3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) N3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship N3 (aggression OR violence)) OR (spous* N3 abuse) ) OR AB ( (dating N3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) N3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship N3 (aggression OR violence)) OR (spous* N3 abuse) ) OR KW ( (dating N3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) N3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship N3 (aggression OR violence)) OR (spous* N3 abuse) )	50,737
6. S4 OR S5	54,101
7. DE "Human Trafficking" OR DE "Sex Trafficking" OR DE "Sex Work"	5,703
8. TI ( brothel* OR "human traffick*" OR prostitut* OR (sex* N3 traffick*) OR "sex work*") OR AB ( brothel* OR "human traffick*" OR prostitut* OR (sex* N3 traffick*) OR "sex work*") OR KW ( brothel* OR "human traffick*" OR prostitut* OR (sex* N3 traffick*) OR "sex work*") )	8,024
9. S7 OR S8	8,497
10. DE "Incest" OR DE "Pedophilia"	5,008
11. TI ( ((adolescen* OR child* OR early OR forced) N5 (marriage* OR married)) OR "child bride" OR "child porn*" OR grooming OR incest* OR paedophil* OR pedophil* ) OR AB ( ((adolescen* OR child* OR early OR forced) N5 (marriage* OR married)) OR "child bride" OR "child porn*" OR grooming OR incest* OR paedophil* OR pedophil* ) OR KW ( ((adolescen* OR child* OR early OR forced) N5 (marriage* OR married)) OR "child bride" OR "child porn*" OR grooming OR incest* OR paedophil* OR pedophil* )	18,138
12. S10 OR S11	19,341
13. TI ( clitoridectom* OR clitorectom* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR wom*n OR girl*) N3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* N3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal*	1,054

	N6 genital*) OR "pharaonic circumcision*" OR sunna ) OR AB ( clitoridectom* OR clitorrectom* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR wom*n OR girl*) N3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* N3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal* N6 genital*) OR "pharaonic circumcision*" OR sunna ) OR KW ( clitoridectom* OR clitorrectom* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR wom*n OR girl*) N3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* N3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal* N6 genital*) OR "pharaonic circumcision*" OR sunna )	
14.	<i>S3 OR S6 OR S9 OR S12 OR S13</i>	142,683
<b>Population: Intellectual disability</b>		
15.	DE "Anencephaly" OR DE "Cognitive Impairment" OR DE "Crying Cat Syndrome" OR DE "Developmental Disabilities" OR DE "Down's Syndrome" OR DE "Dyslexia" OR DE "Intellectual Development Disorder" OR DE "Learning Disabilities" OR DE "Tay Sachs Disease" OR DE "Trisomy"	135,744
16.	TI ( ((intellect* OR learning) N3 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) ) OR AB ( ((intellect* OR learning) N3 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) ) OR KW ( ((intellect* OR learning) N3 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) )	74,404
17.	TI ( (cognit* N2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) ) OR AB ( (cognit* N2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) ) OR KW ( (cognit* N2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) )	87,821
18.	TI ( (development* N2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) ) OR AB ( (development* N2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) ) OR KW ( (development* N2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) )	49,103
19.	TI ( ( (mental* N2 (deficien* OR deficit* OR disab* OR handicap* OR impair* OR retard*)) ) OR AB ( ( (mental* N2 (deficien* OR deficit* OR disab* OR handicap* OR impair* OR retard*)) ) OR KW ( ( (mental* N2 (deficien* OR deficit* OR disab* OR handicap* OR impair* OR retard*)) )	53,292
20.	TI ( ("borderline intellectual functioning" OR ((borderline OR low OR subnormal* OR sub-normal*) N3 (intelligence OR IQ))) ) OR AB ( ("borderline intellectual functioning" OR ((borderline OR low OR subnormal* OR sub-normal*) N3 (intelligence OR IQ))) ) OR KW ( ("borderline intellectual functioning" OR ((borderline OR low OR subnormal* OR sub-normal*) N3 (intelligence OR IQ))) )	3,159
21.	<i>S15 OR S16 OR S17 OR S18 OR S19 OR S20</i>	261,187
<b>Intervention: Psychological and psychosocial treatments</b>		
22.	DE "Psychotherapy" OR DE "Active Listening" OR DE "Adlerian Psychotherapy" OR DE "Adolescent Psychotherapy" OR DE "Affirmative Therapy" OR DE "Age Regression (Hypnotic)" OR DE "Analytical Psychotherapy" OR DE "Animal Assisted Therapy" OR DE "Autogenic Training" OR DE "Brief Psychotherapy" OR DE "Brief Relational Therapy" OR DE "Centering" OR DE "Child Psychotherapy" OR DE "Client Centered Therapy" OR DE "Conjoint Therapy" OR DE "Conversion Therapy" OR DE "Cotherapy" OR DE "Couples Therapy" OR DE "Dream Analysis" OR DE "Eclectic Psychotherapy" OR DE "Emotion Focused Therapy" OR DE	249,548

	"Empty Chair Technique" OR DE "Encounter Group Therapy" OR DE "Ericksonian Psychotherapy" OR DE "Existential Therapy" OR DE "Experiential Psychotherapy" OR DE "Expressive Psychotherapy" OR DE "Eye Movement Desensitization Therapy" OR DE "Family Intervention" OR DE "Family Therapy" OR DE "Feminist Therapy" OR DE "Free Association" OR DE "Geriatric Psychotherapy" OR DE "Gestalt Therapy" OR DE "Group Psychotherapy" OR DE "Guided Imagery" OR DE "Humanistic Psychotherapy" OR DE "Hypnosis" OR DE "Hypnotherapy" OR DE "Individual Psychotherapy" OR DE "Insight Therapy" OR DE "Integrative Psychotherapy" OR DE "Interpersonal Psychotherapy" OR DE "Life Review" OR DE "Logotherapy" OR DE "Marathon Group Therapy" OR DE "Mirroring" OR DE "Morita Therapy" OR DE "Motivational Interviewing" OR DE "Multisystemic Therapy" OR DE "Mutual Storytelling Technique" OR DE "Narrative Therapy" OR DE "Network Therapy" OR DE "Paradoxical Techniques" OR DE "Persuasion Therapy" OR DE "Play Therapy" OR DE "Posthypnotic Suggestions" OR DE "Primal Therapy" OR DE "Psychoanalysis" OR DE "Psychodrama" OR DE "Psychodynamic Psychotherapy" OR DE "Psychotherapeutic Counseling" OR DE "Psychotherapeutic Techniques" OR DE "Rational Emotive Behavior Therapy" OR DE "Reality Therapy" OR DE "Relationship Therapy" OR DE "Schema Therapy" OR DE "Self-Affirmation" OR DE "Self-Analysis" OR DE "Solution Focused Therapy" OR DE "Strategic Family Therapy" OR DE "Strategic Therapy" OR DE "Structural Family Therapy" OR DE "Supportive Psychotherapy" OR DE "Therapeutic Community" OR DE "Transactional Analysis"	
23.	DE "Aversion Therapy" OR DE "Applied Behavior Analysis" OR DE "Behavior Contracting" OR DE "Behavior Modification" OR DE "Behavior Therapy" OR DE "Biofeedback Training" OR DE "Conversion Therapy" OR DE "Covert Sensitization" OR DE "Dialectical Behavior Therapy" OR DE "Exposure Therapy" OR DE "Imaginal Exposure" OR DE "Implosive Therapy" OR DE "In Vivo Exposure" OR DE "Prolonged Exposure Therapy" OR DE "Reciprocal Inhibition Therapy" OR DE "Response Cost" OR DE "Systematic Desensitization Therapy" OR DE "Virtual Reality Exposure Therapy"	47,337
24.	DE "Cognitive Behavior Therapy" OR DE "Cognitive Processing Therapy" OR DE "Cognitive Restructuring" OR DE "Cognitive Techniques" OR DE "Cognitive Therapy" OR DE "Prolonged Exposure Therapy"	45,556
25.	DE "Psychosocial Rehabilitation" OR DE "Psychosocial Readjustment" OR DE "Therapeutic Social Clubs"	6,769
26.	DE "Counseling" OR DE "Community Counseling" OR DE "Cross Cultural Counseling" OR DE "Grief Counseling" OR DE "Group Counseling" OR DE "Microcounseling" OR DE "Multicultural Counseling" OR DE "Pastoral Counseling" OR DE "Peer Counseling"	42,296
27.	DE "Art Therapy" OR DE "Creative Arts Therapy" OR DE "Cross Cultural Treatment" OR DE "Dance Therapy" OR DE "Horticulture Therapy" OR DE "Meditation" OR DE "Milieu Therapy" OR DE "Mindfulness" OR DE "Mindfulness-Based Interventions" OR DE "Music Therapy" OR DE "Progressive Relaxation Therapy" OR DE "Psychoeducation" OR DE "Recreation Therapy" OR DE "Relaxation Therapy"	46,157
28.	DE "Case Management" OR DE "Program Evaluation" OR DE "Mental Health Program Evaluation"	31,858
29.	DE "Coping Behavior" OR DE "Coping Style"	54,214
30.	DE "Brief Interventions" OR DE "Debriefing (Psychological)" OR DE "Crisis Intervention" OR DE "Early Intervention" OR DE "Group Intervention"	22,957
31.	DE "Integrated Services" OR DE "Interdisciplinary Treatment Approach" OR DE "Multimodal Treatment Approach"	14,902
32.	DE "Psychological First Aid"	239
33.	DE "Self-Care" OR DE "Self-Help Techniques" OR DE "Self-Instructional Training" OR DE "Self-Management"	16,373
34.	DE "Social Support" OR DE "Support Groups"	69,727
35.	DE "Sociotherapy" OR DE "Strengths-Based Interventions" OR DE "Trauma-Informed Care" OR DE "Video-Based Interventions"	1,327
36.	DE "Computer Assisted Therapy" OR DE "Digital Interventions" OR DE "Online Therapy" OR DE "Teleconsultation" OR DE "Telemedicine" OR DE "Telepsychiatry" OR DE "Telepsychology"	15,312
37.	DE "Yoga"	2,552
38.	DE "Health Education" OR DE "Sex Education" OR DE "Sexology"	27,338

39. TI ( ((abreaction OR desensitization OR implosive) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "acceptance and commitment therapy" OR ((animal\* OR art OR color OR creative\* OR dance OR dancing OR drama OR equine OR experiential OR music OR play\* OR sensory OR singing) N3 (intervention\* OR program\* OR therap\* OR treatment\*)) OR "assertive community treatment\*" OR (attention N3 modification) OR "attention training" OR ((behavior\* OR cognitive) N3 (activation\* OR approach\* OR component# OR contracting OR defusion OR guidance OR intervention\* OR management OR modification\* OR program\* OR rehab\* OR restructuring\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR "bereavement therapy\*" OR ((biofeedback OR feedback OR imagery) N3 (intervention\* OR program\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR ((brief OR time-limited) N3 (intervention\* OR therap\* OR treatment\*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus\* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "cognitive behavior\*" OR ((combination OR "compass\* focus\*" OR integrated OR integrative) N3 (intervention\* OR therap\* OR treatment\*)) OR "combined modality therapy" OR ((coping OR resilience) N3 (intervention\* OR therap\* OR treatment\*)) OR counseling OR counselling OR ((couple\* OR family OR group) N3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR (crisis W1 (care OR intervention\* OR therap\* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavior\*" OR "early intervention\*" OR "emotional freedom technique\*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR ((exposure OR "exposure based") W2 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "eye movement desensitization" OR EMDR OR "expressive writing" OR "grad\* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery N3 (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) N3 (intervention\* OR therap\* OR treatment\*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal\* OR multi-modal\* OR multimodular OR multi-modular OR phase-based) N3 (approach\* OR program\* OR intervention\* OR therap\* OR treatment\*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic\*) N3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR (narrative W3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR (network W1 (intervention OR therap\* OR treatment\*)) OR neurofeedback OR neuro-feedback OR ((non-direct\* OR nondirect\* OR "solution focus\*") N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR ("problem oriented" N3 (approach\* OR intervention\* OR therap\* OR treatment\*)) OR "prolonged exposure" OR psychoanaly\* OR (psychiatr\* W1 (program\* OR intervention\* OR therap\* OR treatment\*)) OR psycho-analy\* OR psychoeducat\* OR psycho-educat\* OR ((psychodrama OR psycho-drama\* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) N3 (intervention\* OR program\* OR rehab\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR psychotherap\* OR "psycho therap\*" OR "reconsolidation of traumatic memories" OR (relational N3 (intervention\* OR therap\* OR treatment\*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) N3 (guided OR instruct\* OR intervention\* OR program\* OR strateg\* OR supervised OR therap\* OR treatment\*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) N3 (administered OR guided OR instruct\* OR intervention\* OR program\* OR strateg\* OR supervised OR therap\* OR tool\* OR treatment\*)) OR self-management OR ("sex\* abuse" N2 (intervention\* OR therap\* OR treatment\*)) OR (short-term W2 (intervention\* OR therap\* OR treatment\*)) OR "skill\* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support N3 (community OR family OR group\* OR psychosocial OR psycho-social OR social)) OR (supportive N3 (intervention\* OR service\* OR talk\*)) OR "therapeutic alliance\*" OR "therapeutic community\*" OR "therapeutic relationship\*" OR "third wave" OR "thought field therapy" OR ("trauma focused" OR "trauma informed") N3 (care OR intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "trauma processing" OR "validation therapy" OR (written N3 (disclosure OR exposure)) OR yoga ) OR AB ( ((abreaction OR desensitization OR implosive) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "acceptance



and commitment therapy" OR ((animal\* OR art OR color OR creative\* OR dance OR dancing OR drama OR equine OR experiential OR music OR play\* OR sensory OR singing) N3 (intervention\* OR program\* OR therap\* OR treatment\*)) OR "assertive community treatment\*" OR (attention N3 modification) OR "attention training" OR ((behavior\* OR cognitive) N3 (activation\* OR approach\* OR component# OR contracting OR defusion OR guidance OR intervention\* OR management OR modification\* OR program\* OR rehab\* OR restructur\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR "bereavement therap\*" OR ((biofeedback OR feedback OR imagery) N3 (intervention\* OR program\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR ((brief OR time-limited) N3 (intervention\* OR therap\* OR treatment\*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus\* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "cognitive behavior\*" OR ((combination OR "compass\* focus\*" OR integrated OR integrative) N3 (intervention\* OR therap\* OR treatment\*)) OR "combined modality therapy" OR ((coping OR resilience) N3 (intervention\* OR therap\* OR treatment\*)) OR counselling OR counseling OR ((couple\* OR family OR group) N3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR (crisis W1 (care OR intervention\* OR therap\* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavior\*" OR "early intervention\*" OR "emotional freedom technique\*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR ((exposure OR "exposure based") W2 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "eye movement desensitization" OR EMDR OR "expressive writing" OR "grad\* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery N3 (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) N3 (intervention\* OR therap\* OR treatment\*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal\* OR multi-modal\* OR multimodular OR multi-modular OR phase-based) N3 (approach\* OR program\* OR intervention\* OR therap\* OR treatment\*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic\*) N3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR (narrative W3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR (network W1 (intervention OR therap\* OR treatment\*)) OR neurofeedback OR neuro-feedback OR ((non-direct\* OR nondirect\* OR "solution focus\*") N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR ("problem oriented" N3 (approach\* OR intervention\* OR therap\* OR treatment\*)) OR "prolonged exposure" OR psychoanaly\* OR (psychiatr\* W1 (program\* OR intervention\* OR therap\* OR treatment\*)) OR psycho-analy\* OR psychoeducat\* OR psycho-educat\* OR ((psychodrama OR psycho-drama\* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) N3 (intervention\* OR program\* OR rehab\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR psychotherap\* OR "psycho therap\*" OR "reconsolidation of traumatic memories" OR (relational N3 (intervention\* OR therap\* OR treatment\*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) N3 (guided OR instruct\* OR intervention\* OR program\* OR strateg\* OR supervised OR therap\* OR treatment\*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) N3 (administered OR guided OR instruct\* OR intervention\* OR program\* OR strateg\* OR supervised OR therap\* OR tool\* OR treatment\*)) OR self-management OR ("sex\* abuse" N2 (intervention\* OR therap\* OR treatment\*)) OR (short-term W2 (intervention\* OR therap\* OR treatment\*)) OR "skill\* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support N3 (community OR family OR group\* OR psychosocial OR psycho-social OR social)) OR (supportive N3 (intervention\* OR service\* OR talk\*)) OR "therapeutic allianc\*" OR "therapeutic communit\*" OR "therapeutic relationship\*" OR "third wave" OR "thought field therapy" OR (("trauma focused" OR "trauma informed") N3 (care OR intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "trauma processing" OR "validation therapy" OR (written N3 (disclosure OR exposure)) OR yoga ) OR KW ( (abreaction OR desensitization OR implosive) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "acceptance and commitment therapy" OR ((animal\* OR art OR color OR creative\* OR dance OR dancing OR drama OR equine OR



experiential OR music OR play\* OR sensory OR singing) N3 (intervention\* OR program\* OR therap\* OR treatment\*) OR "assertive community treatment\*" OR (attention N3 modification) OR "attention training" OR ((behavio\* OR cognitive) N3 (activat\* OR approach\* OR component# OR contracting OR defusion OR guidance OR intervention\* OR management OR modif\* OR program\* OR rehab\* OR restructur\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR "bereavement therap\*" OR ((biofeedback OR feedback OR imagery) N3 (intervention\* OR program\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR ((brief OR time-limited) N3 (intervention\* OR therap\* OR treatment\*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus\* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "cognitive behavio\*" OR ((combination OR "compass\* focus\*" OR integrated OR integrative) N3 (intervention\* OR therap\* OR treatment\*)) OR "combined modality therapy" OR ((coping OR resilience) N3 (intervention\* OR therap\* OR treatment\*)) OR coun?eling OR coun?elling OR ((couple\* OR family OR group) N3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR (crisis W1 (care OR intervention\* OR therap\* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavio\*" OR "early intervention\*" OR "emotional freedom technique\*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR ((exposure OR "exposure based") W2 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "eye movement desensiti#ation" OR EMDR OR "expressive writing" OR "grad\* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery N3 (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) N3 (intervention\* OR therap\* OR treatment\*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal\* OR multi-modal\* OR multimodular OR multi-modular OR phase-based) N3 (approach\* OR program\* OR intervention\* OR therap\* OR treatment\*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic\*) N3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR (narrative W3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR (network W1 (intervention OR therap\* OR treatment\*)) OR neurofeedback OR neuro-feedback OR ((non-direct\* OR nondirect\* OR "solution focus\*") N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR ("problem oriented" N3 (approach\* OR intervention\* OR therap\* OR treatment\*)) OR "prolonged exposure" OR psychoanaly\* OR (psychiatr\* W1 (program\* OR intervention\* OR therap\* OR treatment\*)) OR psycho-analy\* OR psychoeducat\* OR psycho-educat\* OR ((psychodrama OR psycho-drama\* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) N3 (intervention\* OR program\* OR rehab\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR psychotherap\* OR "psycho therap\*" OR "reconsolidation of traumatic memories" OR (relational N3 (intervention\* OR therap\* OR treatment\*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) N3 (guided OR instruct\* OR intervention\* OR program\* OR strateg\* OR supervised OR therap\* OR treatment\*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) N3 (administered OR guided OR instruct\* OR intervention\* OR program\* OR strateg\* OR supervised OR therap\* OR tool\* OR treatment\*)) OR self-management OR ("sex\* abuse" N2 (intervention\* OR therap\* OR treatment\*)) OR (short-term W2 (intervention\* OR therap\* OR treatment\*)) OR "skill\* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support N3 (community OR family OR group\* OR psychosocial OR psycho-social OR social)) OR (supportive N3 (intervention\* OR service\* OR talk\*)) OR "therapeutic allianc\*" OR "therapeutic communit\*" OR "therapeutic relationship\*" OR "third wave" OR "thought field therapy" OR (("trauma focused" OR "trauma informed") N3 (care OR intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "trauma processing" OR "validation therapy" OR (written N3 (disclosure OR exposure)) OR yoga )

- 
- |     |  |       |
|-----|--|-------|
| 40. | TI ( cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR ecounselling OR e-health OR ehealth | 8,334 |
|-----|--|-------|
-

	OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR ethody OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat* ) OR AB ( cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counseling OR ecounseling OR e-counseling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR ethody OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat* ) OR KW ( cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counseling OR ecounseling OR e-counseling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR ethody OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat* )	
41.	(DE "Home Visiting Programs" AND (DE "Social Casework" OR DE "Social Group Work" OR DE "Child Welfare" OR DE "Child Guidance" OR DE "Child Abuse Reporting" OR DE "Social Services" OR DE "Community Services" OR DE "Outreach Programs" OR DE "Protective Services" OR DE "Support Groups" OR DE "Social Workers" OR DE "Psychiatric Social Workers" OR TI social*))	342
42.	TI (((visit* OR home OR house OR child* OR health*) N3 (visit* OR call* OR intervention*)) OR AB ((visit* OR home OR house OR child* OR health*) N3 (visit* OR call* OR intervention*))) AND (TI ("social care" OR (social W1 work*) OR (social W1 service*) OR "child protective" OR "family support" OR (family W1 counsel*) OR "child welfare" OR (community W1 service*)) OR AB ("social care" OR (social W1 work*) OR (social W1 service*) OR "child protective" OR "family support" OR (family W1 counsel*) OR "child welfare" OR (community W1 service*)))	3,731
43.	TI ( "active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) N5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated N3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt" ) OR AB ( "active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) N5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated N3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt" ) OR KW ( "active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) N5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated N3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt" )	14,833

44.	TI ( "Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren" ) OR AB ( "Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren" ) OR KW ( "Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren" )	1,429
45.	TI ( ((sex* N2 education) OR (sexologic* N3 (intervention* OR rehab* OR technique* OR therap* OR treatment*))) ) OR AB ( ((sex* N2 education) OR (sexologic* N3 (intervention* OR rehab* OR technique* OR therap* OR treatment*))) ) OR KW ( ((sex* N2 education) OR (sexologic* N3 (intervention* OR rehab* OR technique* OR therap* OR treatment*))) )	13,652
46.	S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35 OR S36 OR S37 OR S38 OR S39 OR S40 OR S41 OR S42 OR S43 OR S44 OR S45	1,091,298
<b>Combined sets</b>		
47.	S14 AND S21 AND S46	1,258
48.	PT "Book" OR PT "Dissertation Abstract"	1,084,269
49.	S47 NOT S48	865
<b>Final result</b>		
50.	S47 NOT S48	800
<b>Limiters - Language: Danish, English, Norwegian, Swedish</b>		

The final search result, usually found at the end of the documentation, forms the list of abstracts.

**AB** = Abstract; **AU** = Author; **DE** = Term from the thesaurus; **KW** (Available in Academic Search Premiere / SocINDEX / PsycInfo) = Author keyword; **MH** = Exact Subject Heading from CINAHL Subject Headings; **MM** = Major Concept; **SU** = Searches for a part of or an entire subject heading; **TI** = Title; **TX** = All Text. Performs a keyword search of all the database's searchable fields; **ZC** = Methodology Index; \* = Truncation; " " = Citation Marks; searches for an exact phrase; # = replaces one or no letters; ? = replaces one letter; **N** = Near Operator (N) finds the words if they are a maximum of x words apart from one another, regardless of the order in which they appear.; **W** = Within Operator (W) finds the words if they are within x words of one another, in the order in which you entered them

## PTSDpubs via Proquest 2 June 2023

## Title: Sexual violence and intellectual disabilities

Search terms	Items found
<b>Population: Sexual violence</b>	
1. (MAINSUBJECT.EXACT("Military Sexual Trauma") OR MAINSUBJECT.EXACT.EXPLODE("Rape") OR MAINSUBJECT.EXACT("Sexual Harassment")) OR (TIAB(rape OR raped OR rapes OR raping OR "sex abuse" OR "sexual abuse" OR "sexually abused" OR "sex assault" OR "sexual assault" OR "sexually assaulted" OR "sexual coercion" OR "sexually coerced" OR "sex exploitation" OR "sexual exploitation" OR "sexually exploited" OR "sexual harassment" OR "sexually harassed" OR "sex molestation" OR "sexual molestation" OR "sexually molested" OR "sex trauma" OR "sexual trauma" OR "sex violence" OR "sexual violence")) OR (MAINSUBJECT.EXACT("Dating Violence") OR MAINSUBJECT.EXACT("Family Violence") OR MAINSUBJECT.EXACT("Partner Abuse")) OR (TIAB(dishonor OR dishonour OR "domestic abuse" OR "domestic violence" OR "family violence" OR honor OR honour OR "marital violence" OR "partner abuse" OR "partner violence" OR "spouse abuse" OR "spousal abuse")) OR (MAINSUBJECT.EXACT("Human Trafficking") OR MAINSUBJECT.EXACT("Prostitution") OR MAINSUBJECT.EXACT("Sex Workers")) OR (TIAB("human trafficking" OR prostitution OR prostitutes OR "sex trafficking" OR "sex work" OR "sex workers")) OR (MAINSUBJECT.EXACT("Incest")) OR (TIAB("child marriage" OR "child porn" OR "child pornography" OR "forced marriage" OR grooming OR incest OR paedophilia OR paedophile OR paedophiles OR pedophilia OR pedophile OR pedophiles)) OR (MAINSUBJECT.EXACT("Genital Mutilation")) OR (TIAB(clitoridectomy OR clitoridectomies OR clitorrectomy OR clitorrectomies OR defibulation OR defibulation OR deinfibulation OR deinfibulation OR de-infibulation OR de-infibulated OR "female circumcision" OR "genital mutilation" OR infibulation OR infibulated OR re-circumcision OR reinfibulation OR reinfibulated OR re-infibulation OR re-infibulated OR "pharaonic circumcision" OR "pharaonic circumcisions" OR sunna))	12,404
<b>Population: Intellectual disability</b>	
2. (MAINSUBJECT.EXACT("Cognitive Impairment") OR MAINSUBJECT.EXACT("Mentally Retarded")) OR (TI(((intellect* OR learning) AND (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) OR (cognit* AND (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) OR (development* AND (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) OR (mental* AND (deficien* OR deficit* OR disab* OR handicap* OR impair* OR retard*)) OR "borderline intellectual functioning" OR ((borderline OR low OR subnormal* OR sub-normal*) AND (intelligence OR IQ))))	1,544
<b>Intervention: Psychological and psychosocial treatments</b>	
3. (MAINSUBJECT.EXACT("Animal Assisted Therapy") OR MAINSUBJECT.EXACT.EXPLODE("Behavior Modification") OR MAINSUBJECT.EXACT("Case Management") OR MAINSUBJECT.EXACT("Coping Behavior") OR MAINSUBJECT.EXACT.EXPLODE("Creative Arts Therapy") OR MAINSUBJECT.EXACT.EXPLODE("Meditation") OR MAINSUBJECT.EXACT("Program Evaluation") OR MAINSUBJECT.EXACT("Psychosocial Rehabilitation") OR MAINSUBJECT.EXACT.EXPLODE("Psychotherapy") OR MAINSUBJECT.EXACT("Self Help Techniques") OR MAINSUBJECT.EXACT("Social Casework") OR MAINSUBJECT.EXACT("Social Support Networks") OR MAINSUBJECT.EXACT("Support Groups")) OR (TIAB(therap* OR program* OR intervention* OR treatment* OR train* OR "attention modification" OR "attention training" OR ((behavio* OR cognitive) NEAR/3 (activat* OR approach* OR component* OR contracting OR defusion OR guidance OR management OR modif* OR rehab* OR restructur* OR technique*)) OR "case management" OR CBT OR "cognitive behavior*" OR "combined modality therapy" OR counseling OR counselling OR counceling OR counselling OR "crisis care" OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavior*" OR "emotional freedom technique*" OR "eye movement desensitization" OR "eye movement desensitisation" OR EMDR OR "expressive writing" OR "grad* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery AND (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR meditation OR mindfulness OR "minimal therapist	38,104

support" OR "motivational interviewing" OR neurofeedback OR neuro-feedback OR "prolonged exposure" OR psychoanaly\* OR psycho-analy\* OR psychoeducat\* OR psycho-educat\* OR psychodrama OR psycho-drama\* OR psychodynamic OR "psycho dynamic" OR psychosocial OR psycho-social psychotherap\* OR "psycho therap\*" OR "reconsolidation of traumatic memories" OR relaxation OR "role play" OR self-care OR selfcare OR self-change OR self-help OR selfhelp OR self-management OR "social acknowledgement" OR "somatic experiencing" OR "community support" OR "family support" OR "group support" OR "social support" OR "supportive service\*" OR "supportive talk\*" OR "therapeutic allianc\*" OR "therapeutic communit\*" OR "therapeutic relationship\*" OR "third wave" OR "trauma focused care" OR "trauma informed care" OR "trauma processing" OR "written disclosure" OR "written exposure" OR yoga) OR (TIAB(cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR ecounselling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health\*" OR "e-mental health\*" OR e-portal OR eportal OR epsych\* OR e-psych\* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat\*)) OR (TIAB(((visit\* OR home OR house OR child OR health\*) NEAR/4 (visit\* OR call\* OR program\* OR skill\* OR educat\* OR train\* OR promotion\*)) AND ("social care\*" OR "social work\*" OR "social service\*" OR "child protectiv\*" OR "family support\*" OR "family counsel\*" OR "child welfare\*" OR "community service\*"))) OR (TIAB("active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond\*) NEAR/5 (intervention\* OR therap\* OR treatment\*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club\*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated NEAR/3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship\*" OR PCIT OR safecare\* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt")) OR (TIAB("Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren")) OR (TIAB("sex education" OR "sexual education" OR sexologic\*))

<b>Combined sets</b>		
4.	1 AND 2 AND 3	109
5.	1 AND 2 AND 3	81
	NOT (Books AND Dissertations & Theses)	
6.	1 AND 2 AND 3	76
	NOT (Books AND Dissertations & Theses)	
	Limit to: Peer reviewed	
<b>Final result</b>		
7.	1 AND 2 AND 3	74
	NOT (Books AND Dissertations & Theses)	
	Limit to: Peer reviewed	
	Limits applied: English, Norwegian <sup>2</sup>	

The final search result, usually found at the end of the documentation, forms the list of abstracts.

<sup>2</sup> No articles were available in Danish or Swedish

**AB** = Abstract; **AF** = Author affiliation; **All** = Performs a keyword search in most of the database's searchable fields, except full text; **AU** = Author; **MAINSUBJECT.EXACT** = Term from the thesaurus, does not include terms found below this term in the hierarchy; **MAINSUBJECT.EXACT.EXPLODE** = Term from the thesaurus, including terms found below this term in the hierarchy; **SU** = Subjects; **TI** = Title; ; **NEAR/n or N/n** = Requests terms that are within 'n' words of each other in either direction; **PRE/n or P/n** = Requests terms that are within 'n' words of each other in the order specified; \* = Truncation; " " = Citation Marks; searches for an exact phrase; ? = Wildcard, used to replace any single character either inside or at the right end of a word



Scopus via Elsevier 2 June 2023

Title: Sexual violence and intellectual disabilities

Search terms	Items found
<b>Population: Sexual violence</b>	
1. TITLE-ABS((intercourse W/3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* W/3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex W/3 (in-appropriate OR inappropriate)) OR (sex* W/3 (victim* OR revictim* OR re-victim* OR survivor*)) OR (dating W/3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) W/3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship W/3 (aggression OR violence)) OR (spous* W/3 abuse) OR brothel* OR "human traffick*" OR prostitut* OR (sex* W/3 traffick*) OR "sex work*" OR ((adolescen* OR child* OR early OR forced) W/5 (marriage* OR married)) OR "child bride" OR "child porn*" OR grooming OR incest* OR paedophil* OR pedophil* OR clitoridectom* OR clitorectom* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR woman OR women OR girl*) W/3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* W/3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal* W/6 genital*) OR "pharaonic circumcison*" OR sunna)	262,350
2. AUTHKEY((intercourse W/3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* W/3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex W/3 (in-appropriate OR inappropriate)) OR (sex* W/3 (victim* OR revictim* OR re-victim* OR survivor*)) OR (dating W/3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) W/3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship W/3 (aggression OR violence)) OR (spous* W/3 abuse) OR brothel* OR "human traffick*" OR prostitut* OR (sex* W/3 traffick*) OR "sex work*" OR ((adolescen* OR child* OR early OR forced) W/5 (marriage* OR married)) OR "child bride" OR "child porn*" OR grooming OR incest* OR paedophil* OR pedophil* OR clitoridectom* OR clitorectom* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR woman OR women OR girl*) W/3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* W/3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal* W/6 genital*) OR "pharaonic circumcison*" OR sunna)	68,215
3. 1 OR 2	269,535
<b>Population: Intellectual disability</b>	
4. TITLE-ABS(((intellect* OR learning) W/3 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) OR (cognit* W/2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) OR (development* W/2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) OR (mental* W/2 (deficien* OR deficit* OR disab* OR handicap* OR impair* OR retard*)) OR ("borderline intellectual functioning" OR ((borderline OR low OR subnormal* OR sub-normal*) W/3 (intelligence OR IQ))))	467,568
5. AUTHKEY(((intellect* OR learning) W/3 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) OR (cognit* W/2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) OR (development* W/2 (deficien* OR deficit*	82,157

	OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*) OR (mental* W/2 (deficien* OR deficit* OR disab* OR handicap* OR impair* OR retard*)) OR ("borderline intellectual functioning" OR ((borderline OR low OR subnormal* OR sub-normal*) W/3 (intelligence OR IQ))))	
6.	4 OR 5	480,625
<b>Intervention: Psychological and psychosocial treatments</b>		
7.	TITLE-ABS(((abreaction OR desensitization OR implosive) W/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "acceptance and commitment therapy" OR ((animal* OR art OR color OR colour OR creative* OR dance OR dancing OR drama OR equine OR experiential OR music OR play* OR sensory OR singing) W/3 (intervention* OR program* OR therap* OR treatment*)) OR "assertive community treatment*" OR (attention W/3 modification) OR "attention training" OR ((behavio* OR cognitive) W/3 (activat* OR approach* OR component* OR contracting OR defusion OR guidance OR intervention* OR management OR modif* OR program* OR rehab* OR restructur* OR technique* OR therap* OR train* OR treatment*)) OR "bereavement therap*" OR ((biofeedback OR feedback OR imagery) W/3 (intervention* OR program* OR technique* OR therap* OR train* OR treatment*)) OR ((brief OR time-limited) W/3 (intervention* OR therap* OR treatment*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) W/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "cognitive behavio*" OR ((combination OR "compass* focus*" OR integrated OR integrative) W/3 (intervention* OR therap* OR treatment*)) OR "combined modality therapy" OR ((coping OR resilience) W/3 (intervention* OR therap* OR treatment*)) OR coun?eling OR coun?elling OR ((couple* OR family OR group) W/3 (program* OR intervention* OR therap* OR treatment*)) OR (crisis PRE/1 (care OR intervention* OR therap* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavio*" OR "early intervention*" OR "emotional freedom technique*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) W/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ((exposure OR "exposure based") PRE/2 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "eye movement desensiti?ation" OR EMDR OR "expressive writing" OR "grad* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery W/3 (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) W/3 (intervention* OR therap* OR treatment*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal* OR multi-modal* OR multimodular OR multi-modular OR phase-based) W/3 (approach* OR program* OR intervention* OR therap* OR treatment*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic*) W/3 (program* OR intervention* OR therap* OR treatment*)) OR (narrative PRE/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR (network PRE/1 (intervention OR therap* OR treatment*)) OR neurofeedback OR neuro-feedback OR ((non-direct* OR nondirect* OR "solution focus*") W/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR ("problem oriented" W/3 (approach* OR intervention* OR therap* OR treatment*)) OR "prolonged exposure" OR psychoanaly* OR (psychiatr* PRE/1 (program* OR intervention* OR therap* OR treatment*)) OR psycho-analy* OR psychoeducat* OR psycho-educat* OR ((psychodrama OR psycho-drama* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) W/3 (intervention* OR program* OR rehab* OR technique* OR therap* OR train* OR treatment*)) OR psychotherap* OR "psycho therap*" OR "reconsolidation of traumatic memories" OR (relational W/3 (intervention* OR therap* OR treatment*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) W/3 (guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR treatment*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) W/3 (administered OR guided OR instruct* OR intervention* OR program* OR strateg* OR supervised OR therap* OR tool* OR treatment*)) OR self-management OR ("sex* abuse" W/2 (intervention* OR therap* OR treatment*)) OR (short-term PRE/2 (intervention* OR therap* OR treatment*)) OR "skill*	2,760,346

training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support W/3 (community OR family OR group\* OR psychosocial OR psycho-social OR social)) OR (supportive W/3 (intervention\* OR service\* OR talk\*)) OR "therapeutic allianc\*" OR "therapeutic communit\*" OR "therapeutic relationship\*" OR "third wave" OR "thought field therapy" OR (("trauma focused" OR "trauma informed") W/3 (care OR intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "trauma processing" OR "validation therapy" OR (written W/3 (disclosure OR exposure)) OR yoga OR cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR e-health OR ehealth OR ehealth OR emedicine OR e-medicine OR "emental health\*" OR "e-mental health\*" OR e-portal OR eportal OR epsych\* OR e-psych\* OR e-therapy OR ethody OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat\* OR (((visit\* OR home OR house OR child OR health\*) W/4 (visit\* OR call\* OR program\* OR skill\* OR educat\* OR train\* OR promotion\*)) AND ("social care\*" OR "social work\*" OR "social service\*" OR "child protectiv\*" OR "family support\*" OR "family counsel\*" OR "child welfare\*" OR "community service\*")) OR "active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond\*) W/5 (intervention\* OR therap\* OR treatment\*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club\*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated NEAR/3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship\*" OR PCIT OR safecare\* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt" OR "Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren" OR ((sex\* W/2 education) OR (sexologic\* W/3 (intervention\* OR rehab\* OR technique\* OR therap\* OR treatment\*)))

- 
- |    |   |         |
|----|---|---------|
| 8. | <p>AUTHKEY(((abreaction OR desensitization OR implosive) W/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "acceptance and commitment therapy" OR ((animal* OR art OR color OR colour OR creative* OR dance OR dancing OR drama OR equine OR experiential OR music OR play* OR sensory OR singing) W/3 (intervention* OR program* OR therap* OR treatment*)) OR "assertive community treatment*" OR (attention W/3 modification) OR "attention training" OR ((behavio* OR cognitive) W/3 (activat* OR approach* OR component* OR contracting OR defusion OR guidance OR intervention* OR management OR modif* OR program* OR rehab* OR restructur* OR technique* OR therap* OR train* OR treatment*)) OR "bereavement therap*" OR ((biofeedback OR feedback OR imagery) W/3 (intervention* OR program* OR technique* OR therap* OR train* OR treatment*)) OR ((brief OR time-limited) W/3 (intervention* OR therap* OR treatment*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) W/3 (intervention* OR program* OR technique* OR therap* OR treatment*)) OR "cognitive behavio*" OR ((combination OR "compass* focus*" OR integrated OR integrative) W/3 (intervention* OR therap* OR treatment*)) OR "combined modality therapy" OR ((coping OR resilience) W/3 (intervention* OR therap* OR treatment*)) OR coun?eling OR coun?elling OR ((couple* OR family OR group) W/3 (program* OR intervention* OR therap* OR treatment*)) OR (crisis PRE/1 (care OR intervention* OR therap* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavio*" OR "early intervention*" OR "emotional freedom technique*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-</p> | 344,100 |
|----|---|---------|
-

environmental) W/3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*) OR ((exposure OR "exposure based") PRE/2 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "eye movement desensiti?ation" OR EMDR OR "expressive writing" OR "grad\* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery W/3 (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) W/3 (intervention\* OR therap\* OR treatment\*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal\* OR multi-modal\* OR multimodular OR multi-modular OR phase-based) W/3 (approach\* OR program\* OR intervention\* OR therap\* OR treatment\*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic\*) W/3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR (narrative PRE/3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR (network PRE/1 (intervention OR therap\* OR treatment\*)) OR neurofeedback OR neuro-feedback OR ((non-direct\* OR nondirect\* OR "solution focus\*") W/3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR ("problem oriented" W/3 (approach\* OR intervention\* OR therap\* OR treatment\*)) OR "prolonged exposure" OR psychoanaly\* OR (psychiatr\* PRE/1 (program\* OR intervention\* OR therap\* OR treatment\*)) OR psycho-analy\* OR psychoeducat\* OR psycho-educat\* OR ((psychodrama OR psycho-drama\* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) W/3 (intervention\* OR program\* OR rehab\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR psychotherap\* OR "psycho therap\*" OR "reconsolidation of traumatic memories" OR (relational W/3 (intervention\* OR therap\* OR treatment\*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) W/3 (guided OR instruct\* OR intervention\* OR program\* OR strateg\* OR supervised OR therap\* OR treatment\*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) W/3 (administered OR guided OR instruct\* OR intervention\* OR program\* OR strateg\* OR supervised OR therap\* OR tool\* OR treatment\*)) OR self-management OR ("sex\* abuse" W/2 (intervention\* OR therap\* OR treatment\*)) OR (short-term PRE/2 (intervention\* OR therap\* OR treatment\*)) OR "skill\* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support W/3 (community OR family OR group\* OR psychosocial OR psycho-social OR social)) OR (supportive W/3 (intervention\* OR service\* OR talk\*)) OR "therapeutic allianc\*" OR "therapeutic communit\*" OR "therapeutic relationship\*" OR "third wave" OR "thought field therapy" OR (("trauma focused" OR "trauma informed") W/3 (care OR intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "trauma processing" OR "validation therapy" OR (written W/3 (disclosure OR exposure)) OR yoga OR cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR ecounselling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health\*" OR "e-mental health\*" OR e-portal OR eportal OR epsych\* OR e-psych\* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat\* OR (((visit\* OR home OR house OR child OR health\*) W/4 (visit\* OR call\* OR program\* OR skill\* OR educat\* OR train\* OR promotion\*)) AND ("social care\*" OR "social work\*" OR "social service\*" OR "child protectiv\*" OR "family support\*" OR "family counsel\*" OR "child welfare\*" OR "community service\*")) OR "active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond\*) W/5 (intervention\* OR therap\* OR treatment\*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club\*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated NEAR/3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship\*" OR PCIT OR safecare\* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt" OR "Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for

Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren" OR ((sex* W/2 education) OR (sexologic* W/3 (intervention* OR rehab* OR technique* OR therap* OR treatment*))))		
9.	7 OR 8	2,827,271
<b>Combined sets</b>		
10.	3 AND 6 AND 9	961
11.	3 AND 6 AND 9	870
( EXCLUDE ( DOCTYPE , "ch" ) OR EXCLUDE ( DOCTYPE , "bk" ) )		
<b>Final result</b>		
12.	3 AND 6 AND 9	779
( EXCLUDE ( DOCTYPE , "ch" ) OR EXCLUDE ( DOCTYPE , "bk" ) ) ( LIMIT-TO ( LANGUAGE,"English" ) OR LIMIT-TO ( LANGUAGE,"Swedish" ) OR LIMIT-TO ( LANGUAGE,"Danish" ) OR LIMIT-TO ( LANGUAGE,"Norwegian" ) )		

The final search result, usually found at the end of the documentation, forms the list of abstracts.

**TITLE-ABS-KEY** = Title or abstract or keywords; **ALL** = All fields; **PRE/n** = "precedes by". The first term in the search must precede the second by a specified number of terms (n).; **W/n** = "Within". The terms in the search must be within a specified number of terms (n) in any order.; \* = Truncation; " " = Citation Marks; searches for a phrase; ? = replaces one letter; **LIMIT-TO (SRCTYPE, "j"** = Limit to source type journal; **LIMIT-TO (DOCTYPE, "ar"** = Limit to document type article; **LIMIT-TO (DOCTYPE, "re"** = Limit to document type review

## Social Services Abstracts/Sociological Abstracts via Proquest 7 June 2023

## Title: Sexual violence and intellectual disabilities

Search terms	Items found
<b>Population: Sexual violence</b>	
<p>1. (MAINSUBJECT.EXACT("Sexual Abuse") OR MAINSUBJECT.EXACT.EXPLODE("Sexual Assault") OR MAINSUBJECT.EXACT("Sexual Harassment")) OR (TIAB(rape OR raped OR rapes OR raping OR "sex abuse" OR "sexual abuse" OR "sexually abused" OR "sex assault" OR "sexual assault" OR "sexually assaulted" OR "sexual coercion" OR "sexually coerced" OR "sex exploitation" OR "sexual exploitation" OR "sexually exploited" OR "sexual harassment" OR "sexually harassed" OR "sex molestation" OR "sexual molestation" OR "sexually molested" OR "sex trauma" OR "sexual trauma" OR "sex violence" OR "sexual violence")) OR (MAINSUBJECT.EXACT("Family Violence") OR MAINSUBJECT.EXACT("Partner Abuse") OR MAINSUBJECT.EXACT("Spouse Abuse")) OR (TIAB(dishonor OR dishonour OR "domestic abuse" OR "domestic violence" OR "family violence" OR honor OR honour OR "marital violence" OR "partner abuse" OR "partner violence" OR "spouse abuse" OR "spousal abuse")) OR (MAINSUBJECT.EXACT("Prostitution")) OR (TIAB("human trafficking" OR prostitution OR prostitutes OR "sex trafficking" OR "sex work" OR "sex workers")) OR (MAINSUBJECT.EXACT("Child Sexual Abuse") OR MAINSUBJECT.EXACT("Incest")) OR (TIAB("child marriage" OR "child porn" OR "child pornography" OR "forced marriage" OR grooming OR incest OR paedophilia OR paedophile OR paedophiles OR pedophilia OR pedophile OR pedophiles)) OR (MAINSUBJECT.EXACT("Genital Mutilation")) OR (TIAB(clitoridectomy OR clitoridectomies OR clitorectomy OR clitorectomies OR defibulation OR defibulated OR deinfibulation OR deinfibulated OR de-infibulation OR de-infibulated OR "female circumcision" OR "genital mutilation" OR infibulation OR infibulated OR re-circumcision OR reinfibulation OR reinfibulated OR re-infibulation OR re-infibulated OR "pharaonic circumcision" OR "pharaonic circumcisions" OR sunna))</p>	81,196
<b>Population: Intellectual disability</b>	
<p>2. (MAINSUBJECT.EXACT("Developmental Disabilities") OR MAINSUBJECT.EXACT("Downs Syndrome") OR MAINSUBJECT.EXACT("Learning Disabilities") OR MAINSUBJECT.EXACT("Mentally Retarded")) OR (TI(((intellect* OR learning) AND (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) OR (cognit* AND (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) OR (development* AND (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) OR (mental* AND (deficien* OR deficit* OR disab* OR handicap* OR impair* OR retard*)) OR "borderline intellectual functioning" OR ((borderline OR low OR subnormal* OR sub-normal*) AND (intelligence OR IQ))))</p>	7,405
<b>Intervention: Psychological and psychosocial treatments</b>	
<p>3. (MAINSUBJECT.EXACT("Behavior Modification") OR MAINSUBJECT.EXACT("Case Management") OR MAINSUBJECT.EXACT("Coping") OR MAINSUBJECT.EXACT("Counseling") OR MAINSUBJECT.EXACT("Family Therapy") OR MAINSUBJECT.EXACT("Group Therapy") OR MAINSUBJECT.EXACT("Health Education") OR MAINSUBJECT.EXACT("Hypnosis") OR MAINSUBJECT.EXACT("Program Evaluation") OR MAINSUBJECT.EXACT("Psychoanalysis") OR MAINSUBJECT.EXACT("Psychotherapy") OR MAINSUBJECT.EXACT("Self Help") OR MAINSUBJECT.EXACT("Self Help Groups") OR MAINSUBJECT.EXACT("Sex Education") OR MAINSUBJECT.EXACT("Social Support") OR MAINSUBJECT.EXACT("Sociotherapy") OR MAINSUBJECT.EXACT("Transcendental Meditation") OR MAINSUBJECT.EXACT("Yoga")) OR (TI(therap* OR program* OR intervention* OR treatment* OR train* OR "attention modification" OR "attention training" OR ((behavio* OR cognitive) NEAR/3 (activat* OR approach* OR component* OR contracting OR defusion OR guidance OR management OR modif* OR rehab* OR restructur* OR technique*)) OR "case management" OR CBT OR "cognitive behavio*" OR "combined modality therapy" OR counseling OR counselling OR counseling OR counselling OR "crisis care" OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavio*" OR "emotional freedom technique*" OR "eye movement desensitization" OR "eye movement desensitisation" OR EMDR OR "expressive writing" OR "grad* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery AND (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR meditation</p>	191,748



OR mindfulness OR "minimal therapist support" OR "motivational interviewing" OR neurofeedback OR neuro-feedback OR "prolonged exposure" OR psychoanaly\* OR psycho-analy\* OR psychoeducat\* OR psycho-educat\* OR psychodrama OR psycho-drama\* OR psychodynamic OR "psycho dynamic" OR psychosocial OR psycho-social psychotherap\* OR "psycho therap\*" OR "reconsolidation of traumatic memories" OR relaxation OR "role play" OR self-care OR selfcare OR self-change OR self-help OR selfhelp OR self-management OR "social acknowledgement" OR "somatic experiencing" OR "community support" OR "family support" OR "group support" OR "social support" OR "supportive service\*" OR "supportive talk\*" OR "therapeutic allianc\*" OR "therapeutic communit\*" OR "therapeutic relationship\*" OR "third wave" OR "trauma focused care" OR "trauma informed care" OR "trauma processing" OR "written disclosure" OR "written exposure" OR yoga) OR (TI(ccBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR ecounselling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health\*" OR "e-mental health\*" OR e-portal OR eportal OR epsych\* OR e-psych\* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat\*)) OR (TI(((visit\* OR home OR house OR child OR health\*) NEAR/4 (visit\* OR call\* OR program\* OR skill\* OR educat\* OR train\* OR promotion\*)) AND ("social care\*" OR "social work\*" OR "social service\*" OR "child protectiv\*" OR "family support\*" OR "family counsel\*" OR "child welfare\*" OR "community service\*"))) OR (TIAB("active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond\*) NEAR/5 (intervention\* OR therap\* OR treatment\*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club\*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated NEAR/3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship\*" OR PCIT OR safecare\* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt")) OR (TIAB("Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren")) OR (TIAB("sex education" OR "sexual education" OR sexologic\*))

---

**Combined sets**

4.	1 AND 2 AND 3	56
5.	1 AND 2 AND 3	52

Limit to: Peer-reviewed

---

**Final result**

6.	1 AND 2 AND 3	47
----	---------------	----

Limit to: Peer-reviewed

Limits applied: English, Norwegian, Swedish, Danish

---

The final search result, usually found at the end of the documentation, forms the list of abstracts.

**AB** = Abstract; **AF** = Author affiliation; **All** = Performs a keyword search in most of the database's searchable fields, except full text; **AU** = Author; **MAINSUBJECT.EXACT** = Term from the thesaurus, does not include terms found below this term in the hierarchy; **MAINSUBJECT.EXACT.EXPLODE** = Term from the thesaurus, including terms found below this term in the hierarchy; **SU** = Subjects; **TI** = Title; ; **NEAR/n** or **N/n** = Requests terms that are within 'n' words of each other in either direction; **PRE/n** or **P/n** = Requests terms that are within 'n' words of each other in the order specified; \* = Truncation; " " = Citation Marks; searches for an exact phrase; ? = Wildcard, used to replace any single character either inside or at the right end of a word



## SocINDEX via EBSCO 7 June 2023

## Title: Sexual violence and intellectual disabilities

Search terms	Items found
<b>Population: Sexual violence</b>	
1. DE "RAPE" OR DE "MALE rape" OR DE "RAPE in marriage" OR DE "RAPE in the military" OR DE "RAPE victims" OR DE "ACQUAINTANCE rape victims" OR DE "FEMALE rape victims" OR DE "LGBTQ+ rape victims" OR DE "MALE rape victims" OR DE "MALE sexual abuse victims" OR DE "RAPE -- Psychological aspects" OR DE "RAPE in prisons" OR DE "SEXUAL harassment" OR DE "SAME-sex sexual harassment" OR DE "SEXUAL harassment in education" OR DE "SEXUAL harassment in mass media" OR DE "SEXUAL harassment of men" OR DE "SEXUAL harassment of women" OR DE "SEX crimes" OR DE "SEXUAL abuse victims" OR DE "SEXUAL aggression" OR DE "SEXUAL assault"	18,219
2. TI ( (intercourse N3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* N3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex N3 (in-appropriate OR inappropriate)) OR (sex* N3 (victim* OR revictim* OR re-victim* OR survivor*)) ) OR AB ( (intercourse N3 (coer* OR force* OR unwanted)) OR rape OR raped OR rapes OR raping OR (sex* N3 (abus* OR aggressi* OR assault OR attack* OR bully* OR coerc* OR crime* OR exploit* OR force* OR harm OR harass* OR maltreat* OR misconduct* OR molest* OR nonconsensual OR non-consensual OR offen* OR predator* OR slave* OR solicitation OR trauma* OR victim* OR violated OR violation* OR unlawful* OR unwanted OR violen*)) OR (sex N3 (in-appropriate OR inappropriate)) OR (sex* N3 (victim* OR revictim* OR re-victim* OR survivor*)) )	47,884
3. S1 OR S2	49,958
4. DE "DOMESTIC violence" OR DE "INTIMATE partner violence" OR DE "LGBTQ family violence" OR DE "VICTIMS of domestic violence" OR DE "DATING violence" OR DE "MARITAL violence"	13,992
5. TI ( (dating N3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) N3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship N3 (aggression OR violence)) OR (spous* N3 abuse) ) OR AB ( (dating N3 (abuse OR aggression OR violence)) OR dishonor* OR dishonour* OR ((domestic OR family OR intrafamilial OR marital OR partner) N3 (abuse OR violence)) OR honor* OR honour* OR "intimate partner violence" OR (relationship N3 (aggression OR violence)) OR (spous* N3 abuse) )	34,340
6. S4 OR S5	37,643
7. DE "HUMAN trafficking" OR DE "SEX trafficking" OR DE "SEX work" OR DE "MALE sex work" OR DE "BROTHELS" OR DE "SEX workers" OR DE "CRIMES against sex workers" OR DE "MALE sex workers"	4,931
8. TI ( brothel* OR "human traffick*" OR prostitut* OR (sex* N3 traffick*) OR "sex work*") OR AB ( brothel* OR "human traffick*" OR prostitut* OR (sex* N3 traffick*) OR "sex work*")	8,565
9. S7 OR S8	9,461
10. DE "ADULT child abuse victims" OR DE "ADULT child sexual abuse victims" OR DE "CHILD pornography" OR DE "CHILD sexual abuse" OR DE "CHILD sexual abuse by Scout leaders" OR DE "CHILD sexual abuse by clergy" OR DE "CHILD sexual abuse by teachers" OR DE "CHILD sexual abuse in sports" OR DE "INCEST" OR DE "INCEST victims" OR DE "PEDOPHILIA" OR DE "SEXUALLY abused children" OR DE "SEXUALLY abused boys" OR DE "SEXUALLY abused girls" OR DE "CHILD rape victims" OR DE "SEXUALLY abused teenagers"	9,658
11. TI ( ((adolescen* OR child* OR early OR forced) N5 (marriage* OR married)) OR "child bride" OR "child porn*" OR grooming OR incest* OR paedophil* OR pedophil* ) OR AB ( ((adolescen* OR child* OR early OR forced) N5 (marriage* OR married)) OR "child bride" OR "child porn*" OR grooming OR incest* OR paedophil* OR pedophil* )	9,119
12. S10 OR S11	16,840
13. DE "FEMALE genital mutilation" OR DE "INFIBULATION" OR DE "GENITAL mutilation"	435
14. TI ( ( clitoridectom* OR clitorectom* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR wom*n OR girl*) N3 (circumcision OR cutting* OR mutilation* OR infibulat*))	838

	OR (genital* N3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal* N6 genital*) OR "pharaonic circumcision*" OR sunna ) OR AB ( ( clitoridectom* OR clitorctom* OR defibulat* OR deinfibulat* OR de-infibulat* OR ((female* OR wom*n OR girl*) N3 (circumcision OR cutting* OR mutilation* OR infibulat*)) OR (genital* N3 (alteration* OR circumcision* OR cutting* OR excision* OR "mutilation/cutting" OR infibulat* OR mutilation* OR modification* OR nicking OR pricking)) OR infibulat* OR re-circumcision OR reinfibulat* OR re-infibulat* OR (removal* N6 genital*) OR "pharaonic circumcision*" OR sunna )	
15.	S13 OR S14	873
16.	S3 OR S6 OR S9 OR S12 OR S15	97,048
<b>Population: Intellectual disability</b>		
17.	DE "CHILDREN with developmental disabilities" OR DE "CHILDREN with intellectual disabilities" OR DE "CHILDREN with learning disabilities" OR DE "DEVELOPMENTAL disabilities" OR DE "DEVELOPMENTALLY disabled youth" OR DE "INTELLECTUAL disabilities" OR DE "MEN with intellectual disabilities" OR DE "OLDER people with intellectual disabilities" OR DE "PARENTS with intellectual disabilities" OR DE "PEOPLE with developmental disabilities" OR DE "PEOPLE with intellectual disabilities" OR DE "PEOPLE with learning disabilities" OR DE "SEXUAL behavior of people with intellectual disabilities" OR DE "WOMEN with intellectual disabilities" OR DE "YOUTH with intellectual disabilities"	5,932
18.	TI ( ((intellect* OR learning) N3 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) ) OR AB ( ((intellect* OR learning) N3 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) )	7,202
19.	TI ( (cognit* N2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) ) OR AB ( (cognit* N2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) )	4,361
20.	TI ( (development* N2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) ) OR AB ( (development* N2 (deficien* OR deficit* OR delay* OR difficult* OR disab* OR disfunc* OR disorder* OR dysfunc* OR handicap* OR impair* OR limitation* OR retard* OR subnormal* OR sub-normal*)) )	5,232
21.	TI ( (mental* N2 (deficien* OR deficit* OR disab* OR handicap* OR impair* OR retard*)) ) OR AB ( (mental* N2 (deficien* OR deficit* OR disab* OR handicap* OR impair* OR retard*)) )	6,586
22.	TI ( ("borderline intellectual functioning" OR ((borderline OR low OR subnormal* OR sub-normal*) N3 (intelligence OR IQ))) ) OR AB ( ("borderline intellectual functioning" OR ((borderline OR low OR subnormal* OR sub-normal*) N3 (intelligence OR IQ))) )	395
23.	S17 OR S18 OR S19 OR S20 OR S21 OR S22	23,922
<b>Intervention: Psychological and psychosocial treatments</b>		
24.	DE "PSYCHOTHERAPY" OR DE "ADOLESCENT psychotherapy" OR DE "ASSERTIVENESS training" OR DE "BEHAVIOR modification" OR DE "BEHAVIOR therapy" OR DE "CHILD psychotherapy" OR DE "COGNITIVE therapy" OR DE "CONJOINT therapy" OR DE "COUNSELING" OR DE "COUNSELING of children" OR DE "COUPLES counseling" OR DE "COUPLES therapy" OR DE "CROSS-cultural counseling" OR DE "EMOTION-focused therapy" OR DE "EXPOSURE therapy" OR DE "FAMILY counseling" OR DE "FAMILY psychotherapy" OR DE "FAMILY support" OR DE "GROUP counseling" OR DE "GROUP psychotherapy" OR DE "HEALTH self-care" OR DE "HYPNOTHERAPY" OR DE "INTERPERSONAL & social rhythm therapy" OR DE "MEDITATION" OR DE "MINDFULNESS" OR DE "MOTIVATIONAL interviewing" OR DE "NATURE therapy" OR DE "PSYCHOANALYSIS" OR DE "REALITY therapy" OR DE "RECREATIONAL therapy" OR DE "RELATIONAL-cultural therapy" OR DE "SELF-help techniques" OR DE "SELF-management (Psychology)" OR DE "SOCIAL services case management" OR DE "SOCIAL support" OR DE "SUPPORT groups" OR DE "TELEPSYCHIATRY" OR DE "TRANSCENDENTAL Meditation"	71,835

25. TI ( ((abreaction OR desensitization OR implosive) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "acceptance and commitment therapy" OR ((animal\* OR art OR color OR creative\* OR dance OR dancing OR drama OR equine OR experiential OR music OR play\* OR sensory OR singing) N3 (intervention\* OR program\* OR therap\* OR treatment\*)) OR "assertive community treatment\*" OR (attention N3 modification) OR "attention training" OR ((behavior\* OR cognitive) N3 (activation\* OR approach\* OR component# OR contracting OR defusion OR guidance OR intervention\* OR management OR modification\* OR program\* OR rehab\* OR restructuring\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR "bereavement therapy\*" OR ((biofeedback OR feedback OR imagery) N3 (intervention\* OR program\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR ((brief OR time-limited) N3 (intervention\* OR therap\* OR treatment\*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus\* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "cognitive behavior\*" OR ((combination OR "compass\* focus\*" OR integrated OR integrative) N3 (intervention\* OR therap\* OR treatment\*)) OR "combined modality therapy" OR ((coping OR resilience) N3 (intervention\* OR therap\* OR treatment\*)) OR counseling OR counselling OR ((couple\* OR family OR group) N3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR (crisis W1 (care OR intervention\* OR therap\* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavior\*" OR "early intervention\*" OR "emotional freedom technique\*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR ((exposure OR "exposure based") W2 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "eye movement desensitization" OR EMDR OR "expressive writing" OR "grad\* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery N3 (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) N3 (intervention\* OR therap\* OR treatment\*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal\* OR multi-modal\* OR multimodular OR multi-modular OR phase-based) N3 (approach\* OR program\* OR intervention\* OR therap\* OR treatment\*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic\*) N3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR (narrative W3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR (network W1 (intervention OR therap\* OR treatment\*)) OR neurofeedback OR neuro-feedback OR ((non-direct\* OR nondirect\* OR "solution focus\*") N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR ("problem oriented" N3 (approach\* OR intervention\* OR therap\* OR treatment\*)) OR "prolonged exposure" OR psychoanaly\* OR (psychiatr\* W1 (program\* OR intervention\* OR therap\* OR treatment\*)) OR psycho-analy\* OR psychoeducat\* OR psycho-educat\* OR ((psychodrama OR psycho-drama\* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) N3 (intervention\* OR program\* OR rehab\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR psychotherap\* OR "psycho therap\*" OR "reconsolidation of traumatic memories" OR (relational N3 (intervention\* OR therap\* OR treatment\*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) N3 (guided OR instruct\* OR intervention\* OR program\* OR strateg\* OR supervised OR therap\* OR treatment\*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) N3 (administered OR guided OR instruct\* OR intervention\* OR program\* OR strateg\* OR supervised OR therap\* OR tool\* OR treatment\*)) OR self-management OR ("sex\* abuse" N2 (intervention\* OR therap\* OR treatment\*)) OR (short-term W2 (intervention\* OR therap\* OR treatment\*)) OR "skill\* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support N3 (community OR family OR group\* OR psychosocial OR psycho-social OR social)) OR (supportive N3 (intervention\* OR service\* OR talk\*)) OR "therapeutic alliance\*" OR "therapeutic community\*" OR "therapeutic relationship\*" OR "third wave" OR "thought field therapy" OR ("trauma focused" OR "trauma informed") N3 (care OR intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "trauma processing" OR "validation therapy" OR (written N3 (disclosure OR exposure)) OR yoga ) OR AB ( ((abreaction OR desensitization OR implosive) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "acceptance

and commitment therapy" OR ((animal\* OR art OR color OR creative\* OR dance OR dancing OR drama OR equine OR experiential OR music OR play\* OR sensory OR singing) N3 (intervention\* OR program\* OR therap\* OR treatment\*)) OR "assertive community treatment\*" OR (attention N3 modification) OR "attention training" OR ((behavio\* OR cognitive) N3 (activat\* OR approach\* OR component# OR contracting OR defusion OR guidance OR intervention\* OR management OR modif\* OR program\* OR rehab\* OR restructur\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR "bereavement therap\*" OR ((biofeedback OR feedback OR imagery) N3 (intervention\* OR program\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR ((brief OR time-limited) N3 (intervention\* OR therap\* OR treatment\*)) OR "brain training" OR "case management" OR CBT OR ((client-centred OR client-centered OR client-focus\* OR individual OR individualised OR individualized OR person-centred OR person-centered OR present-centred OR present-centered) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "cognitive behavio\*" OR ((combination OR "compass\* focus\*" OR integrated OR integrative) N3 (intervention\* OR therap\* OR treatment\*)) OR "combined modality therapy" OR ((coping OR resilience) N3 (intervention\* OR therap\* OR treatment\*)) OR coun?eling OR coun?elling OR ((couple\* OR family OR group) N3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR (crisis W1 (care OR intervention\* OR therap\* OR treatment)) OR DBT OR debriefing OR "deep brain reorientation" OR "dialectical behavio\*" OR "early intervention\*" OR "emotional freedom technique\*" OR ((existential OR gestalt OR humanistic OR interpersonal OR milieu OR residential OR socioenvironmental OR socio-environmental) N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR ((exposure OR "exposure based") W2 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "eye movement desensiti#ation" OR EMDR OR "expressive writing" OR "grad\* exposure" OR "hearing voices" OR hypnosis OR hypnotherapy OR (imagery N3 (modification OR rehearsal OR trauma)) OR "life span integration" OR mandalas OR MBT OR meditation OR "memory specificity training" OR "mental training" OR ((mentalization OR mentalisation) N3 (intervention\* OR therap\* OR treatment\*)) OR "metacognitive therapy" OR mindfulness OR "mind training" OR "minimal therapist support" OR ((modular OR multicomponent OR multi-component OR multimodal\* OR multi-modal\* OR multimodular OR multi-modular OR phase-based) N3 (approach\* OR program\* OR intervention\* OR therap\* OR treatment\*)) OR "motivational interviewing" OR ((multisystemic OR multi-systemic OR systemic\*) N3 (program\* OR intervention\* OR therap\* OR treatment\*)) OR (narrative W3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR (network W1 (intervention OR therap\* OR treatment\*)) OR neurofeedback OR neuro-feedback OR ((non-direct\* OR nondirect\* OR "solution focus\*") N3 (intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR ("problem oriented" N3 (approach\* OR intervention\* OR therap\* OR treatment\*)) OR "prolonged exposure" OR psychoanaly\* OR (psychiatr\* W1 (program\* OR intervention\* OR therap\* OR treatment\*)) OR psycho-analy\* OR psychoeducat\* OR psycho-educat\* OR ((psychodrama OR psycho-drama\* OR psychodynamic OR "psycho dynamic" OR psychological OR psychosocial OR psycho-social) N3 (intervention\* OR program\* OR rehab\* OR technique\* OR therap\* OR train\* OR treatment\*)) OR psychotherap\* OR "psycho therap\*" OR "reconsolidation of traumatic memories" OR (relational N3 (intervention\* OR therap\* OR treatment\*)) OR relaxation OR "role play" OR ((self-administered OR selfadministered) N3 (guided OR instruct\* OR intervention\* OR program\* OR strateg\* OR supervised OR therap\* OR treatment\*)) OR ((self-care OR selfcare OR self-change OR self-help OR selfhelp) N3 (administered OR guided OR instruct\* OR intervention\* OR program\* OR strateg\* OR supervised OR therap\* OR tool\* OR treatment\*)) OR self-management OR ("sex\* abuse" N2 (intervention\* OR therap\* OR treatment\*)) OR (short-term W2 (intervention\* OR therap\* OR treatment\*)) OR "skill\* training" OR "social acknowledgement" OR "somatic experiencing" OR "stress inoculation training" OR "structured approach therapy" OR (support N3 (community OR family OR group\* OR psychosocial OR psycho-social OR social)) OR (supportive N3 (intervention\* OR service\* OR talk\*)) OR "therapeutic allianc\*" OR "therapeutic communit\*" OR "therapeutic relationship\*" OR "third wave" OR "thought field therapy" OR (("trauma focused" OR "trauma informed") N3 (care OR intervention\* OR program\* OR technique\* OR therap\* OR treatment\*)) OR "trauma processing" OR "validation therapy" OR (written N3 (disclosure OR exposure)) OR yoga )

- 
26. TI ( cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation
- 

631

	OR ecounseling OR e-counselling OR ecounseling OR ecounselling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat* ) OR AB ( cCBT OR c-CBT OR cyber-counseling OR cyber-counselling OR cybercounseling OR cybercounselling OR "digital health" OR e-consultation OR eCBT OR e-CBT OR econsultation OR ecounseling OR e-counselling OR ecounseling OR ecounselling OR e-health OR ehealth OR emedicine OR e-medicine OR "emental health*" OR "e-mental health*" OR e-portal OR eportal OR epsych* OR e-psych* OR e-therapy OR etherapy OR i-CBT OR ICBT OR m-health OR mhealth OR "mobile health" OR telepsychiatry OR tele-psychiatry OR Deprexis OR Interapy OR WeChat* )	
27.	TX ((home W2 visit*) OR (home W2 call*) OR (home W2 interven*) OR (house W2 visit*) OR (house W2 call*) OR (house W2 interven*)) AND TX ("social care" OR (social W1 work*) OR (social W1 service*) OR "child protective" OR "family support" OR (family W1 counsel*) OR "child welfare" OR (community W1 service*))	10,339
28.	TI ( "active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) N5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated N3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt" ) OR AB ( "active parenting" OR "attachment and biobehavioral catch-up" OR ((attachment OR bond*) N5 (intervention* OR therap* OR treatment*)) OR "cool kids" OR "coping power program" OR DBTSS OR "family check-up" OR "incredible years" OR KIDNET OR "kids club*" OR "Kognitiv Integrerad Behandling vid Barnmisshandel" OR KIBB OR "marte meo" OR "moms empowerment program" OR "no kids in the middle" OR "parent-child interaction therapy" OR "parent education" OR "parent management training" OR (parent-mediated N3 (program* OR intervention* OR therap* OR treatment*)) OR "parent training" OR "parenting intervention" OR "parenting young children" OR "project support" OR "promoting first relationship*" OR PCIT OR safecare* OR "safe place" OR "safer kids" OR "trappan-modellen" OR "trappanmetoden" OR trappan OR "Traumafokuserad KBT" OR "TF kbt" )	3,337
29.	TI ( "Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren" ) OR AB ( "Alternatives for Families" OR "Caring Dads" OR CPPC OR "Community Partnerships for the Protection of Children" OR "Communities that Care" OR "Exchange Parent Aide" OR "Iowa Parent Partner Approach" OR MST-CAN OR "Nurturing Parenting Program for Parents and their Infants Toddlers" OR "Nurturing Parenting Program for Parents and their School-age Children" OR "Parent Engagement and Self-Advocacy" OR "Parent Support Outreach Program" OR PSOP OR "Project 12-ways" OR "Strengthening Families" OR "Strong Communities for Children" OR "Who Do You Tell" OR "WebsterStratton parenting program" OR "Triple P" OR "Incredible years" OR "otroliga aren" )	1,973
30.	DE "EDUCATION of people with intellectual disabilities" OR DE "EDUCATION of people with learning disabilities" OR DE "HEALTH education" OR DE "SEX counseling" OR DE "SEX education" OR DE "SEX education for children" OR DE "SEX education for men" OR DE "SEX education for older people" OR DE "SEX education for people with intellectual disabilities" OR DE "SEX education for people with learning disabilities" OR DE "SEX education for women" OR DE "SEX education for youth" OR DE "SEXOLOGY" OR DE "SEXOLOGISTS" OR DE "SOCIAL work with the mentally disabled"	7,246

31.	TI ( ((sex* N2 education) OR (sexologic* N3 (intervention* OR rehab* OR technique* OR therap* OR treatment*))) ) OR AB ( ((sex* N2 education) OR (sexologic* N3 (intervention* OR rehab* OR technique* OR therap* OR treatment*))) )	4,770
32.	S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31	211,015
<b>Combined sets</b>		
33.	S16 AND S23 AND S32	365
34.	S16 AND S23 AND S32	206
Limiters - Peer Reviewed		
<b>Final result</b>		
35.	<b>S16 AND S23 AND S32</b>	<b>206</b>
Limiters - Peer Reviewed		
Limiters - Language: Danish, English, Norwegian, Swedish		

The final search result, usually found at the end of the documentation, forms the list of abstracts.

**AB** = Abstract; **AU** = Author; **DE** = Term from the thesaurus; **KW** (Available in Academic Search Premiere / SocINDEX / PsycInfo) = Author keyword; **MH** = Exact Subject Heading from CINAHL Subject Headings; **MM** = Major Concept; **SU** = Searches for a part of or an entire subject heading; **TI** = Title; **TX** = All Text. Performs a keyword search of all the database's searchable fields; **ZC** = Methodology Index; \* = Truncation; " " = Citation Marks; searches for an exact phrase; # = replaces one or no letters; ? = replaces one letter; **N** = Near Operator (N) finds the words if they are a maximum of x words apart from one another, regardless of the order in which they appear.; **W** = Within Operator (W) finds the words if they are within x words of one another, in the order in which you entered them



Campbell Library 7 June 2023

Title: Sexual violence and intellectual disabilities

Search terms	Items found
<b>Population: Sexual violence</b>	
1. Coordinating groups: Crime and Justice, Disability, Education, Social Welfare	200
AND	
Type of document: Review, Evidence and gap map	

All results were screened in the database for relevance, 0 references were exported for further screening.

Epistemonikos 7 June 2023

Title: Sexual violence and intellectual disabilities

Search terms	Items found
<b>Population: Population: Intellectual disability (title) AND Sexual violence (abstract)</b>	
1. title:(((intellectual OR learning) AND (deficiency OR deficiencies OR deficit OR deficits OR delay OR delays OR delayed OR difficulty OR difficulties OR disability OR disabilities OR disabled OR disfunction OR disfunctions OR disorder OR disorders OR dysfunction OR dysfunctions OR handicap OR handicaps OR handicapped OR impairment OR impairments OR impaired OR limitation OR limitations OR retardation OR retardations OR retarded OR subnormal OR subnormally OR sub-normal OR sub-normally)) OR (cognit* AND (deficiency OR deficiencies OR deficit OR deficits OR delay OR delays OR delayed OR difficulty OR difficulties OR disability OR disabilities OR disabled OR disfunction OR disfunctions OR dysfunction OR dysfunctions OR handicap OR handicaps OR handicapped OR impairment OR impairments OR impaired OR limitation OR limitations OR retardation OR retardations OR retarded OR subnormal OR subnormally OR sub-normal OR sub-normally)) OR ((development OR developmental) AND (deficiency OR deficiencies OR deficit OR deficits OR delay OR delays OR delayed OR difficulty OR difficulties OR disability OR disabilities OR disabled OR disfunction OR disfunctions OR disorder OR disorders OR dysfunction OR dysfunctions OR handicap OR handicaps OR handicapped OR impairment OR impairments OR impaired OR limitation OR limitations OR retardation OR retardations OR retarded OR subnormal OR subnormally OR sub-normal OR sub-normally)) OR ((mental OR mentally) AND (deficiency OR deficiencies OR deficit OR deficits OR disability OR disabilities OR disabled OR handicap OR handicaps OR handicapped OR impairment OR impairments OR impaired OR retardation OR retardations OR retarded)) OR "borderline intellectual functioning" OR ((borderline OR low OR subnormal OR subnormally OR sub-normal OR sub-normally) AND (intelligence OR IQ))) AND abstract:(rape OR raped OR rapes OR raping OR "sex abuse" OR "sexual abuse" OR "sexually abused" OR "sex assault" OR "sexual assault" OR "sexually assaulted" OR "sexual coercion" OR "sexually coerced" OR "sex exploitation" OR "sexual exploitation" OR "sexually exploited" OR "sexual harassment" OR "sexually harassed" OR "sex molestation" OR "sexual molestation" OR "sexually molested" OR "sex trauma" OR "sexual trauma" OR "sex violence" OR "sexual violence" OR dishonor OR dishonour OR "domestic abuse" OR "domestic violence" OR honor OR honour OR "marital violence" OR "partner abuse" OR "partner violence" OR "spouse abuse" OR "spousal abuse" OR "human trafficking" OR prostitution OR prostitutes OR "sex trafficking" OR "sex work" OR "sex workers" OR "child marriage" OR "child porn" OR "child pornography" OR "forced marriage" OR grooming OR incest OR paedophilia OR paedophile OR paedophiles OR pedophilia OR pedophile OR pedophiles OR clitoridectomy OR clitoridectomies OR clitorectomy OR clitorectomies OR defibulation OR defibulated OR deinfibulation OR deinfibulated OR de-infibulation OR de-infibulated OR "female circumcision" OR "genital mutilation" OR infibulation OR infibulated OR re-circumcision OR reinfibulation OR reinfibulated OR re-infibulation OR re-infibulated OR "pharaonic circumcision" OR "pharaonic circumcisions" OR sunna)	57

The final search result, usually found at the end of the documentation, forms the list of abstracts.



## International HTA Database 7 June 2023

## Title: Sexual violence and intellectual disabilities

Search terms	Items found
<b>Population: Sexual violence</b>	
1. "Rape"[mh] OR "Sexual Harassment"[mh] OR "Sex Offenses"[mh] OR "Sexual Trauma"[mhe] OR "Domestic Violence"[mh] OR "Intimate Partner Violence"[mhe] OR "Human Trafficking"[mh] OR "Sex Work"[mh] OR "Sex Workers"[mh] OR "Adult Survivors of Child Adverse Events"[mhe] OR "Child Abuse, Sexual"[mh] OR "Incest"[mh] OR "Pedophilia"[mh] OR "Circumcision, Female"[mh]	24
2. (rape OR raped OR rapes OR raping OR "sex abuse" OR "sexual abuse" OR "sexually abused" OR "sex assault" OR "sexual assault" OR "sexually assaulted" OR "sexual coercion" OR "sexually coerced" OR "sex exploitation" OR "sexual exploitation" OR "sexually exploited" OR "sexual harassment" OR "sexually harassed" OR "sex molestation" OR "sexual molestation" OR "sexually molested" OR "sex trauma" OR "sexual trauma" OR "sex violence" OR "sexual violence" OR dishonor OR dishonour OR "domestic abuse" OR "domestic violence" OR honor* OR honour* OR "marital violence" OR "partner abuse" OR "partner violence" OR "spouse abuse" OR "spousal abuse" OR "human trafficking" OR prostitution OR prostitutes OR "sex trafficking" OR "sex work" OR "sex workers" OR "child marriage" OR "child porn" OR "child pornography" OR "forced marriage" OR grooming OR incest OR paedophilia OR paedophile OR paedophiles OR pedophilia OR pedophile OR pedophiles OR clitoridectomy OR clitoridectomies OR clitorectomy OR clitorectomies OR defibulation OR defibulated OR deinfibulation OR deinfibulatiéd OR de-infibulation OR de-infibulated OR "female circumcision" OR "genital mutilation" OR infibulation OR infibulated OR re-circumcision OR reinfibulation OR reinfibulated OR re-infibulation OR re-infibulated OR "pharaonic circumcision" OR "pharaonic circumcisions" OR sunna)[Title] OR (rape OR raped OR rapes OR raping OR "sex abuse" OR "sexual abuse" OR "sexually abused" OR "sex assault" OR "sexual assault" OR "sexually assaulted" OR "sexual coercion" OR "sexually coerced" OR "sex exploitation" OR "sexual exploitation" OR "sexually exploited" OR "sexual harassment" OR "sexually harassed" OR "sex molestation" OR "sexual molestation" OR "sexually molested" OR "sex trauma" OR "sexual trauma" OR "sex violence" OR "sexual violence" OR dishonor OR dishonour OR "domestic abuse" OR "domestic violence" OR honor* OR honour* OR "marital violence" OR "partner abuse" OR "partner violence" OR "spouse abuse" OR "spousal abuse" OR "human trafficking" OR prostitution OR prostitutes OR "sex trafficking" OR "sex work" OR "sex workers" OR "child marriage" OR "child porn" OR "child pornography" OR "forced marriage" OR grooming OR incest OR paedophilia OR paedophile OR paedophiles OR pedophilia OR pedophile OR pedophiles OR clitoridectomy OR clitoridectomies OR clitorectomy OR clitorectomies OR defibulation OR defibulated OR deinfibulation OR deinfibulatiéd OR de-infibulation OR de-infibulated OR "female circumcision" OR "genital mutilation" OR infibulation OR infibulated OR re-circumcision OR reinfibulation OR reinfibulated OR re-infibulation OR re-infibulated OR "pharaonic circumcision" OR "pharaonic circumcisions" OR sunna)[abs]	35
3. #2 OR #1	41
<b>Population: Intellectual disability</b>	
4. "Cognitive Dysfunction"[mh] OR "Developmental Disabilities"[mh] OR "Disabled Children"[mh] OR "Intellectual Disability"[mhe] OR "Learning Disabilities"[mh] OR "Persons with Mental Disabilities"[mh]	125
5. (((intellectual OR learning) AND (deficiency OR deficiencies OR deficit OR deficits OR delay OR delays OR delayed OR difficulty OR difficulties OR disability OR disabilities OR disabled OR disfunction OR disfunctions OR disorder OR disorders OR dysfunction OR dysfunctions OR handicap OR handicaps OR handicapped OR impairment OR impairments OR impaired OR limitation OR limitations OR retardation OR retardations OR retarded OR subnormal OR subnormally OR sub-normal OR sub-normally)) OR (cognit* AND (deficiency OR deficiencies OR deficit OR deficits OR delay OR delays OR delayed OR difficulty OR difficulties OR disability OR disabilities OR disabled OR disfunction OR dysfunctions OR handicap OR handicaps OR handicapped OR impairment OR impairments OR impaired OR limitation OR limitations OR retardation OR retardations OR retarded OR subnormal OR subnormally OR sub-normal OR sub-normally)) OR ((development OR developmental) AND (deficiency OR deficiencies OR deficit OR deficits OR delay OR delays OR delayed OR difficulty OR difficulties OR disability OR disabilities OR disabled OR	71

disfunction OR disfunctions OR disorder OR disorders OR dysfunction OR dysfunctions OR handicap OR handicaps OR handicapped OR impairment OR impairments OR impaired OR limitation OR limitations OR retardation OR retardations OR retarded OR subnormal OR subnormally OR sub-normal OR sub-normally)) OR ((mental OR mentally) AND (deficiency OR deficiencies OR deficit OR deficits OR disability OR disabilities OR disabled OR handicap OR handicaps OR handicapped OR impairment OR impairments OR impaired OR retardation OR retardations OR retarded)) OR "borderline intellectual functioning" OR ((borderline OR low OR subnormal OR subnormally OR sub-normal OR sub-normally) AND (intelligence OR IQ)))[Title]

6.	#5 OR #4	154
<b>Final result</b>		
7.	#6 AND #3	0

The final search result, usually found at the end of the documentation, forms the list of abstracts.